

Exam : 000-S02

Title : DR550 Technical Mastery

Version : DEMO

1. When stopping the cluster service on a dual node DR550 system, which of the following statements is true?

- A. Cluster services can be stopped from either node using the AIX command HACMP - stop.
- B. Cluster services can be stopped from either node using the AIX command smitty clstop.
- C. Cluster services must be stopped from both nodes individually using the AIX command HACMP - stop.
- D. Cluster services must be stopped from both nodes individually using the AIX command smitty clstart.

Correct: B

2. What is the process for setting up the client to enable data to be sent to the DR550?

- A. Create CIFS mapping on each client to map to DR550
- B. Create NFS connection to /archive directory on the DR550 then map this directory to clients
- C. Load System Storage Archive Manager API on each client and edit dsm.sys or dsm.opt and register clients
- D. Load System Storage Archive Manager driver on each client and edit dsm.sys or dsm.opt on server to register clients

Correct: C

3. System Storage Archive Manager script files are stored in which volume group?

- A. /lib B. /usr
- C. TSMApps
- D. TSMDBLogs

Correct: C

4. Which version of the Tivoli Storage Manager API must be installed and configured on the content management resource server?

- A. TSM API 5.3.2 or later
- B. TSM API 5.2.2 or later
- C. TSM API 5.0.0 or later
- D. DR550 supports all versions of the TSM API

Correct: B

5. How is "DS4000 Service Alert" implemented on the DR550?

- A. Remote Support option uses dial modem to send alerts to IBM.
- B. Storage Manager runs on HMC and uses dial modem to send alerts to IBM.
- C. Remote Support option sends alerts to email addresses supplied by customer.
- D. Storage Manager sends an SNMP alert notification to an SNMP server on the customer network.

Correct: D

6. How many rack power connections are required in a 28TB "disk only" DR550 configuration?

- A. Two connections on both racks
- B. Four 220 Volt 30 amp connections
- C. Eight 220 Volt 30 amp connections
- D. Eight 110/220 Volt 20 amp connections

Correct: B

7. In order for a content management application to access System Storage Archive Manager, which two items must be set up in the System Storage Archive Manager server?

- A. A backup schedule
- B. A client node

- C.A database backup schedule
- D.A management class
- E.A tape storage pool

Correct: B D

8.How can content management applications retrieve data from the System Storage Archive Manager?

- A.System Storage Archive Manager API calls
- B.System Storage Archive Manager import/export
- C.System Storage Archive Manager server to server connections
- D.Directly from the System Storage Archive Manager disk storage pools

Correct:A

9.What is required when planning for the network environment for a dual node DR550?

- A.Six LAN cables
- B.Five TCP/IP addresses
- C.Four Ethernet switches
- D.A network protocol converter

Correct:B

10.After modifying the state of a volume using the DRM command "move drmedia", which command would the administrator use to verify the results of the action?

- A.lsvol
- B.query move
- C.query actlog
- D.query tostate

Correct:C

11.What should be done when defining tape drives and libraries to System Storage Archive Manager?

- A.First make sure AIX can see the devices
- B.Always dedicate a drive for database backup use
- C.First define the tape drives and then the library
- D.Always use the System Storage Archive Manager device drivers only

Correct:A

12.During the Solution Assurance Review (SAR), a customer expresses plans to attach an unsupported tape library. What is the most appropriate response for the sales team?

- A.Explain to the customer that this unsupported configuration will prevent IBM from completing the order.
- B.Explain that an RPQ is NOT required if the sale of the DR550 was made through a certified Business Partner.
- C.Allow IBM to ship the DR550 with the customer understanding that it is their responsibility to make it work.
- D.Complete the order and ship the DR550 to the customer while waiting for the configuration to be tested and certified.

Correct:A

13.Which AIX command changes or modifies networking addresses?

- A.smitty chfs
- B.smitty mktcpip

- C.ipconfig /c
- D.ipconfig /m

Correct:B

14.What must be configured on the content management application machine to communicate with the System Storage Archive Manager server?

- A.Archive client installed, dsmserv.opt configured
- B.TSM backup client installed, dsm.opt or dsm.sys configured
- C.System Storage Archive Manager API installed, dsmserv.opt configured
- D.System Storage Archive Manager API installed, dsm.opt or dsm.sys configured

Correct:D

15.Which of the following is used to create a backup of rootvg?

- A.smit mkdvd
- B.backup
- C.copydvd
- D.lssavevg

Correct:A

16.Which of the following can be used to validate that the DR550 is working properly?

- A.Run AIX configuration manager
- B.Start the DR550 HMC Graphical User Interface
- C.Open the rack door and ensure that the LEDs and lights are on
- D.Run the AIX configuration manager and IBM TotalStorage DS6000 Storage Manager

Correct:B

17.Which of the following components are involved in archiving and retrieving data from the DR550?

- A.IBM DB2 Content Management, System Storage Archive Manager and the DS6000 Storage device disks
- B.IBM DB2 Information Management, System Storage Archive Manager and the DS4100 Storage device disks
- C.A document management system or archive client, IBM DB2 Information Management and the DS4100 Storage device disks
- D.A document management system or archive client, System Storage Archive Manager and the DS4100 Storage device disks

Correct:D

18.Which of the following statements is true regarding IBM Content Manager Products?

- A.They address the needs of a small implementation up to a medium size business at only local locations.
- B.They contain APIs that cover some of the content management functionality needed for a localized solution.
- C.They provide all of the repository backend services necessary to address an enterprise content management system.
- D.They provide some of the repository backend services necessary to address an enterprise content management system.

Correct:C

19.Which step is required in the DR550 initial configuration?

- A.Set up Call Home

- B. Zone the SAN switches
- C. Configure network addresses
- D. Assign spare drives in the DS4100

Correct: C

20. Which two of the following IBM products enable Information Lifecycle Management?

- A. IBM DB2 Content Manager
- B. IBM DB2 UDB for Data Retention
- C. IBM Lotus Notes for Data Retention
- D. IBM System Storage Archive Manager
- E. IBM WebSphere for Data Retention

Correct: A D

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



| | | |
|---|---|--|
|  One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p> |
|---|---|--|

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.