

100% Money Back
Guarantee

Vendor: CIW

Exam Code: 1D0-635

Exam Name: CIW JavaScript Specialist

Version: Demo

QUESTION 1

Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A. `<script type="text/javascript">function DisplayName(void){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}</script>`
- B. `<script type="text/javascript">function DisplayName(){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}</script>`
- C. `<script type="text/javascript">function DisplayName(void){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}</script>`
- D. `<script type="text/javascript">function DisplayName(){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + yourname);}</script>`

Correct Answer: B

QUESTION 2

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish(): `var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();` Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
- B. `var xmlhttp = new XMLHttpRequest();`
- C. `xmlhttp.open("GET", "fish.xml", true);`
- D. `xmlhttp.onreadystatechange = showFish();`

Correct Answer: C

QUESTION 3

Which of the following demonstrate the correct syntax for the switch statement?

- A. `var myName= "Paul"switch (myName){case "Peter"document.write("My name is Peter.
")breakcase "Paul"document.write("My name is Paul.
")break: (default);document.write("I do not have a name.
")}`
- B. `var myName= "Paul"switch (myName){case "Peter"document.write("My name is Peter.
")breakcase "Paul"document.write("My name is Paul.
")break: (default);document.write("I do not have a name.
")}`
- C. `var myName= "Paul"switch (myName){case (Peter)document.write("My name is Peter.
")breakcase (Paul)document.write("My name is Paul.
")break;case: (default);document.write("I do not have a name.
")}`
- D. `var myName= "Paul"switch (myName){case (Peter)document.write("My name is Peter.
")breakcase (Paul)document.write("My name is Paul.
")break;case: (default);document.write("I do not have a name.
")}`

Correct Answer: A

QUESTION 4

Consider the following code: `<script type="text/javascript"> var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2); </script>` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

Correct Answer: B

QUESTION 5

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

Correct Answer: B

QUESTION 6

What basic code is needed to define a function in JavaScript?

- A. function myFunction { }
- B. define myFunction() { }
- C. function myFunction() { }
- D. define myFunction { return value; }

Correct Answer: C

QUESTION 7

When using AJAX, what is the purpose of the XMLHttpRequest object?

- A. To transfer an XML document to the Web server
- B. To request data from the Web server strictly in XML format
- C. To read and write to an XML file stored on the local machine
- D. To request either XML data or plaintext data from the Web server

Correct Answer: D

QUESTION 8

Which statement will correctly call a JavaScript function without error?

- A. var myFunction()
- B. initiate myFunction()
- C. call myFunction()
- D. myFunction()

Correct Answer: D

QUESTION 9

Consider only the following code:

```
<script type= "text/javascript" >
function mySum(num1, num2)
{
    ... (your selection here)
}
</script >
```

Which of the following would properly supply the sum of the two numbers?

- A. return sum;
- B. mySum (num1+num2);
- C. return num1+num2;
- D. return sum(num1+num2);

Correct Answer: C

QUESTION 10

Which is the best technique to test a script for cross-browser compatibility?

- A. Use the W3C site's code validator to test the script.
- B. Test the script in various versions of the same browser.
- C. Test the script in various browsers, including various versions of the same browsers.
- D. Determine the most frequently used browser for your target audience and then test the script in that browser.

Correct Answer: C

QUESTION 11

Consider the following code:

```
<script type="text/javascript">
var TheCounter = 15;
while (TheCounter > 0){
document.write("The count at this time is " + TheCounter + "<br/>");
TheCounter--;
}
</script>
```

What is the expected result when you run this script in the browser?

- A. There will be no visible output, but the script will count down to 0.
- B. The script will output a countdown from 15 to 0 in the client window.
- C. The script will output a countdown from 15 to 1 in the client window.
- D. The script will output 15, then 1, because it will only write the first and last values of a while? statement.

Correct Answer: C

QUESTION 12

Consider the following code:

```
<html>
<head>
</head>
<body>
<p>What's your favorite fruit?</p>
<form name="myForm">
<input type="radio" name="rdoGroup1" id="opt1" value="Apple"/>Apple <br/>
<input type="radio" name="rdoGroup1" id="opt2" value="Orange"/>Orange <br/>
<input type="radio" name="rdoGroup1" id="opt3" value="Pear"/>Pear <br/>
</body>
</html>
```

Which statement could be used to determine the value of the first radio button?

- A. document.rdoGroup1.value
- B. document.myForm.rdoGroup1[0].value
- C. document.getElementById(rdoGroup1).value
- D. document.getElementById("rdoGroup1").value

Correct Answer: B

QUESTION 13

Which choice best defines events and event handlers?

- A. An event can be an action initiated by the user, and an event handler specifies how JavaScript will

react to the action.

- B. An event is an action initiated by the operating system, and an event handler is a function defined by the user.
- C. An event handler can be an action initiated by the user, and an event specifies how JavaScript will react to the action.
- D. An event is initiated by an error in JavaScript, and an event handler will attempt to bypass the error and continue.

Correct Answer: A

QUESTION 14

Consider the following code:

```
var firstArray = ["John", "Paul", "George"]
var secondArray = firstArray;
secondArray[1] = "Ringo";
alert(firstArray);
```

What is the output when you run this script in the browser?

- A. An alert box displaying the following: John, Paul, George, Ringo
- B. An alert box displaying the following: Ringo, John, Paul, George
- C. An alert box displaying the following: Ringo, Paul, George
- D. An alert box displaying the following: John, Ringo, George

Correct Answer: D

QUESTION 15

Which statement about the JavaScript form object is true?

- A. The JavaScript form object has no relationship to the X/HTML <form> element.
- B. You can use a single instance of the form object to represent multiple forms on a Web page.
- C. The form object cannot be used to access the individual field elements that compose the form.
- D. The JavaScript form object is available when the X/HTML <form></form> tags are present in the X/HTML document.

Correct Answer: D

QUESTION 16

Consider the following code:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Variables</title>
<script type="text/javascript">
function ClientMessage()
{
    var message="Come Back Soon!";
    alert(message);
}
</script>
</head>
<body onload="ClientMessage()">
</body>
</html>
```

What is the expected result of this script?

- A. When you leave the page, the alert box will display.
- B. The page will ignore the function, so a blank page will display on entry and exit.
- C. When you enter the page, you will be warned that there is unfinished JavaScript to run.
- D. When you leave the page, there will be a JavaScript error because you cannot unload an alert box.

Correct Answer: A

QUESTION 17

Which of the following comparison statements will return true?

- A. `x = 10;y = 5;x <= y;`
- B. `x = 10;y = 5;x !== "X"`
- C. `x = 10;y = 5;x === y;`
- D. `x = 10;y = 5;x == y;`

Correct Answer: B

QUESTION 18

Which statement is true about the `getElementById()` method?

- A. It returns only the first element with the specified ID.
- B. It returns an array containing all elements with the specified ID.
- C. If a match is not found for the specified ID, it will attempt searching by name.
- D. If a match is not found for the specified ID, it will attempt searching by tag name.

Correct Answer: A

QUESTION 19

Consider the following code:

```
<script type="text/javascript">
function myFunction(arg1, arg2)
{
    return(arg1 + arg2);
    var a = 5, b = 10, sum;
}
sum = myFunction(a,b);
alert(sum);
</script>
```

Will this function generate an error?

- A. No, because the code is well-formed
- B. Yes, because the alert syntax is incorrect
- C. Yes, because there are no valid variables returned
- D. Yes, because the passed arguments have not been defined before the function call

Correct Answer: D

QUESTION 20

Which script block will display Hello World in the browser when the script is run?

- A. `<script type="text/javascript">var message = "Hello ";var message2 = "World";document.write (message + message2);</script>`
- B. `<script type="text/javascript">var message = "Hello ";var message2 = "World";document.write (message & message2);</script>`
- C. `<script type="text/javascript">var message = Hello ;var message2 = World ;document.write(message +`

```
message2);</script>
```

- D. `<script type="text/javascript">var message = "Hello ";var message2 = "World";document.write ("message + message2 ");</script>`

Correct Answer: A

QUESTION 21

Which of the following is a browser security issue that JavaScript developers should remember when developing a script?

- A. JavaScript cannot be disabled in the client and will always run.
- B. JavaScript functionality is immune to viruses, trojans and malware.
- C. JavaScript is a cross-platform scripting language and will generate consistent results regardless of the client or server being used.
- D. Certain JavaScript functionality may be blocked by some browsers, which prevents the script from running as expected for all users.

Correct Answer: D

QUESTION 22

Which statement will open this Web document in a new browser window?

- A. `document.open(http://www.CIWcertified.com);`
- B. `window.open(http://www.CIWcertified.com);`
- C. `window.open("http://www.CIWcertified.com");`
- D. `document.open("http://www.CIWcertified.com");`

Correct Answer: C

QUESTION 23

Consider the following message displayed in a pop-up window: Welcome to the CIW Web site! Which line of code will deliver the pop-up window that displays this message?

- A. `CIW Web site`
- B. `CIW Web site`
- C. ``
- D. `<a onclick()="http://www.CIWcertified.com", "CIW Web site", ('Welcome to the CIW Web site!')" />`

Correct Answer: B

QUESTION 24

You want to display a series of elements. Which choice demonstrates the correct syntax for an array in JavaScript?

- A. `var myArray = Array(1,2,3,4,5)for (var i = 0; i < myArray.[i]; i++){document.write(myArray[i] + "
");}`
- B. `var myArray = new Array(1,2,3,4,5)for (var i = 0; i < myArray.length ; i++) {document.write(myArray[i] + "
");}`
- C. `var myArray = new Array(1,2,3,4,5)for (var i = 1; i < myArray.length; i--) {document.write (myArray.length + "
");}`
- D. `var myArray = Array(1,2,3,4,5)for (var i = 1; i < myArray.[i] ; i--){document.write(myArray[i] + "
");}`

Correct Answer: B

QUESTION 25

When used in conjunction with SQL, a server-side language (such as PHP) and a database (such as MySQL), AJAX can perform which of the following database operations?

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.