

100% Money Back
Guarantee

Vendor: Oracle

Exam Code: 1Z0-202

Exam Name: Siebel 8 Consultant Exam

Version: Demo

QUESTION 1

Your requirement is to allow only one industry for a given Account. What would you do to start to meet the requirement?

- A. Create a new Industry table.
- B. Create a new foreign key on S_INDUST that points to S_ORG_EXT.
- C. Validate there is a foreign key on S_ORG_EXT that points to the Industry business component's main table.
- D. Validate there is a foreign key to the Industry business component's main table on the S_ORG_INDUST table.
- E. Validate there is a foreign key on the Industry business component's main table that points to the S_ORG_EXT table.

Correct Answer: C

QUESTION 2

What are view Web template items?

- A. View object definitions
- B. Applets that have been bound to a view
- C. Controls that have been bound to an applet
- D. Siebel tags used to define the applet parameters in a view

Correct Answer: B

QUESTION 3

View the Exhibit.

You need to check the main corporate address for the Service Request. Which column is the appropriate foreign key to use to access the data?

The screenshot shows the Siebel Tables tool interface. The top section, titled 'Tables', displays a table named 'S_SRV_REQ' with the description 'Table Service Request'. Below this, the 'Columns' section lists the following columns:

Name	Physical Type	Foreign Key Table	Length	Default
CST_OU_ID	Varchar	S_ORG_EXT	15	
OU_ADDR_ID	Varchar	S_ADDR_ORG	15	
OWNER_OU_ID	Varchar	S_ORG_EXT	15	
PER_ADDR_ID	Varchar	S_ADDR_PER	15	

- A. CST_OU_ID
- B. OU_ADDR_ID
- C. OWNER_OU_ID
- D. PER_ADDR_ID

Correct Answer: B

QUESTION 4

Which assignment deployment method would you most likely use to get a list of qualified candidates in order to select the best person for assignment?

- A. Batch assignment
- B. Dynamic assignment
- C. Interactive assignment
- D. Manual assignment

Correct Answer: C

QUESTION 5

Your team extended the Siebel database by creating a new stand-alone table.

Select the two true statements. (Choose two.)

- A. This table does not contain a ROW_ID column.
- B. The user key for this table is ROW_ID, NAME, TYPE.
- C. The table cannot be added to an existing dock object.
- D. This table contains a PAR_ROW_ID column acting as a foreign key to the S_PARTY table.
- E. You can create an intersection table to support M:M relationships between business components based on this table and other business components.

Correct Answer: CE

QUESTION 6

Which statement is true of Customer data?

- A. includes static, referential data
- B. has access controlled at the record level
- C. can be grouped into catalogs and categories
- D. is created and managed by only company administrators

Correct Answer: B

QUESTION 7

Which EIM Delete process option should you use to delete just the rows from an EIM table that contain a specific word?

- A. DELETE MATCHES
- B. DELETE EXACT
- C. DELETE ALL ROWS
- D. DELETE WHERE

Correct Answer: A

QUESTION 8

The hyperlinks in Siebel Tools do not appear. What might the problem be?

- A. The Web update protection key is invalid.
- B. The Drilldown Add-in has not been installed.
- C. You do not have the appropriate responsibility.
- D. Siebel Tools is not properly connected to the data source.

Correct Answer: C

QUESTION 9

Which three products do you have the option of installing with the Siebel Enterprise Server Installer? (Choose three.)

- A. Siebel Tools

- B. Siebel Server
- C. Siebel Web Client
- D. Sample Database
- E. Gateway Name Server
- F. Siebel Web Server Extensions
- G. Database Configuration Utilities

Correct Answer: BEG

QUESTION 10

The No Delete property on the Contact business component is set to FALSE and the No Delete property on the Contact Form applet is set to TRUE. How does this affect the ability to delete a record through the client using the Contact Form applet?

- A. Users will be able to delete a record because the least restrictive setting is used.
- B. Users will not be able to delete a record because the most restrictive setting is used.
- C. Only the record owner will be able to delete a record because of the conflicting settings.
- D. Users will be able to delete a record because the business component setting overrides the applet setting.

Correct Answer: B

QUESTION 11

Which three does Siebel task UI support? (Choose three.)

- A. Undo
- B. Pause/Resume
- C. sharing of tasks
- D. transferring of tasks
- E. branching within a task

Correct Answer: BDE

QUESTION 12

Which two are true regarding the Application Deployment Manager package descriptor file? (Choose two.)

- A. It is manually moved to the package directory.
- B. It is generated via the admpkgr generate command.
- C. It is automatically generated by the export processes.
- D. It is used by the deploy copy command to create the deployment session.
- E. It is used by the deploy load command to map contents to the Management Server database.

Correct Answer: BE

QUESTION 13

Which three are true about the workflow process simulator in Siebel Tools? (Choose three.)

- A. supports simulating interactive workflows
- B. requires both Siebel Tools and a Siebel Client
- C. requires the use of a local developer database
- D. supports editing of process properties during a simulation
- E. supports simulating workflows that involve a server component
- F. supports simulating workflows with a run-time event on a start step

Correct Answer: ABD

QUESTION 14

What does Enterprise Integration Manager use to prevent duplication of records during processing?

- A. Primary keys
- B. Foreign keys
- C. User keys
- D. Indexes

Correct Answer: C

QUESTION 15

You have created a new button on an applet that will launch a workflow. You want the workflow to process the current record. What do you do?

- A. configure a Control User Property to pass [Id] to the workflow
- B. configure an Applet User Property to pass [Id] to the workflow
- C. add a Row ID process property to the workflow
- D. set the Pass Row ID property of the button to True

Correct Answer: B

QUESTION 16

You have been asked to create a multi-value group for contacts phone numbers. What should your first step in this configuration be?

- A. Create a new business component to store these phone numbers.
- B. Determine which column on the base table you can use to store these phone numbers.
- C. Determine which column on the one-to-many extension table you can use to store these phone numbers.
- D. Run the MVG Wizard in Siebel Tools, specify the business component, and have it automatically select the appropriate column.
- E. Examine the existing application to determine whether there is already a multi-value group you could leverage to store phone numbers.

Correct Answer: E

QUESTION 17

Which Siebel business entity represents businesses external to your company that could be a current or potential client, business partner, or competitor?

- A. Contact
- B. Account
- C. Position
- D. Opportunity

Correct Answer: B

QUESTION 18

You created a new form applet. During your testing, one of the controls does not display any data. Which two could cause this? (Choose two.)

- A. The control is not mapped to a web template item.
- B. The control is not mapped to a field on the business component.
- C. The Join property on the single value field that the control maps to is blank.
- D. There is no data in the database for the column to which the control maps.
- E. The RUNTIME value is set to FALSE on the picklist associated with the control.

Correct Answer: BD

QUESTION 19

What is the primary difference between an organization and a division?

- A. Divisions can be deleted, organizations cannot.
- B. Organizations can be deleted, divisions cannot.
- C. Positions are assigned to organizations, and not divisions.
- D. Organizations are used for Access Control, divisions are not.

Correct Answer: D

QUESTION 20

You are creating a new view which contains a list applet at the top and a form applet at the bottom. Both applets are based on the same business component.

For one set of users, all the data shown in both applets should be editable. For another set of users the form applet should not allow deletes or updates.

What should you do?

- A. Create two views and set the No Update property to TRUE for one of them.
- B. Create two views and set Read Only View to TRUE when you add one to the responsibilities.
- C. Create two list applets and set the No Delete and No Update properties to TRUE for one of them.
- D. Create two form applets and set the No Delete and No Update properties to TRUE for one of them.
- E. Create two business components set the No Delete and No Update properties to TRUE for one of them.

Correct Answer: D

QUESTION 21

Why would you want to enable primaries for a multi-value group?

- A. It improves performance.
- B. Without a primary, only one record can be referenced.
- C. The multi-value group will not function without a primary.
- D. Primaries are necessary, as only they can modify the data.

Correct Answer: A

QUESTION 22

You have populated millions of products in your test system and you are ready to move them to your production system. Which would you use?

- A. Update Server
- B. Assignment Management
- C. Enterprise Integration Manager (EIM)
- D. Application Deployment Manager (ADM)

Correct Answer: C

QUESTION 23

What Siebel feature limits the user's ability to change a picklist value from one value to another?

- A. Siebel Audit Trail
- B. Siebel Dynamic Picklists
- C. Siebel State Model
- D. Siebel Data Manager

Correct Answer: C

QUESTION 24

Why are implicit joins used for joining party data?

- A. Implicit joins are not used with party data.
- B. To bring party data into a non-party business component.
- C. To bring party data into another party business component.
- D. To map columns in party extension tables to party business components.

Correct Answer: D

QUESTION 25

You want to automatically delete all child activity records when a contact record is deleted. Which is the simplest way to configure this?

- A. Use a property on the Contact Activity Link
- B. Use a property on the Contact business component
- C. Use a Contact business component user property
- D. Use a workflow policy to monitor contact records
- E. Use a workflow triggered by a delete run-time event on the Contact business component

Correct Answer: A

QUESTION 26

Which two clients obtain initialization settings from both the configuration file and Application Object Manager component parameters? (Choose two.)

- A. Web Client
- B. Handheld Client
- C. Mobile Web Client
- D. Wireless Web Client
- E. Dedicated Web Client

Correct Answer: AD

QUESTION 27

Which position on the team is authorized to merge and delete records and forecast opportunities?

- A. Any position on the team
- B. Leader
- C. Primary
- D. Administrator

Correct Answer: C

QUESTION 28

You add a business component which has existing data to an existing business object. You forget to set the Link property. Which two are true? (Choose two.)

- A. No child records appear for any parent.
- B. All child records appear for each parent.
- C. The same set of child records appear for each parent.
- D. The view will not display the applet associated with the business component.

Correct Answer: BC

QUESTION 29

View the Exhibits.

You want to capture a new field for Contacts that is 101 characters long. Which column should you map to?

The screenshot shows a table named S_CONTACT_X with columns: W, Name, and Changed. Below it is a table of attributes:

Name	Physical Type	Length	Default
ATTRIB_47	Varchar	255	
ATTRIB_48	Varchar	250	
ATTRIB_44	Varchar	100	
ATTRIB_45	Varchar	100	
ATTRIB_46	Varchar	100	

The screenshot shows the Business Components section with a table of Contact entities:

W	Name	Changed	Project
>	Contact		Contact
	Contact (Duplication Match Sc		List Mgmt (Import)
	Contact (No Link)		SIS OM Base Architecture

Below is the Single Value Fields section:

Name	Join	Column
Approval Authority	S_CONTACT_X	ATTRIB_15
Currency Code	S_CONTACT_X	ATTRIB_07
> Educational Background	S_CONTACT_X	ATTRIB_04
Hobby	S_CONTACT_X	ATTRIB_06
Industry	S_CONTACT_X	ATTRIB_48
Login Password	S_CONTACT_X	ATTRIB_03
Married	S_CONTACT_X	ATTRIB_08
Spouse	S_CONTACT_X	ATTRIB_05
X Mod Id	S_CONTACT_X	MODIFICATION_NUM
Years at Account	S_CONTACT_X	ATTRIB_14

- A. ATTRIB_44
- B. ATTRIB_45
- C. ATTRIB_46
- D. ATTRIB_47
- E. ATTRIB_48

Correct Answer: D

QUESTION 30

Joe is a contractor working for your company. You need to provide Joe access to the Siebel Call Center application, including several access-controlled views such as accounts and contacts. Which three actions must you take to grant Joe access to the application? (Choose three.)

- A. Assign a company to Joe.

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.