

100% Money Back
Guarantee

Vendor: Oracle

Exam Code: 1Z0-238

Exam Name: R12 Oracle: install, Patch and Maintain
Oracle Applications

Version: Demo

QUESTION 1

Which three are the correct definitions of the objects in the Oracle Applications database? (Choose three.)

- A. Hybrid objects contain materialized view objects, and store and process data.
- B. Code objects contain index, PL/SQL package, and Java-stored procedure objects.
- C. Data objects contain table, index, and sequence and index-organized table objects.
- D. Hybrid objects contain PL/SQL package and Java-stored procedure, and process data objects.
- E. Code objects contain trigger, PL/SQL package, Java-stored procedure, synonym, and view objects.

Correct Answer: ACE

QUESTION 2

The Cumulative Update 2 (CU2) patch was applied to the test environment. The patch took a few hours to apply. The Applications DBA was assigned the task of investigating the changes made by the CU2 patch. The investigation would involve a comparison of the prepatched development environment and the patched test environment. Which tool should the Applications DBA use?

- A. Oracle Enterprise Manager
- B. Oracle Applications Manager
- C. Oracle Discoverer reporting tool
- D. Oracle Business Intelligence products
- E. SQL*Plus program to access the FND tables
- F. Oracle Applications concurrent request (System Administrator) reports

Correct Answer: B

QUESTION 3

Which Oracle Applications environment file compiles and links custom Oracle Forms user exits and concurrent programs with Oracle Applications R12?

- A. fndenv.env
- B. devenv.env
- C. adovars.env
- D. <CONTEXT_NAME>.env
- E. APPS_<CONTEXT_NAME>.env

Correct Answer: B

QUESTION 4

One of the special AD Controller utilities, Show Worker Status, collects worker status information from the FND_INSTALL_PROCESSES temp table. It tracks multiple workers for five categories:

Worker, Code, Context, File Name, and Status. The seven statuses are:

1. Failed
2. Completed
3. Waiting
4. Fixed/Restart
5. Running
6. Assigned
7. Restarted

Choose the sequence that would place the process statuses in the proper flow order when an in-processing error is received.

- A. 5, 1, 4, 6, 7, 3, 2
- B. 1, 3, 4, 6, 7, 5, 2

- C. 3, 6, 5, 1, 4, 7, 2
- D. 7, 3, 6, 5, 4, 1, 2
- E. 6, 1, 4, 3, 5, 7, 2

Correct Answer: C

QUESTION 5

Users are not able to view the output and the log file of the concurrent request after completion. There were no changes in the configuration of Oracle Applications. There were no patches applied. It was determined that not all application tier processes ran successfully. There was status 1 in one of the scripts. Which action should you take?

- A. Restart the Web server.
- B. Restart the Forms server.
- C. Restart the Report server.
- D. Restart the Fulfillment server.
- E. Restart the TCF Socket server.
- F. Restart the concurrent managers.
- G. Restart the Applications RPC listener.

Correct Answer: G

QUESTION 6

You run adcfgclone.pl on the target node. It completes with errors. Where can you locate the log files for the database and application tiers?

- A. On the database tier:
\$INST_TOP/log/<context>/ApplyDBTier_<timestamp>.log On the application tier:
\$LOG_HOME/log/ApplyAppsTier_<timestamp>.log
- B. On the database tier:
RDBMS \$ORACLE_HOME/appsutil/log/ApplyDBTier_<timestamp>.log On the application tier:
\$INST_TOP/log/ApplyAppsTier_<timestamp>.log
- C. On the database tier:
\$INST_TOP/appsutil/log/<context>/ApplyDBTier_<timestamp>.log On the application tier:
\$LOG_HOME/admin/log/ApplyAppsTier_<timestamp>.log
- D. On the database tier: RDBMS
\$ORACLE_HOME/appsutil/log/<context>/ApplyDBTier_<timestamp>.log On the application tier:
\$INST_TOP/admin/log/ApplyAppsTier_<timestamp>.log

Correct Answer: D

QUESTION 7

Which directory in Oracle Applications R12 contains ORACLE_HOME used for the tools components of the Applications technology stack?

- A. apps/tech_st/8.1.7
- B. apps/tech_st/8.0.6
- C. apps/tech_st/10.1.3
- D. apps/tech_st/10.1.2
- E. apps/tech_st/10.2.0

Correct Answer: D

QUESTION 8

Your patch was applied and finished without encountering any error during the process. Which is NOT a correct part of the postpatch process?

- A. updating the MLS

- B. removing any obsolete files
- C. restarting all server processes
- D. cleaning up the log, restarting and out directories
- E. pinning packages and sequences in the System Global Area
- F. performing any manual steps on the basis of readme.txt of the patch
- G. using the Change Maintenance Mode option of AD Administration to enable maintenance mode

Correct Answer: G

QUESTION 9

How many ORACLE_HOMEs are there in the architecture of Oracle Applications Release 12?

- A. four
- B. five
- C. two
- D. one
- E. three

Correct Answer: E

QUESTION 10

Which two statements are correct about Rapid Clone? (Choose two.)

- A. Rapid Clone does not take care of oraInventory.
- B. Rapid Clone updates only site-level profile options.
- C. Rapid Clone itself does not start the application services automatically on the node.
- D. Rapid Clone automatically creates a control file and brings up the database on the database tier.
- E. Rapid Clone does not configure the source application printer configuration in the target system.

Correct Answer: BD

QUESTION 11

How do you restore an older configuration (a configuration that is older than that immediately prior to the current one) in the Oracle Applications R12 environment?

- A. Use the restore.sh rollback script and run the AutoConfig script to generate new configuration files.
- B. Use the Support Cart feature in Oracle Applications Manager (OAM) and run the AutoConfig script to generate new configuration files.
- C. Use the Context Editor Wizard from the command line and run the AutoConfig utility manually from <AD_TOP>/bin.
- D. Use OAM AutoConfig to compare and replace individual values in the current configuration with the corresponding values from the older configuration, and save them. Then run the adautocfg.sh script.

Correct Answer: D

QUESTION 12

You run a report that generates output in PDF format. The report completes with the error "REP- 3000: Internal error starting Oracle Toolkit." How will you resolve this?

- A. Set up the DISPLAY environment variable in .profile of the database user.
- B. Set up the DISPLAY environment variable in .profile of the application user.
- C. No DISPLAY settings are required. Shutting down and restarting the services under APPSTier will fix the issue.
- D. Set up the DISPLAY environment variable in adovars.env to point to an active X Windows.
- E. Set up the DISPLAY environment variable in \$CONTEXT_FILE of the database tier to point to an active X Windows, and then run AutoConfig.

- F. Set up the DISPLAY environment variable in \$CONTEXT_FILE of the application tier to point to an active X Windows, and then run AutoConfig.

Correct Answer: F

QUESTION 13

As an Applications DBA, you have been asked to apply a patch that updates the Applications Context file and runs AutoConfig. The application does not work properly with the new, Updated application environment. What should you do to roll back an AutoConfig session?

- A. Use the restore.sh script which is located at <INST_TOP>/admin/out/<MMDDhhmm>.
- B. Use the restore.sh script which is located at <INST_TOP>/admin/log/<MMDDhhmm>.
- C. Use the rollback.sh script which is located at <APPL_TOP>/admin/log/<MMDDhhmm>.
- D. Use the rollback.sh script which is located at <INST_TOP>/admin/out/<MMDDhhmm>.

Correct Answer: A

QUESTION 14

John is working for XYZ company. He received a tape from a customer that has the.dbf files and ORACLE_HOME database. He extracted the .dbf files from the tape to the server. After checking, he realized that the customer's DBA forgot to run preclone on the source database tier before taking a B ckup on the tape. To bring up the database successfully using adcfgclone.pl (postclone) on target, what action would you ask the customer's DBA to perform instead of requesting for a full backup again?

- A. Run preclone on the source database tier and request the customer's DBA to send only <Context_name>.xml.
- B. Run preclone on the source database tier and request the customer's DBA to send only the oralInventory directory.
- C. Run preclone on the source database tier and request the customer's DBA to send only the dbf system tablespace files.
- D. Run preclone on the source database tier and request the customer's DBA to send only bin under the \$ORACLE_HOME database.
- E. Run preclone on the source database tier and request the customer's DBA to send only the appstutil directory under the \$ORACLE_HOME database.

Correct Answer: E

QUESTION 15

When you choose Search Patches from Oracle Applications Manager Site Map, it defaults to the Applied Patches Simple Search page. What can you do from this Applied Patches home page?

- A. Go to Oracle Enterprise Manager (OEM).
- B. Go to other OAM functionality by selecting it from the option buttons.
- C. Click the Calendar button to view the patches applied on a specific date.
- D. Click the Family Pack button to view all applied family pack patches.
- E. Click the Advanced Search button to access the Applied Patches Advanced Search page.

Correct Answer: E

QUESTION 16

What are the prerequisites (minimum version) at the operating system level before cloning an environment in Oracle Applications Release 12?

- A. tar version 4.x (Minimum) and zip version 3 (Minimum)
- B. perl version 5.x (Minimum) and zip version 2.3 (Minimum)

- C. gzip version 2.5 (Minimum) and tar version 5.0 (Minimum)
- D. gunzip version 5.x (Minimum) and perl version 5.x (Minimum)
- E. perl version 2.3 (Minimum) , zip version 5.x (Minimum), and gunzip version 5.x (Minimum)

Correct Answer: B

QUESTION 17

Which two statements are true if you choose the "Recreate grants and synonyms for APPS schema" task option from the adadmin utility? (Choose two.)

- A. This option re-creates grants on some packages from APPS to SYSTEM.
- B. This option re-creates grants and synonyms for the APPLSYSUB schema.
- C. This option re-creates grants and synonyms for the code objects of the APPS schema to the base product schemas.
- D. This option spawns parallel workers to re-create grants and synonyms linking sequences and tables in the base product schemas to the APPS schema.

Correct Answer: BD

QUESTION 18

Where can you find the generated report file after running the Validate APPS schema task in the Oracle Applications R12 E-Business Suite setup?

- A. <APPL_TOP>/admin/<APPS schema name>.lst
- B. <RDBMS ORACLE_HOME>/admin/out/<SID>.lst
- C. <AD_TOP>/admin/out/<APPS schema name>.lst
- D. <APPL_TOP>/admin/<context_name>/out/<SID>.lst
- E. <APPL_TOP>/admin/<SID>/out/<APPS schema name>.lst

Correct Answer: E

QUESTION 19

You run the adadmin utility to generate message files. It completes with errors. Where will you find the log file (adadmin.log)?

- A. \$INST_TOP/logs/appl/admin/log
- B. \$INST_TOP/logs/ora/10.1.2/log
- C. \$APPL_TOP/admin/\$CONTEXT_NAME/log
- D. \$AD_TOP/<SID>/log, where <SID> is the value of your ORACLE_SID or TWO_TASK variable (UNIX) or LOCAL variable (Windows)
- E. \$APPL_TOP/admin/<SID>/log, where <SID> is the value of your ORACLE_SID or TWO_TASK variable (UNIX) or LOCAL variable (Windows)

Correct Answer: E

QUESTION 20

What are the three benefits of the Applications Context file? (Choose three.)

- A. It enables you to synchronize multiple nodes.
- B. It avoids the need for repeated configuration information.
- C. The database environment is readily described in a single file.
- D. Configuration information is represented in a platform-dependent format.
- E. It supports shared APPL_TOP (single APPL_TOP distributed to multiple machines).

Correct Answer: ABE

QUESTION 21

Which two statements are correct about multi-node cloning using Rapid Clone (adcfgclone.pl) for Oracle

Applications R12? (Choose two.)

- A. Rapid Clone cannot be used for cloning if the source system is using a shared file system.
- B. Post clone must be run first on the application tier node and then on the database node.
- C. Rapid Clone can be used where the source system or the target system is a multi-node system.
- D. Rapid Clone cannot be used for cloning if the source is using Parallel Concurrent Processing (PCP).
- E. One copy of the applications node files must be copied to the target system, regardless of whether a shared file system is being used on the source or the target system.

Correct Answer: CE

QUESTION 22

What is true about editing and saving the <CONTEXT_NAME>.xml file by using the Oracle Applications Manager (OAM) Web page?

- A. The Context file is edited and saved only to the file system. AutoConfig picks up the changes whenever it runs next after the update.
- B. AutoConfig automatically starts and picks up the changes and propagates them when the Context file is saved on the OAM Web page.
- C. After changes made to the Context file are saved on the OAM Web page, you must log out and log in again to OAM to apply and propagate the changes.
- D. When you make changes to the Context file on the OAM Web page and save the file, the changes are stored in the OAM database and the Context file is updated.

Correct Answer: D

QUESTION 23

Which three statements are true about the AD Merge program? (Choose three.)

- A. The AD Merge Patch creates the merged patch driver files and copies the actual files needed by the merged patches into the destination directory.
- B. You can merge patches without unzipping the automated release updates by using the manifest file. The manifest file is a text in which you document the location and names of the patch zip files. The contents of a manifest file would resemble the following:
/home/applmgr/patches/p123456_11i_GENERIC.zip
/home/applmgr/patches/p233455_11i_SUN.zip
/home/applmgr/patches/p902345_11i_LINUX.zip
- C. The AD Merge Patch supports both split patch driver files and unified patch driver files. If all the source patches have split driver files, the merged patch has split driver files. If any of the source patches has a unified driver file, the merged patch has a unified driver file.
- D. When merging patches, the source and destination directories cannot be child or parent directories of each other. It is recommended to run AD Merge Patch from the parent directory of the source directory, and the destination directory should also be located in the same parent directory.

Correct Answer: ACD

QUESTION 24

What is the default value of <CONTEXT_NAME>?

- A. APPS_<SID>
- B. APPS_<HOSTNAME>
- C. <HOSTNAME>_<SID>
- D. <SID>_<HOSTNAME>
- E. APPS<SID>_<HOSTNAME>

Correct Answer: D

QUESTION 25

As an Oracle Applications DBA, you are asked to bring up the Oracle Applications R12 environment, which

is restored from backup. You try to start the services and find that the startup scripts adapcctl.sh, adalnctl.sh, and adcmctl.sh are missing. Identify which utility you will use to re-create these scripts?

- A. adrelink.sh
- B. adgensgn.sh
- C. adautocfg.sh
- D. adcfginfo.sh
- E. adcrscripts.sh

Correct Answer: C

QUESTION 26

Which statement holds true when AutoPatch is run in test mode?

- A. AutoPatch runs AutoConfig in test mode.
- B. AutoPatch relinks executables in test mode.
- C. AutoPatch runs SQL scripts or any executables in test mode.
- D. AutoPatch generates forms, reports, menus, and PL/SQL libraries in test mode.

Correct Answer: A

QUESTION 27

You have to perform a two-node installation of Oracle Applications Release 12. The configuration should be the following: Application Database and Concurrent Processing should be deployed on Server A, and Web and Forms services should be deployed on Server B. Which services should you install on the respective nodes? (Choose two.)

- A. Web Entry Point Services on Server B
- B. Batch Processing Services on Server A
- C. Batch Processing Services and Other Service Group on Server A
- D. Root Services, Batch Processing Services, and Other Service Group on Server A
- E. Root Services, Web Entry Point Services, and Web Application Services on Server B

Correct Answer: BE

QUESTION 28

A company has implemented Oracle Applications Release 12. It wants to configure a system that sends emails to key database administrators (DBAs) when a tablespace in the Oracle Applications database does not have adequate free space. Identify which component in the Oracle Applications technology layer performs this task.

- A. Oracle Alert
- B. Oracle Workflow
- C. Oracle E-mail Notification
- D. Oracle Applications Framework

Correct Answer: A

QUESTION 29

The AD Administration task utility Compile APPS Schema is similar to the "Validate APPS Schema" task, except that instead of just producing a list of invalid objects, it compiles invalid objects using multiple workers in an attempt to move them back to the valid object state. This task is most often run when custom packages are moved into the APPS schema, and during the upgrade process. The "Compile APPS Schema" task can be toggled to compile all objects or just the invalid objects. Choose three correct benefits of using this task. (Choose three.)

- A. increases run-time performance in the applications
- B. corrects all corrupt schema package bodies and headers

- C. finds truly invalid objects before users get a run-time error
- D. allows new custom or patched packages to be immediately validated

Correct Answer: ACD

QUESTION 30

Which statement is true regarding AutoPatch in the Oracle Applications Release 12 environment?

- A. AutoPatch is platform-independent.
- B. There is a limit to the number of times AutoPatch can be restarted.
- C. If language translation patches need to be applied in addition to the patch you are applying, AutoPatch notifies you.
- D. If all the prerequisite patches have not been applied, AutoPatch lists the missing prerequisites and continues with applying the current patch.
- E. AutoPatch replaces the files in the product directory with the files in the patch directory in case the latter have the same version as the former.

Correct Answer: C

QUESTION 31

You downloaded an HRMS patch from Oracle MetaLink, and you run AutoPatch to apply it to the Oracle Applications R12 test setup in your company. If AutoPatch shows an error in one of the workers' jobs, how do you determine the source of the error?

- A. Check the AutoPatch log file for the source of the error.
- B. Review adworkxxx.log in \$APPL_TOP/admin/<SID>/log.
- C. Use the AD Controller utility, and choose the Review worker status.
- D. Search the Oracle MetaLink Web site for the worker control number.

Correct Answer: B

QUESTION 32

Identify the script that is used to control the Forms server process in socket mode.

- A. adfrctl.sh
- B. adfrmctl.sh
- C. adapcctl.sh
- D. adalnctl.sh
- E. adformsrvctl.sh

Correct Answer: E

QUESTION 33

Identify the elements of a patch. (Choose all that apply.)

- A. unified driver
- B. readme files
- C. generic driver
- D. patch history files
- E. patch metadata files

Correct Answer: ABE

QUESTION 34

As an Applications DBA, you are tasked with cloning a User Acceptance Test System (UAT) to Test System on July 28. You ran preclone on database tier on July 23 itself. Between July 23 and July 28, some changes have happened to the database. Identify three scenarios in which you would have to run preclone again. (Choose three.)

- A. A database was restarted
- B. A tablespace was dropped.
- C. A custom schema was dropped.
- D. A database data file was resized.
- E. A data file was added to the database.

Correct Answer: BCE

QUESTION 35

Which patch establishes the compatibility of the current version of Oracle Applications with the newer version of the database or technology stack component?

- A. diagnostic
- B. translation
- C. new feature
- D. intraoperability
- E. interoperability

Correct Answer: E

QUESTION 36

What kind of files can be found in the <PROD_TOP>/admin directory?

- A. data merge files used to upgrade seed data
- B. driver files, which control AutoUpgrade processes
- C. product-specific files used by AutoUpgrade to upgrade that product
- D. object-description files used to create tables and other database objects

Correct Answer: C

QUESTION 37

In Oracle Applications Release 12, what are the components used in Oracle Application Framework? (Choose three.)

- A. Web Listener
- B. Servlet Engine
- C. Metadata UI Definition
- D. Business Components for Java (BC4J)
- E. Application Object Library Java (AOL/J)

Correct Answer: CDE

QUESTION 38

Identify four statements that correctly describe a schema. (Choose four.)

- A. A schema is a named collection of database objects.
- B. The database user and the schema never have the same name.
- C. A schema can allow another schema to use its objects by granting access.
- D. There is no one-to-one relationship between schemas and users in a database.
- E. An Oracle Application products database objects are divided between the product schema and the APPS schema.
- F. The concept of a database schema is directly tied to the concept of a database user, or a grant from the schema owner.

Correct Answer: ACEF

QUESTION 39

Your Oracle Applications installation is configured on a Windows operating system. As the Applications DBA, you need to run the adadmin utility to carry out certain maintenance tasks on the system. Identify the steps you need to perform and their correct sequence to complete the task mentioned above.

1. Log in to the application tier node as the owner of the database file system.
2. Log in to the application tier node as the owner of the applications file system.
3. Run %APPL_TOP%\APPS<CONTEXT_NAME>.cmd.
4. Run %APPL_TOP%\envshell<CONTEXT_NAME>.cmd.
5. Run the adadmin utility in the window in step 3.
6. Run the adadmin utility from the window created in step 4.

- A. 1,3,5
- B. 2,3,5
- C. 2,4,6
- D. 1,4,6

Correct Answer: C

QUESTION 40

In AD Controller, when a job fails the first and second time, the manager automatically defers it to the end of the phase and assigns a new job to the worker. If the deferred job fails the third time, the job stays at the failed status and the worker waits. At this point, you must address the cause of the failure, and then restart the job using AD Controller. Choose two correct steps that would help you to troubleshoot the failure of the job and enable you to run the job to completion. (Choose two.)

- A. Verify whether the process is consuming CPU time.
- B. Review the adworkXXX.log worker log file in \$APPL_TOP/admin/<SID>/log to find the error.
- C. Review the file name and worker columns of the failed worker to find the name of the failed file and the worker number.
- D. Check for an entry for this process in the V\$SESSION table to gather clues about what the process is doing in the database.

Correct Answer: BC

QUESTION 41

Which can be patched using the AutoPatch utility? (Choose all that apply.)

- A. Oracle Database
- B. Oracle Applications
- C. Oracle Application Server
- D. Oracle Development Tools

Correct Answer: B

QUESTION 42

During the AutoUpgrade process, a worker process fails to complete the assigned job, and updates the status as failed. The Review worker status window of AD Controller also shows that the worker status is failed. The log file shows that one of the tables that needs to be updated is locked, and the worker is waiting for the lock to be released and timed out. If the job is deferred after the worker fails, what do you do next?

- A. Resolve the error and restart the failed job.
- B. Review the worker log file and resolve the error.
- C. Restart the failed job and verify the worker status.
- D. No immediate action is required unless the job fails again.

Correct Answer: D

QUESTION 43

Andy has just finished applying a patch on his Oracle Applications system configured on a Windows platform by using the adpatch utility. He wants to inspect the log file and ensure that the patch is completed without any errors. Where can he find the log file?

- A. %AD_TOP%\admin\log
- B. %APPL_TOP%\admin\log
- C. %AD_TOP%\admin\\log
- D. %APPL_TOP%\admin\\log
- E. %INST_TOP%\admin\\log

Correct Answer: D

QUESTION 44

You have done a single-node installation of Oracle Applications R12 on node 1. Because of some resource issues, you move only DB_ORACLE_HOME(10.2.0.2) and the database (.dbf files) to a new server (node 2). Which statement is correct about uXXXXXX.drv being applied to node 1 and node 2?

- A. uXXXXXX.drv only on node 2
- B. uXXXXXX.drv only on node 1
- C. uXXXXXX.drv on node 1, and then on node 2
- D. uXXXXXX.drv on node 2, and then on node 1

Correct Answer: B

QUESTION 45

Before you apply a patch, you read the readme.txt file. One of the areas of Oracle Applications to which the patch will be applied is JAVA_TOP. The readme file mentions that you may need to generate product JAR files in the AD Administration utilities after the patch is applied. When generating product JAR files, the AD Administration utility will prompt you with the question: Do you want to force the generation of all JAR files? What are the three occasions when you need to force the generation of all JAR files? (Choose three.)

- A. after changing your digital signature
- B. after updating to a new Java version
- C. if you find you have missing or out-of-date JAR files
- D. if you are upgrading the Oracle Developer technology stack

Correct Answer: ABD

QUESTION 46

Which AutoPatch option is used to run a noninteractive autopatch session?

- A. defaultfile
- B. defaultsfile
- C. default_file
- D. defaults_file

Correct Answer: B

QUESTION 47

Consider a situation where a worker failed with a core dump and cannot be restarted. Although the worker is listed as running in the adctrl utility, there is no operating system- level process for the erring worker. In this situation, the only option is to restart the patch. What are the steps performed to restart the patch?

1. Tell the manager that a worker acknowledges quit.
2. Restart the patch.
3. Tell the manager that a worker failed its job.
4. Tell the worker to shut down or quit (all workers). Identify the correct sequence in which you perform the task in the above scenario.

- A. 1, 3, 4, 2
- B. 4, 3, 1, 2
- C. 4, 1, 3, 2
- D. 1, 3, 2, 4
- E. 3, 4, 1, 2

Correct Answer: B

QUESTION 48

You have to patch an Oracle Applications environment configured on a UNIX node. To start an AutoPatch session, you log in to the application-tier server node as the applications file system owner. You enter adpatch at the command prompt and get the following error: "-bash: adpatch:

command not found" On closer observation, you find that the applications environment is not set. Which file would you run to set the Oracle Applications environment?

- A. \$APPL_TOP/APPS<context_name>.env
- B. \$APPL_TOP/APPS_<context_name>.env
- C. \$APPL_TOP/admin/APPS<context_name>.env
- D. \$APPL_TOP/admin/APPS_<context_name>.env

Correct Answer: A

QUESTION 49

You are applying a patch on the database tier. You run AutoConfig as a post installation task of the patch. But the AutoConfig script exits with nonzero status. What should be your first action to resolve the problem?

- A. Restart the patch.
- B. Restart AutoConfig.
- C. Check <INST_TOP>/admin/log/<MMDDhhmm>/adconfig.log for the reported error.
- D. Check <RDBMS ORACLE_HOME>/appsutil/log/<CONTEXT_NAME>/<MMDDhhmm>/adconfig.log for the reported error.

Correct Answer: D

QUESTION 50

You suddenly start receiving errors indicating that there are numerous Java files in the database that are corrupted and cannot be run. You determined that you must reload the Java Virtual Machine (JVM) to fix the errors. In addition to reloading the JVM, what Oracle database utilities, if any, do you need to run and why? (Choose all that apply.)

- A. Compile the Menu information to restore Java menu files to the application forms.
- B. Reload JAR files to the database because after reloading the JVM, the Java class files would be missing.
- C. Compile the APPS schema because after the JVM has been reloaded, APPS permissions need to be reestablished.
- D. None of the Oracle database utilities need to be run because by reloading the JVM, all corrected Java files are corrected with the new files loaded during this process.

Correct Answer: B

QUESTION 51

The Application Utilities (AU_TOP) directory contains _____.

- A. a consolidated set of all product files

- B. utilities such as AutoUpgrade and AutoPatch
- C. files and scripts used by AutoUpgrade during upgrade
- D. consolidated logs and output directories used by concurrent processing

Correct Answer: A

QUESTION 52

In Oracle Applications Release 12, you want to set up your X Display. After changing the value of the DISPLAY variable in the Context files of the database and application tiers, which adautocfg.sh files do you execute for these changes to take effect? (Choose two.)

- A. <INST_TOP>/admin/scripts/adautocfg.sh
- B. <APPL_TOP>/admin/scripts/adautocfg.sh
- C. <COMMON_TOP>/admin/scripts/adautocfg.sh
- D. <RDBMS ORACLE_HOME>/admin/scripts/<CONTEXT_NAME>/adautocfg.sh
- E. <iAS ORACLE_HOME>/appsutil/scripts/<CONTEXT_NAME>/adautocfg.sh
- F. <RDBMS ORACLE_HOME>/appsutil/scripts/<CONTEXT_NAME>/adautocfg.sh

Correct Answer: AF

QUESTION 53

When you run an autopatch session, the AutoPatch utility prompts you to mention batchsize to be used for the current session along with a suggested value. What is the significance of batchsize while applying the patch?

- A. batchsize determines the number of parallel workers to be used during the autopatch session.
- B. batchsize determines the number of scripts that would be run in parallel during the autopatch session.
- C. batchsize determines the number of objects that would be compiled in parallel during the autopatch session.
- D. batchsize determines the number of rows that would be committed when certain scripts are run during the autopatch session.

Correct Answer: D

QUESTION 54

Identify the situations in which you would select a multi-node installation. (Choose all that apply.)

- A. Data security is a concern and the application serves users on the Internet.
- B. The number of concurrent requests may use up to 80% of the CPU on an all-time basis.
- C. The information technology (IT) team is setting up a system to show users a specific functionality usage.
- D. The CIO received a request from the users for an environment where the users can perform small test runs.

Correct Answer: AB

QUESTION 55

Which command can be used only with a single-node installation?

- A. rapidwiz -restart
- B. rapidwiz -techstack
- C. rapidwiz -servername <myhost>
- D. rapidwiz -silent -config <location of config.txt>

Correct Answer: C

QUESTION 56

What does the <AU_TOP>/resource directory contain in Oracle Applications?

- A. product-specific GIF files
- B. .pll files used by Oracle Reports
- C. .pll and .plx files used by Oracle Forms
- D. SQL scripts used by Oracle Applications products at run time

Correct Answer: C

QUESTION 57

What is true about the worker process in the Oracle Applications R12 environment?

- A. When a worker runs a job for the first time, if the job fails, the manager automatically defers the job to retry at a later time.
- B. When a worker runs a job for the third time, if the job fails, the status of the job stays at failed and the worker starts the next job.
- C. As long as the total run time is less than 10 minutes, the manager defers the job to retry at the end of the current phase, even if that job failed the previous three times.
- D. When a worker runs a job for the second time, if the job fails and the total run time is 15 minutes, then the status of the job stays at failed and the worker starts the next job.

Correct Answer: A

QUESTION 58

In Oracle Applications R12, the Applications modules (packaged in the formsapp.ear file) are deployed to the OC4JForms instance. Identify the ORACLE_HOME used by this OC4J instance.

- A. 8.0.6
- B. 8.1.7
- C. 10.1.2
- D. 10.1.3
- E. 10.2.0.2

Correct Answer: D

QUESTION 59

AD Administration contains a utility named Maintain Snapshot Information. Which statements correctly describe the functionality of this utility? (Choose all that apply.)

- A. You can create a copy of an existing snapshot.
- B. You can delete the current view snapshot.
- C. You can create a list of the current view and named snapshots stored in your system.
- D. You can export an existing snapshot to a file for storage or to another system.
- E. You can update the current view snapshot with any changes to the snapshot since the last update.

Correct Answer: ACDE

QUESTION 60

A company has implemented Oracle Applications Release 12. It wants to configure a system that sends emails to key database administrators (DBAs) when a tablespace in the Oracle Applications database does not have adequate free space. Identify which component in the Oracle Applications technology layer performs this task.

- A. Oracle Alert
- B. Oracle Workflow
- C. Oracle E-mail Notification
- D. Oracle Applications Framework

Correct Answer: A

QUESTION 61

R12 Rapid Install sets the APPL_TOP directory value to _____.

- A. <base directory>/<SID>APPL
- B. <base directory>/APPL<SID>
- C. <base directory>/<db_name>APPL
- D. <base directory>/apps/apps_st/appl
- E. <base directory>/<context_name>APPL

Correct Answer: D

QUESTION 62

Which three statements are true? (Choose three.)

- A. applterr.txt contains custom error messages.
- B. adlinkbk.txt lists files that the AD Relink utility should back up, rather than delete.
- C. adconfig.txt contains environment information about all ports used by Oracle E- Business Suite R12.
- D. applprod.txt is a product description file, which is used to identify all products and product dependencies.
- E. adalldefaults.txt is a template defaults file that contains entries for all defaults-enabled prompts in the AD utilities for Oracle E-Business Suite R12.

Correct Answer: BDE

QUESTION 63

After the successful installation of Oracle Applications Release 12, environment files are created. Which environment file is used to identify and describe third-party and custom applications linked with Oracle Applications?

- A. the context file
- B. the devenv.env file
- C. the fndenv.env file
- D. the adovars.env file
- E. the adconfig.txt file

Correct Answer: B

QUESTION 64

The Applications DBA needs to clone the Production system. Examine the list of steps that the Applications DBA is considering.

- A. Verify the source and target nodes' software versions.
 - B. Apply the Rapid Clone patch.
 - C. Run AutoConfig on the application tier.
 - D. Set up Rapid Clone on the database tier.
 - E. Prepare the source system.
 - F. Copy the source system to the target system.
 - G. Configure the target system.
 - H. Perform the finishing tasks.
 - I. Test the target system.
 - J. Back up the target system.
- Which step is NOT a part of the cloning process?
- K. step A
 - L. step B
 - M. step C

- N. step D
- O. step F
- P. step G
- Q. step J

Correct Answer: G

QUESTION 65

A patch was applied successfully last night to the Oracle Applications environment to fix a bug. To check the bug fix, the Applications DBA accessed the "Bug Fixes Report." There are 1,000 files displayed in the report. The intended file for the bug fix does not appear. What should the Applications DBA do next?

- A. Access the Timing report.
- B. Check readme.txt for postinstallation steps.
- C. Start the Oracle Application Manager (OAM) process.
- D. Use the filter to reduce the number of files in the report.
- E. Reapply the patch on the Oracle Applications environment.

Correct Answer: D

QUESTION 66

Which command needs to be run to add a new node to an existing system?

- A. perl adautocfg.pl
- B. perl adaddnode.pl
- C. perl adcfgclone.pl addnode
- D. perl adcfgclone.pl appsTier

Correct Answer: B

QUESTION 67

Which piece of information is captured as part of the Patch Impact Analysis of a particular patch?

- A. prerequisite patches that can be merged and applied
- B. objects that would be rendered invalid after applying the patch
- C. objects that would be dropped from the database during patch application
- D. prerequisite patches required by the patch along with the readme of each patch

Correct Answer: D

QUESTION 68

The Applications Context file has been accidentally deleted and <INST_TOP> was also lost accidentally. How do you restore the Applications Context file?

- A. Execute \$ perl <INST_TOP>/clone/bin/adclonctx.pl retrieve on the application tier.
- B. Execute \$ perl <COMMON_TOP>/clone/bin/adclonctx.pl retrieve on the application tier.
- C. Execute \$ perl <ORACLE_HOME>/appsutil/clone/bin/adclonctx.pl retrieve on the database tier.
- D. Execute \$ perl <ORACLE_HOME>/appsutil/clone/bin/adclonctx.pl retrieve on the application tier.

Correct Answer: B

QUESTION 69

As a database administrator (DBA), you have been trying to apply a maintenance patch, but it has failed to run successfully to completion. You check the AD Administration log file for an error. The log file reveals several entries that are generic errors about the inability of patch codes to have access to product packages from the GL product modules. You remember that one of the occasions when you should run the Recreate Grants and Synonyms AD Administration utility is if the patch and the administrative sessions fail to run successfully to completion. You have found one occasion to use this utility in the case above.

Now choose three other occasions when you would run this process again. (Choose three.)

- A. after custom development
- B. when applying a patch to the operating system
- C. after applying a patch to the Applications technology stack
- D. in case of incomplete database migrations (exports or imports)
- E. when installing or maintaining underlying database components or options such as Replication

Correct Answer: ADE

QUESTION 70

In Oracle Applications R12 configured on a UNIX operating system, where will you find the various application tier control scripts?

- A. \$INST_TOP/admin
- B. \$APPL_TOP/admin/scripts
- C. \$INST_TOP/admin/scripts
- D. \$COMMON_TOP/admin/scripts
- E. \$INST_TOP/admin/scripts/\$CONTEXT_NAME

Correct Answer: C

QUESTION 71

You installed Oracle Applications Release 12 as a multi-node system where every node has a separate APPL_TOP. Consider the following configuration:

Node 1 hosts Forms server and Web server.
Node 2 hosts batch processing services and database server.

As per the above configuration, which values will you find in the Applications Context file of Node 1? (Choose all that apply.)

- A. s_isAdWeb = Yes
- B. s_isAdConc = Yes
- C. s_isAdAdmin = No
- D. s_isAdForms = Yes
- E. s_isAdAdmin = Yes

Correct Answer: ACD

QUESTION 72

As part of the cloning process, the Applications DBA needs to copy the database tier file system to the target system. Which step is NOT a part of this cloning process?

- A. Perform a normal shutdown of the source system database.
- B. Copy the database files from the source to the target system.
- C. Log on to the source system application tier nodes as the oracle user.
- D. Copy the source 10.1.2 and RDBMS Oracle home directory to the target system.

Correct Answer: D

QUESTION 73

Identify three valid AD utilities for Oracle E-Business Suite R12. (Choose three.)

- A. admail
- B. adjkey
- C. adident

- D. adsplice
- E. adcontrol
- F. adcfgclon
- G. adlicmgr.sh

Correct Answer: BCD

QUESTION 74

In your Oracle Applications R12 E-Business Suite implementation, the database is corrupt. To resolve it, the database Java Virtual Machine (JVM) was reloaded. Identify the type of problem that may occur and the related correct solution.

- A. Problem: Many invalid objects are found in the APPS schema. Solution: Run the "Validate APPS schema" task by using the adadmin utility.
- B. Problem: All Oracle Applications Java classes are missing. Solution: Run the "Reload JAR files to the DB" task by using the adadmin utility.
- C. Problem: The Application screen display does not come up with one of the installed language characters. Solution: Run the "Convert Character set" task by using the adadmin utility.
- D. Problem: The Application window does not show any of the Accounts Receivables data. Solution: Use the "Compile/Reload Applications Database Entities" option from the adadmin utility.

Correct Answer: B

QUESTION 75

Match the following:

- A. APPLSYS
 - ii. AP
 - iii. APPS
 - iv. APPLSYSPUB
 - 1. AP sequences
 - 2. AOL sequences
 - 3. AP triggers
 - 4. synonym to the APPS schema
- B. i-2 , ii-1, iii-3, iv-4
- C. i-1 , ii-3, iii-2, iv-4
- D. i-2 , ii-1, iii-4, iv-3
- E. i-3 , ii-4, iii-2, iv-1

Correct Answer: A

QUESTION 76

Which statement regarding the Oracle Applications R12 technology stack is correct?

- A. The frmweb executable is invoked from the 10.1.2 ORACLE_HOME.
- B. JServ is one of the components of the Oracle Applications R12 technology stack.
- C. The Applications modules (packaged in the formsapp.ear file) are deployed in the OC4J Forms instance running in the 10.1.2 ORACLE_HOME.
- D. The Application Server 10.1.3 ORACLE_HOME replaces the 8.0.6 ORACLE_HOME provided by Oracle9i Application Server 1.0.2.2.2 in Release 11i.
- E. The Application Server 10.1.2 ORACLE_HOME replaces the 8.1.7-based ORACLE_HOME provided by Oracle9i Application Server 1.0.2.2.2 in Release 11i.

Correct Answer: A

QUESTION 77

Identify the environment variable that points to the \$COMMON_TOP/java directory in Oracle Applications R12.

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.