

# 210-065<sup>Q&As</sup>

Implementing Cisco Video Network Devices v1.0

## Pass Cisco 210-065 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/210-065.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

The firmware for the primary codec of a Cisco TelePresence System 3010 is being upgraded. Which codec CLI command could be used to check on the progress of the update?

- A. utils upgrade display
- B. utils system version
- C. show upgrade detail
- D. show system upgrade

Correct Answer: C

---

#### QUESTION 2

A technician is trying to troubleshoot real-time call information from the CLI of a VCS. Which command should the technician enter?

- A. xstatus
- B. xconfiguration
- C. xfeedback
- D. xhistory
- E. xcommand

Correct Answer: C

---

#### QUESTION 3

Management wants to modify Cisco TMS to allow users to configure the call behavior with their associated devices and dial from a single ID. Which feature needs to be enabled and configured?

- A. Smart Scheduler
- B. Low-touch Provisioning
- C. FindMe
- D. CMR Provisioning

Correct Answer: C

---

#### QUESTION 4

Which Cisco Video Surveillance device is responsible for providing video streams to monitors after the respective layouts and views are received by the monitors?

- A. Cisco IP Video Surveillance Operations Manager
- B. Cisco IP Video Surveillance Virtual Matrix Viewer
- C. Cisco Video Surveillance Manager
- D. Cisco Video Surveillance Media Server

Correct Answer: D

---

#### QUESTION 5

Which video-bridging solution supports single-screen units and multiscreen systems and keeps multiscreen units grouped together logically during a call?

- A. Cisco MCU
- B. Cisco PVDM
- C. Cisco TelePresence Server
- D. Cisco TMS
- E. Cisco TCS

Correct Answer: C

---

#### QUESTION 6

A voice engineer installed and configured Cisco TMSXE in a Windows Server and integrated with Cisco TMS. Which action can now be taken?

- A. Use Windows PC as a Cisco TelePresence endpoint.
- B. Start Cisco TelePresence meetings online.
- C. Schedule Cisco TelePresence meetings through Outlook.
- D. Start Cisco TelePresence meetings with Cisco TelePresence endpoints.

Correct Answer: C

---

#### QUESTION 7

When placing a Multiway call through a Cisco TelePresence Conductor, which IP address on the Conductor should the call be routed to?

- A. Rendezvous IP address

- B. Ad hoc IP address
- C. Scheduled conference IP address
- D. Management IP address

Correct Answer: A

---

#### QUESTION 8

A company is investigating the purchase of desktop video endpoints, but requires them to have DVI-I inputs for sharing content. Which desktop video endpoint model supports DVI-I inputs?

- A. MX700
- B. MX800
- C. EX60
- D. DX650

Correct Answer: C

---

#### QUESTION 9

Cisco TelePresence Video Communication Servers can be clustered to provide resiliency in the enterprise. What is the maximum number of cluster members?

- A. 2
- B. 3
- C. 6
- D. 7
- E. 15

Correct Answer: C

---

#### QUESTION 10

A Cisco EX60 is connected to the network, but users cannot make calls and the device is unregistered. The voice engineer configured the device on Cisco Unified Communications Manager. Which two options are causes of this problem? (Choose two.)

- A. SIP URI is not configured correctly.
- B. H.323 parameters are not configured correctly.
- C. IP address is in a different subnet.

- D. No user is associated to a device.
- E. SIP proxy is not configured correctly.

Correct Answer: DE

---

#### QUESTION 11

An administrator is troubleshooting an endpoint whose SIP Registration Status shows "Failed: 403 Forbidden" and must obtain information about the cause of the failure. To which two menu locations must an engineer navigate? (Choose two.)

- A. Endpoint > Log Files > messages.log
- B. Endpoint > Diagnostics > Log Files > all.log
- C. VCS > Maintenance > Diagnostics > Incident Reporting > View
- D. VCS > Status > logs > Configuration Log
- E. VCS > Status > logs > Event Log

Correct Answer: DE

---

#### QUESTION 12

What is the main difference between Cisco Jabber and Cisco Jabber Video for TelePresence?

- A. Cisco Jabber registers to the Cisco Unified Communications Manager, whereas Cisco Jabber Video for TelePresence registers to the VCS.
- B. Cisco Jabber Video for TelePresence registers to Cisco Unified Communications Manager, whereas Cisco Jabber registers to the VCS.
- C. Cisco Jabber has no video calling capabilities, whereas Cisco Jabber Video for TelePresence has video capabilities.
- D. Cisco Jabber has no presence capabilities, whereas Cisco Jabber Video for TelePresence has presence capabilities.
- E. There is no difference between Cisco Jabber and Cisco Jabber Video for TelePresence. They should not coexist in the same network.

Correct Answer: A

---

#### QUESTION 13

What is the correct order of steps to schedule a One Button to Push conference call between a Cisco TelePresence System 500 and a Cisco TelePresence Codec C40?

- A. Configure the One Button to Push field under device configuration for the Cisco TelePresence System 500 and Codec C40.

- B. Configure One Button to Push under Cisco TelePresence Video Communications Server > Applications > OBTP Configuration.
- C. Configure a new conference under Cisco TelePresence Management Suite > Booking New Conference > Type.
- D. The One Button to Push feature cannot be configured without a scheduling plug-in application such as Microsoft Outlook.
- E. Configure the Scheduler tool in the Cisco TelePresence Management Suite.

Correct Answer: C

---

#### QUESTION 14

You have installed a C-Series endpoint in an office where DHCP is not supported. At a minimum, which four network items must be configured for the endpoint to be able to register with H.323 on a Cisco TelePresence Video Communication Server located at the external headquarters location? (Choose four.)

- A. unique IPv4 address
- B. subnet mask
- C. default gateway
- D. Cisco VCS IPv4 address
- E. Active Directory IPv4 address
- F. SMTP server IPv4 address

Correct Answer: ABCD

---

#### QUESTION 15

ECDS is a solution that provides which of the following benefits?

- A. Video on demand capabilities
- B. Audio conference resources
- C. Content distribution management
- D. WAN optimization

Correct Answer: C

---

#### QUESTION 16

Which conference types can occur at anytime without the need for the conference to be scheduled, and can be created

as permanent conferences?

- A. ad hoc conferences
- B. auto-dialed participants
- C. Multiway conferences
- D. scheduled conferences
- E. rendezvous conferences

Correct Answer: E

---

#### QUESTION 17

A network administrator is manually configuring a Cisco TelePresence MX300 endpoint. Which two pieces of information must the administrator introduce, in order for the system to properly register to a Cisco Unified Communications Manager or to a Cisco TelePresence Video Communications Server? (Choose two.)

- A. the MAC address of the Cisco TelePresence MX300 endpoint
- B. a SIP URI
- C. the name of the Cisco Unified Communications Manager server or Cisco VCS server
- D. an IP address for the endpoint

Correct Answer: AB

---

#### QUESTION 18

An engineer is troubleshooting call quality issues between two sites. On an active voice call, the call statistics on the IP phone show that the max jitter is 100 ms. Which option is the maximum amount of jitter that the engineer can allow and still expect to maintain a high-quality audio call?

- A. 5 ms
- B. 10 ms
- C. 30 ms
- D. 50 ms

Correct Answer: D

---

#### QUESTION 19

Which function does FECC provide?

- A. the ability to transfer calls between the SIP and H.323 protocols
- B. the ability to pan, tilt, and zoom the camera at the far end
- C. the ability to switch between content channels
- D. the ability to send DTMF tones

Correct Answer: B

---

#### QUESTION 20

A customer is looking for a Cisco TelePresence Immersive System that is designed for at least seven participants. Which two products meet this customer's requirements? (Choose two.)

- A. Cisco TelePresence CTS3022
- B. Cisco TelePresence TX9000
- C. Cisco TelePresence TX9200
- D. Cisco TelePresence IX5000
- E. Cisco TelePresence IX5200
- F. Cisco TelePresence TX1310-65

Correct Answer: CE

---

#### QUESTION 21

An engineer sees a video camera icon on the Cisco IP phone screen status line. Which meaning of this icon is true?

- A. The Cisco VT camera is connected to the PC, and the PC is connected to the Cisco IP phone.
- B. The Cisco IP phone has web access.
- C. The Cisco IP phone is receiving a video call.
- D. The Cisco IP phone is configured with video capabilities.

Correct Answer: D

---

#### QUESTION 22

Which Cisco TelePresence endpoint uses only Cisco Unified Communications Manager as its call control device?

- A. SX20



- B. Cisco TelePresence System 500-32
- C. EX90
- D. C60
- E. Video Communication Server

Correct Answer: B

---

#### QUESTION 23

A customer requests a configuration that enables users to easily add a third party to an existing call. The environment contains only three Cisco TelePresence C40 codecs and one Cisco VCS. To achieve the customer's requirements, which feature should be added?

- A. Cisco MultiWay
- B. Cisco TelePresence Conductor
- C. Cisco TMS
- D. Cisco Multisite
- E. Cisco VCS Expressway

Correct Answer: D

---

#### QUESTION 24

A user is currently on a Cisco TelePresence call using a Touch 8 device and would like to change the local screen layout so that the active speaker is in full screen and the other participants are smaller within the picture. Which layout option should the user choose?

- A. Prominent
- B. Overlay
- C. PiP
- D. FullScreen

Correct Answer: B

---

#### QUESTION 25

What CLI command will enable access to the presentation device in the system?

- A. utils system presentation
- B. set system presentation


- C. set presentation system
- D. utils present enable

Correct Answer: A

### QUESTION 26

Refer to the exhibit.

```
v=0
o=CISCO 1376584196 1376584196 IN IP4 192.168.1.4
s=-
i=Cisco MCU 53 10 v4.4 (3.42)
c=IN IP4 192.168.1.5
b=AS:2048
t=0 0
m=audio 50000 RTP/AVP 113
a=rtpmap:113 MP4A-LATM/90000
a=fmtp:113 profile-level-id=24;object=23;bitrate=96000
a=sendrecv
m=video 50002 RTP/AVP 126
a=rtpmap:126 H264/90000
a=fmtp:126 profile-level-id=42e014;max-mps=108000;max-fs=3600;max-dpb=5400;max-fps=6000;packetization-mode=1
a=sendrecv
a=content:main
a=label:11
m=video 50008 RTP/AVP 126
a=rtpmap:126 H264/90000
a=fmtp:126 profile-level-id=42e014;max-mps=27000;max-fs=3600;max-dpb=1350;max-fps=6000;packetization
a=sendrecv
a=content:slides
a=label:12
```



In the SDP that is displayed, to which IP address and port should the receiving end send its content video channel media?

- A. 192.168.1.4:2048
- B. 192.168.1.4:50000
- C. 192.168.1.5:50002
- D. 192.168.1.5:50008

Correct Answer: D

### QUESTION 27

Refer to the exhibit.



When the Cisco Jabber Video for TelePresence fails to register with the server, which two fields should be configured at a minimum, assuming SRV records are not configured? (Choose two.)

- A. the internal or external DNS server name for the Cisco TelePresence Video Communications Server
- B. the internal DNS server name for the Cisco TelePresence Management Suite
- C. the SIP domain
- D. the IP address of the Cisco TelePresence Management Suite for the internal server
- E. the IP address of the Cisco Unified Communications Manager for the internal server

Correct Answer: AC

**QUESTION 28**

You have been informed from the field that a new Cisco TelePresence video endpoint has been deployed with an IPv4 address of 172.28.254.45. Which three devices could you use to see if the endpoint is registered and available for a call? (Choose three.)

- A. Cisco Unified Communications Manager server
- B. Cisco Gigaswitch Router
- C. Cisco TelePresence Manager Suite server
- D. Active Directory server
- E. Cisco TelePresence Video Communication Server
- F. Cisco 3250 Layer 2/3 Switch

Correct Answer: ACE

---

#### QUESTION 29

On a Cisco C-Series codec, where would a technician go to configure the wallpaper?

- A. Configuration > User Administration
- B. Configuration > Personalization
- C. Configuration > Peripherals
- D. Configuration > System Configuration

Correct Answer: B

---

#### QUESTION 30

Cisco inline power was replaced by which IEEE standard?

- A. 802.3at
- B. 802.3af
- C. 802.11n
- D. 802.11ac

Correct Answer: B

---

#### QUESTION 31

Which two features are available on a Cisco TelePresence Server that are not available on a Cisco TelePresence

MCU? (Choose two.)

- A. auto-attendant conference menu
- B. automatic lecture mode
- C. virtualization
- D. multiscreen endpoint support
- E. multiple layouts

Correct Answer: CE

<https://supportforums.cisco.com/t5/telepresence/what-is-the-difference-between-mcu-cisco-telepresence-server/td-p/2438462>

---

### QUESTION 32

What is the importance of defining option 150 in the DHCP server for Cisco TelePresence endpoints?

- A. Option 150 is not important.
- B. It is the TFTP server IPv4 address where the video endpoint retrieves its configuration file while booting.
- C. It is the IPv4 address of the default gateway for the subnet that the video endpoint is connected to.
- D. It is the configured SIP registrar and proxy server.
- E. It is the unique NTP server IPv4 address.

Correct Answer: B

---

### QUESTION 33

A technician is trying to troubleshoot real-time call information from the CLI of a VCS. Which command should the technician enter?

- A. xstatus
- B. xconfiguration
- C. xfeedback
- D. xhistory
- E. xcommand

Correct Answer: C

---

**QUESTION 34**

Which type of Cisco VCS log shows call routing decisions that are made based on Cisco VCS search rules?

- A. Event Log
- B. Configuration Log
- C. Network Log
- D. System Log

Correct Answer: C

---

**QUESTION 35**

A Cisco TelePresence System 1300 Series endpoint is in the process of booting and the engineer notices a red "X" on the screen for Step 6 in the boot process. What does this red "X" indicate?

- A. The endpoint failed to load its firmware.
- B. There is an error with compact flash.
- C. The endpoint could not obtain an IP address via DHCP.
- D. The touch panel is malfunctioning.

Correct Answer: B

---

**QUESTION 36**


Which three of these are functions of the Cisco TelePresence Management Suite? (Choose three.)

- A. automatic software update and release keys
- B. intelligent call routing engine
- C. provisioning a Cisco TelePresence System endpoint
- D. tracing SIP and H.323 calls
- E. managing phonebooks for endpoints that are registered to the Cisco Unified Cisco Unified Communications Manager
- F. rebooting endpoints that are registered to the Cisco TelePresence Video Communications Server

Correct Answer: ABF

---

**QUESTION 37**



Refer to the exhibit. An engineer is configuring a Cisco TelePresence Conductor with Cisco TelePresence Server version 4.0. The engineer wants to enable segment switching, to allow multiscreen endpoints to show only the screen that contains the loudest speaker of another multiscreen system.

Which menu option should the engineer use to enable this feature?

- A. Service Preferences
- B. Conference Templates
- C. Locations
- D. Conference Bridges

Correct Answer: A

### QUESTION 38

Which personal Cisco TelePresence unit can be used as a replacement for a person's computer monitor on their desk?

- A. EX90
- B. MX800
- C. TX9000
- D. SX10
- E. SX80

Correct Answer: A

### QUESTION 39



Refer to the exhibit. An SX80 endpoint has been deployed using dual screens and a third display is being added. To which connector must the third display be connected?

- A. A
- B. B
- C. C
- D. D
- E. E
- F. F

Correct Answer: C

#### QUESTION 40

Which option is the embedded component that enables endpoints and collaboration applications to support medianet functionality?

- A. Media Services Interface
- B. Open API
- C. XMPP
- D. SNMP
- E. Medianet Agent
- F. SDN

Correct Answer: A

[210-065 PDF Dumps](#)

[210-065 VCE Dumps](#)

[210-065 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !


100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.  
You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © certbus, All Rights Reserved.