

2V0-622D^{Q&As}

VMware Certified Professional 6.5 – Data Center Virtualization Delta
Exam

Pass VMware 2V0-622D Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/2v0-622d.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

vSphere 6.5 introduced MAC learning capabilities for VMware's virtual switches. What three benefits will it provide? (Choose three.)

- A. Reduced memory consumption
- B. Increased network throughput.
- C. Prevent packet flooding inside the vSwitch
- D. Reduced consumption of extra CPU cycles.

Correct Answer: ACD

QUESTION 2

Which three object types can be stored in the Content Library? (Choose three.)

- A. vDS backups
- B. VM templates
- C. vAPP templates
- D. ISO files

Correct Answer: BCD

QUESTION 3

Which command will start all services on a vCenter Server Appliance?

- A. /etc/init.d/hostd start
- B. services.sh restart
- C. service-control - -start -- all
- D. service vmware - - vpxd start

Correct Answer: C

QUESTION 4

Which two components are part of storage I/O multipathing on ESXi? (Choose two.)

- A. VASA

- B. PSP
- C. VAAO
- D. SATP

Correct Answer: BD

QUESTION 5


In vCenter Server 6.5, Host Customizations within Host Profiles be exported as which two formats? (Choose two.)

- A. .xlsx
- B. .csv
- C. .ova
- D. .xls
- E. .vpf

Correct Answer: BE

QUESTION 6

The administrator wants to power on VM-K2, which has a 2GHz CPU reservation. VM-M1, VM-M2, and VM-K1 are all powered on. VM-K2 is not powered on. The exhibit shows the parent and child resource reservations.



If Resource Pool RP-KID is configured with an expandable reservation, which statement is true?

- A. VM-K2 will be unable to power on because there are insufficient resources.

- B. VM-K2 will be able to power on since resource pool RP-KID has 2GHz available.
- C. VM-K2 will be unable to power on because only 2GHz are reserved for RP-KID.
- D. VM-K2 will receive resource priority and will be able to power on this scenario.

Correct Answer: A

QUESTION 7

Which three options are available for remediation with Proactive HA? (Choose three.)

- A. Quarantine mode for moderate and Power off for severe failure.
- B. Quarantine mode for all failures.
- C. Power off for all failures.
- D. Quarantine mode for moderate and Maintenance mode for severe failure.
- E. Maintenance mode for all failures.

Correct Answer: BDE

QUESTION 8

An administrator wants to enable VMware Fault Tolerance on a virtual machine. Which two vSphere features are supported with Fault Tolerance? (Choose two.)

- A. VM Component Protection
- B. vSphere HA
- C. Storage DRS
- D. Snapshots

Correct Answer: BC

QUESTION 9

In vCenter Server 6.5, which two host states can be configured as remediation steps with Proactive HA? (Choose two.)

- A. Maintenance mode
- B. Disconnected
- C. Powered off
- D. Standby mode

E. Quarantine mode

Correct Answer: AE

Proactive HA Failures

A Proactive HA failure occurs when a host component fails, which results in a loss of redundancy or a noncatastrophic failure. However, the functional behavior of the VMs residing on the host is not yet affected.

For example, if a power supply on the host fails, but other power supplies are available, that is a Proactive HA failure.

If a Proactive HA failure occurs, you can automate the remediation action taken in the vSphere Availability section of the vSphere Web Client. The VMs on the affected host can be evacuated to other hosts and the host is either placed in

Quarantine mode or Maintenance mode.

QUESTION 10

vCenter Server Appliance Instance can be backed up using which Client Interface?

- A. vSphere Client Interface
- B. Virtual Appliance Management Interface
- C. vSphere Web Client Interface
- D. VMware Host Client Interface

Correct Answer: B

QUESTION 11

Which is the minimum vSphere Distributed Switch version needed to support Network Health Check?

- A. 6.5
- B. 5.1
- C. 4.1
- D. 5.5

Correct Answer: B

QUESTION 12

Storage capabilities be populated in what two ways? (Choose two.)

- A. Datastores can advertise their capabilities through VASA.
- B. Datastores can advertise their capabilities through VAAI.

- C. The administrator can use tags to describe capabilities.
- D. Default capabilities are provided by vCenter Server.

Correct Answer: AC

QUESTION 13

An administrator has an application that requires high CPU throughput.

Which action would ensure that the application gets the required throughput?

- A. Enable Fault Tolerance on the virtual machine.
- B. Disable Fully Automated DRS.
- C. Set a CPU limit on the virtual machine.
- D. Adjust the virtual machine latency sensitivity.

Correct Answer: D

You can adjust the latency sensitivity of a virtual machine to optimize the scheduling delay for latency sensitive applications.

ESXi is optimized to deliver high throughput. You can optimize your virtual machine to meet the low latency requirement of latency sensitive applications. Examples of latency sensitive applications are VOIP or media player applications, or applications that require frequent access to the mouse or keyboard devices.

QUESTION 14

Which feature facilitates the sharing of templates via vCenter Server?

- A. OVF
- B. vApp
- C. Content Library
- D. folders

Correct Answer: C

Content libraries are container objects for VM templates, vApp templates, and other types of files. vSphere administrators can use the templates in the library to deploy virtual machines and vApps in the sphere inventory. Sharing templates and files across multiple vCenter Server instances in same or different locations brings out consistency, compliance, efficiency, and automation in deploying workloads at scale.

QUESTION 15

Which three storage protocols are supported by Virtual Volumes? (Choose three.)

- A. FCIP
- B. FCoE
- C. iSCSI
- D. NFS v3
- E. NFS v4

Correct Answer: BCD

Virtual Volumes supports NFS version 3 and 4.1, iSCSI, Fibre Channel, and FCoE.

QUESTION 16

An administrator would like to configure vSphere HA to use two isolation addresses. How would this affect the behavior of HA?

- A. If both isolation addresses are not reachable, the host will be restarted by the HA agent.
- B. If both isolation addresses are not reachable, the host will use the vCenter Server IP address as a final isolation address before being marked isolated.
- C. If only one of the isolation addresses is reachable, the host will not be marked isolated by HA.
- D. If only one of the isolation addresses is reachable, the host will be considered in an isolated by HA.

Correct Answer: C

if you use two isolation addresses, and if only one of the isolation addresses is reachable, the host will not be marked isolated by HA.

QUESTION 17

Which are two Storage DRS requirements? (Choose two.)

- A. Datastore clusters must have datastores of the same size and I/O capacities.
- B. NFS and VMFS datastores cannot be combined in the same datastore cluster.
- C. Datastores shared across multiple datacenters cannot be included in a datastore cluster.
- D. NFS and vSAN datastores can be combined in the same datastore clusters.
- E. A dedicated TCP/IP stack is required for datastore clusters.

Correct Answer: BC

QUESTION 18

When moving a virtual machine's virtual disks from Datastore Cluster A to Datastore Cluster B, which two options should be considered? (Choose two.)

- A. Any Inter-VM or Intra-VM Anti-Affinity rules that existed for the virtual disks in Datastore Cluster A will not be carried over into the new Datastore Cluster.
- B. The virtual machine's virtual disks will be placed by default onto the same datastore within Datastore Cluster B.
- C. If the virtual machine's virtual disks have anti-affinity rules in Datastore Cluster A, they must be deleted before the virtual disks can be moved into Datastore Cluster B.
- D. The virtual machine needs to be powered off before moving its virtual disks from Datastore Cluster A to Datastore Cluster B.
- E. Any Inter-VM or Intra-VM Anti-Affinity rules that existed for the virtual disks in Datastore Cluster A will stay with the virtual disks once they have moved to Datastore Cluster B.

Correct Answer: AB

QUESTION 19

Which two components are necessary for the first boot of a host using Auto Deploy? (Choose two.)

- A. Host Profiles
- B. Bulk licensing
- C. vSphere Authentication Proxy
- D. TFTP
- E. DHCP

Correct Answer: DE

QUESTION 20

What are two valid reasons for a DRS recommendation in a vSphere DRS cluster? (Choose two.)

- A. satisfy an affinity rule
- B. satisfy VM startup/shutdown order
- C. satisfy vSphere HA admission control
- D. ESXi host entering maintenance mode

Correct Answer: AD

QUESTION 21

An administrator wants to create and use a vApp.

Which pre-requisite must be met before the administrator can create a vApp?

- A. The vApp can only be deployed in an EVC enabled cluster.
- B. The vApp must be created within a StorageDRS cluster.
- C. None. vSphere 6.5 does not support vApp deployments.
- D. The vApp can only be created in a DRS enabled cluster.

Correct Answer: D

You need to turn on Vsphere DRS to create vApp.

QUESTION 22

An administrator has multiple vCenter Server 6.5 systems but cannot enable Storage I/O Control (SIOC) on a datastore shared by ESXi hosts managed by the vCenter Server systems. Which action should the administrator take to resolve the issue?

- A. Unmount the datastore and then enable SIOC on the vCenter Server system.
- B. Configure the datastore to be managed by a single vCenter Server system.
- C. Configure Storage DRS and then enable SIOC on the vCenter Server system.
- D. Enable Raw Device Mapping (RDM) on the ESXi hosts.

Correct Answer: B

Before enabling SIOC, ensure that datastores are managed by a single vCenter Server.

QUESTION 23

An administrator attempts to manually reclaim space on thin-provisioned VMFS6 volumes but finds that no additional space is being recovered. Which could be causing this?

- A. vSphere 6.5 does not support manual UNMAP.
- B. The manual UNMAP operation has been moved to the vSphere web client.
- C. The VASA version in use is incompatible.
- D. UNMAP is automated for VMFS6.

Correct Answer: D

The additional space is not recovered because UNMAP is automated for VMFS 6. To get additional space recovered using the manual reclaim process, you need to remove UNMAP from being automated for VMFS 6.

QUESTION 24

Which two types of iSCSI adapters require VMkernel networking configuration? (Choose two.)

- A. software
- B. in-guest
- C. independent hardware
- D. dependent hardware

Correct Answer: AD

QUESTION 25

An administrator is attempting to access an ESXi host via the DCUI but is unable to do so. Which could be two possible causes? (Choose two.)

- A. The host in question has no out-of-band management capability (i.e. iLO/iDRAC).
- B. The SSH service is disabled on the host.
- C. Strict lockdown mode is enabled on the host.
- D. Normal lockdown mode is enabled and the administrator is a member of the Exception User list.
- E. The DCUI service is disabled on the host.

Correct Answer: CE

QUESTION 26

An ESXi host has been placed into Quarantine Mode by Proactive HA. What will happen?

- A. Virtual machines will be migrated off the quarantines host if doing so will not violate any DRS affinity and anti-affinity rules or cause increased resource contention.
- B. Newly powered-on virtual machines may be placed on the quarantined host to balance cluster resources. Already powered-on virtual machines will be migrated off of the quarantined host if doing so will not violate any DRS affinity and anti-affinity rules or cause resource contention.
- C. All virtual machines will be migrated off the quarantined host to other hosts in the cluster without regard to DRS rules.
- D. vSphere HA will conduct a failover on all VMs residing on the quarantined host.

Correct Answer: A

QUESTION 27

Which guest operating system supports PVRDMA?

- A. Linux (32-Bit)
- B. Linux (64-Bit)
- C. Windows (64-Bit)
- D. Windows (32-Bit)

Correct Answer: B

The guest operating system that supports PVRDMA is Linux 64 bit. Guest OS Linux (64-bit)

QUESTION 28

It is determined that the Migration Assistant will be used to migrate from vCenter Server 5.5 on Windows with an external instance of Update Manager to a vCenter Server Appliance 6.5. Which option is correct in regard to migrating Update Manager?

- A. The Migration Assistant must be run on vCenter Server first and then on the Update Manager server.
- B. The Migration Assistant must be run on the Update Manager server first and then on vCenter Server.
- C. Migrating Update Manager from legacy versions of vCenter Server to a vCenter Server Appliance 6.5 is not supported.
- D. The Migration Assistant can only migrate local instances of Update Manager to the vCenter Server Appliance 6.5.

Correct Answer: B

QUESTION 29

An administrator wants to ensure that any virtual machine added to a certain port group always has sufficient network resources. Network I/O Control version 3 has been enabled on the Distributed Switch. Which three steps will achieve this objective? (Choose three.)

- A. Reserve bandwidth for virtual machine system traffic on the Distributed Switch Port Group.
- B. Edit the virtual machine's Resource settings and set a reservation for virtual machine system traffic.
- C. Create a Network Resource Pool on the Distributed Switch and set a reservation quota.
- D. Reserve bandwidth for virtual machine system traffic on the Distributed Switch.
- E. Add the Network Resource Pool on the Distributed Switch Port Group.

Correct Answer: CDE

QUESTION 30

An administrator is upgrading their external Platform Services Controllers and vCenter Server Appliance, and also migrating vSphere Update Manager version 6.0 to version 6.5.

Which is the correct order to upgrade these components?

A. - Upgrade the external Platform Services Controller- Run the Migration Assistant on the vSphere Update Manager- Upgrade the vCenter Server Appliance

B. - Upgrade the external Platform Services Controller- Upgrade the vCenter Server Appliance- Run the Migration Assistant on the vSphere Update Manager

C. - Upgrade the external Platform Services Controller- Upgrade the vSphere Update Manager- Upgrade the vCenter Server Appliance

D. - Upgrade the vCenter Server Appliance- Run the Migration Assistant on the vSphere Update Manager- Upgrade the external Platform Services Controller

Correct Answer: A

[Latest 2V0-622D Dumps](#)

[2V0-622D Study Guide](#)

[2V0-622D Braindumps](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © certbus, All Rights Reserved.