

Exam : **4H0-110**

Title : hyperion essbase 6
certification exam

Version : DEMO

1. Which two dimension build methods create shared members that are at different generations? (Choose two.)

- A. None
- B. Level
- C. Generation
- D. Parent/Child

Answer: BD

2. Click the Exhibit button. Given the Data Prep Editor in the exhibit, what defines the field 1 header to build Markets dimension?

1	Aspen,,Colorado,Central,Markets				
2	Denver,Big Market,Colorado,Central,Markets				
3	Grand Junction,,Colorado,Central,Markets				
4	Chicago,Big Market,Illinois,Central,Markets				
5	Peoria,,Illinois,Central,Markets				
6	Indianapolis,,Indiana,Central,Markets				
7	South Bend,,Indiana,Central,Markets				
8	Des Moines,,Iowa,Central,Markets				
9	Dubuque,,Iowa,Central,Markets				
10	Topeka,,Kansas,Central,Markets				
11	Wichita,,Kansas,Central,Markets				
12	Detroit,Big Market,Michigan,Central,Markets				
13	Grand Rapids,,Michigan,Central,Markets				

	field 1	field 2	field 3	field 4	field 5
1	Aspen		Colorado	Central	Markets
2	Denver	Big Market	Colorado	Central	Markets
3	Grand Junction		Colorado	Central	Markets
4	Chicago	Big Market	Illinois	Central	Markets
5	Peoria		Illinois	Central	Markets
6	Indianapolis		Indiana	Central	Markets
7	South Bend		Indiana	Central	Markets
8	Des Moines		Iowa	Central	Markets
9	Dubuque		Iowa	Central	Markets
10	Topeka		Kansas	Central	Markets
11	Wichita		Kansas	Central	Markets
12	Detroit	Big Market	Michigan	Central	Markets
13	Grand Rapids		Michigan	Central	Markets

- A. Gen2,Markets B.
- Child0,Markets C.
- Level0,Markets D.
- Level1,Markets E.
- Parent0,Markets

Answer: C

3. How should you have Essbase assign a subtraction unary operator to members in a dimension build?

1	Aspen,,Colorado,Central,Markets				
2	Denver,Big Market,Colorado,Central,Markets				
3	Grand Junction,,Colorado,Central,Markets				
4	Chicago,Big Market,Illinois,Central,Markets				
5	Peoria,,Illinois,Central,Markets				
6	Indianapolis,,Indiana,Central,Markets				
7	South Bend,,Indiana,Central,Markets				
8	Des Moines,,Iowa,Central,Markets				
9	Dubuque,,Iowa,Central,Markets				
10	Topeka,,Kansas,Central,Markets				
11	Wichita,,Kansas,Central,Markets				
12	Detroit,Big Market,Michigan,Central,Markets				
13	Grand Rapids,,Michigan,Central,Markets				
	field 1	field 2	field 3	field 4	field 5
1	Aspen		Colorado	Central	Markets
2	Denver	Big Market	Colorado	Central	Markets
3	Grand Junction		Colorado	Central	Markets
4	Chicago	Big Market	Illinois	Central	Markets
5	Peoria		Illinois	Central	Markets
6	Indianapolis		Indiana	Central	Markets
7	South Bend		Indiana	Central	Markets
8	Des Moines		Iowa	Central	Markets
9	Dubuque		Iowa	Central	Markets
10	Topeka		Kansas	Central	Markets
11	Wichita		Kansas	Central	Markets
12	Detroit	Big Market	Michigan	Central	Markets
13	Grand Rapids		Michigan	Central	Markets

- A. Add "-" as a prefix to each member in the source file
- B. Add "-" as a suffix to each member in the source file
- C. Add a column to the left of member column and assign "-" as a property D.
- Add a column to the right of member column and assign "-" as a property

Answer: D

4. Click the Exhibit button. Given the Data Prep Editor in the exhibit, what defines the field 3 header to build Markets dimension?

1	Aspen,,Colorado,Central,Markets
2	Denver,Big Market,Colorado,Central,Markets
3	Grand Junction,,Colorado,Central,Markets
4	Chicago,Big Market,Illinois,Central,Markets
5	Peoria,,Illinois,Central,Markets
6	Indianapolis,,Indiana,Central,Markets
7	South Bend,,Indiana,Central,Markets
8	Des Moines,,Iowa,Central,Markets
9	Dubuque,,Iowa,Central,Markets
10	Topeka,,Kansas,Central,Markets
11	Wichita,,Kansas,Central,Markets
12	Detroit,Big Market,Michigan,Central,Markets
13	Grand Rapids,,Michigan,Central,Markets

	field 1	field 2	field 3	field 4	field 5
1	Aspen		Colorado	Central	Markets
2	Denver	Big Market	Colorado	Central	Markets
3	Grand Junction		Colorado	Central	Markets
4	Chicago	Big Market	Illinois	Central	Markets
5	Peoria		Illinois	Central	Markets
6	Indianapolis		Indiana	Central	Markets
7	South Bend		Indiana	Central	Markets
8	Des Moines		Iowa	Central	Markets
9	Dubuque		Iowa	Central	Markets
10	Topeka		Kansas	Central	Markets
11	Wichita		Kansas	Central	Markets
12	Detroit	Big Market	Michigan	Central	Markets
13	Grand Rapids		Michigan	Central	Markets

- A. UDA0,Markets B.
- Level1,Markets C.
- Parent0,Markets
- D. Central6,Markets
- E. Userattrib2,Markets

Answer: B

5. What are two benefits of using aliases? (Choose two.)

- A. Decreased dataload times
- B. Flexible dataloading options
- C. Reduced batch calculation times
- D. Accommodation of multiple names for a member

Answer: BD

6. When should you select User-Defined Attribute (UDA) functionality, as opposed to Attribute dimension functionality? (Choose two.)

- A. When providing crosstab reports
- B. When providing filtering on Dense dimensions
- C. When applying attributes to multiple dimensions
- D. When utilizing Attribute Calculations dimension

Answer: BC

7. Which two statements describe the relationship between Base dimension member associations and Attribute dimensions? (Choose two.)

- A. All Base members must be associated with an Attribute member.
- B. Base members must be associated with a level-0 Attribute member.
- C. All Base members assigned to a given Attribute dimension must be from the same level.
- D. A Base member can be associated with multiple members in a given Attribute dimension.

Answer: BC

8. Which statement about Dynamic Time Series is true?

- A. It provides to-date functionality.
- B. It performs stored consolidations.
- C. It allows for Dynamic Time dimension builds.
- D. It creates alternate alias table(s) based on Time dimension.

Answer: A

9. When a Location Alias is defined, it _____.

- A. defines a substitution variable reference
- B. allows for the use of the @XREF function in a database
- C. indicates where a database's page and index files are stored
- D. allows defining of multiple alias tables to facilitate internationalization

Answer: B

10. Which function generates a list of all members with a common User-Defined Attribute (UDA)?

- A. @UDA
- B. @ISUDA
- C. @ISIUDA
- D. @UDAMBR

Answer: A

11. Which type of member cannot have a User-Defined Attribute (UDA)?

- A. Time
- B. Account
- C. Dynamic Calc
- D. Attribute dimension member

Answer: D

12. The Expense tag is used to identify outline members utilized in _____.

- A. Variance Reporting
- B. Currency Conversion

C. Profit & Loss Analysis D.

Financial Consolidation

Answer: A

13. What generally happens when outline members are tagged as Dynamic Calc? (Choose two.)

- A. It reduces the database size.
- B. It may decrease batch calculation time.
- C. It increases database restructure time.
- D. It decreases client data retrieval times.


Answer: AB

14. What does the Data File Cache contain?

- A. Compressed data blocks
- B. Uncompressed data blocks
- C. A record of recently accessed data blocks
- D. The addresses of data blocks on the disk

Answer: A

15. Click the Exhibit button. Given the outline in the exhibit, which two members should be tagged as Label Only? (Choose two.)



- A. 100
- B. Diet C.
- Year D.
- Profit E.
- Ratios
- F. Measures

Answer: EF

16. Which command allows you to optimize formula calculations in Sparse dimensions on large outlines?

- A. CALCCACHE
- B. SET FRMLBOTTOMUP
- C. CALCOPTCALCHASHTBL
- D. SET CLEARUPDATESTATUS

Answer: B

17. What is the effect of deleting the sparse shared member Diet Cola assuming data values exist?

- A. The outline file shrinks.
- B. The page file size shrinks. C.
- There is smaller block size. D.
- The block density increases.
- E. The existing number of blocks decreases.

Answer: A

18. Given the following dense/sparse configuration:

Dimension	Storage
Total Year	dense
Measures	dense
Scenario	dense
Product	sparse
Market	sparse

Which calculation script minimizes the number of passes through the database?

- A. Fix (Jan) Budget = Actual; Endfix; Fix (Feb) Budget = Actual*1.5; Endfix ;
- B. Budget (IF(@ISM BR (Jan)) Budget = Actual; ELSEIF (@ISM BR(Feb) Budget = Actual * 1.5; ENDIF;)
- C. DATACOPY Actual to Budget; Fix (Feb) Budget = Actual* 1.5 Endfix ;

Answer: B

19. A default calculation is performed on an outline with Two-Pass Account members. Which data storage setting will ensure one pass through the database?

- A. Accounts-Dense; Time-Dense
- B. Accounts-Dense; Time-Sparse
- C. Accounts-Sparse; Time-Dense
- D. Accounts-Sparse; Time-Sparse

Answer: A

20. The ESS00001.IND is 70 MB and the ESS00001.PAG is 450 MB. What is the optimal Index Cache setting?

- A. 50 MB B.
- 140 MB C.
- 350 MB D.
- 450 MB

Answer: A

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.