

# 642-873<sup>Q&As</sup>

Designing Cisco network Service Architectures (ARCH)

## Pass Cisco 642-873 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/642-873.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

What are two characteristics of Server Load Balancing router mode? (Choose two.)

- A. The design supports multiple server subnets.
- B. An end-user sees the IP address of the real server.
- C. SLB routes between the outside and inside subnets.
- D. The source or destination MAC address is rewritten, but the IP addresses left alone.
- E. SLB acts as a "bump in the wire" between servers and upstream firewall or Layer 3 devices.

Correct Answer: AC

#### **QUESTION 2**

Private lines make use of which connection type based on cell switching?

A. ATM

- B. ISP MPLS VPN
- C. VTI
- D. VPLS
- Correct Answer: A

#### **QUESTION 3**

A company uses BGP to connect with the ISP on the enterprise network and wants to improve performance due to the increasing number of iBGP peers. Which two design solutions address the iBGP full mesh requirement? (Choose two.)

- A. route reflectors
- B. confederations
- C. AS path prepending
- D. communities
- E. conditional advertising

Correct Answer: AB

#### **QUESTION 4**



Which route summarization most efficiently reduces perceived network complexity that is composed of subnetworks ranging from 172.16.20.0/24 to 172.16.36.0/24?

- A. 172.16.8.0/21
- B. 172.16.8.0/19
- C. 172.16.20.0/20
- D. 172.16.0.0/18
- E. 172.16.20.0/19

Correct Answer: D

#### **QUESTION 5**

Which feature can be used in the Cisco Nexus 7000 to create a snapshot of the current configuration?


- A. Cisco FabricPath
- B. HSRP
- C. Rollback
- D. vPC

Correct Answer: C

#### **QUESTION 6**

#### DRAG DROP

#### Select and Place:



Correct Answer:



Drag the characteristic on the left to the corresponding IPSec VPN solution on the right.	
	Easy to maintain, with no support required for dynamic routing, multicast, or dynamic messing
C C C	Use a single GRE interface for static meshing with each spoke with Keepalive support
BUS	Supports Multicast and dynamic peer discovery with on-demand tunnel creation
Col	Use a virtual interface for static meshing
	Provide end-to-end security for voice, video, and data in a native (nontunneled ) mode

#### **QUESTION 7**

An engineer notices that many BGP peers utilize the same configuration parameters. What can the engineer configure to simplify BGP neighbor statements and generate more efficient BGP peer updates?

- A. peer groups
- B. policy templates
- C. session templates
- D. peer address families

Correct Answer: A

#### **QUESTION 8**

Which Cisco NAC Appliance component is optional?

- A. NAC Appliance Manager
- B. NAC Appliance Server
- C. NAC Appliance Agent
- D. NAC Appliance Policy Updates

Correct Answer: C

#### **QUESTION 9**

Which option describes the effect of using softphones instead of VoIP handsets on QoS implementation for the voice traffic?

A. It provides a Layer 2 CoS marking in the frames that can be used for QoS implementation.



- B. Using softphones means that 802.1Q tagging must be configured between the PC and the switch.
- C. The voice traffic of softphones is mixed with data traffic of PC on the access VLAN.
- D. By using softphones, the implementation of a QoS depends only on trusting DSCP markings set by the PC.

Correct Answer: C

#### **QUESTION 10**

Which two ways to manage scalability issues inside an IBGP domain with 20 or more routers are recommended? (Choose two.)

- A. Configure route reflectors.
- B. Use OSPF instead of EIGRP as an underlying routing protocol.
- C. Create a full mesh at Layer 1.
- D. Configure confederations.
- E. Configure static routes between all routers.

```
Correct Answer: AD
```

#### **QUESTION 11**

Which IPv4 multicast technical component measure provides architectural security?

- A. IGMP max groups
- B. access lists
- C. scoped addresses
- D. state limit

Correct Answer: C

#### **QUESTION 12**

Which first-hop redundancy protocol that was designed by Cisco allows packet load sharing among groups of redundant routers?

- A. GLBP
- B. HSRP
- C. VRRP
- D. VSS



Correct Answer: A

642-873 PDF Dumps

642-873 Practice Test

642-873 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

#### https://www.certbus.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © certbus, All Rights Reserved.