

70-742^{Q&As}

Identity with Windows Server 2016

Pass Microsoft 70-742 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/70-742.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1.

You need to enable User1 to sign in as user1@adatum.com.

Solution: From Windows PowerShell, You run Set-ADuser User1 –UserPrincipalNameUser1@Adatum.com.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 2

Your network contains two Active Directory forests named fabrikam.com and contoso.com. Each forest contains two sites. Each site contains two domain controllers.

You need to configure all the domain controllers in both the forests as global catalog servers.

Which snap-in should you use?

A. Active Directory Sites and Services

B. Active Directory Users and Computers

C. Active Directory Domains and Trusts

D. Active Directory Federation Services

Correct Answer: D

QUESTION 3

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains.

The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You restart DC1 in Directory Services Repair Mode. You run compact.exe, and then restart DC1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

QUESTION 4

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1 that runs Windows Server 2016. You need to create a snapshot of the Active Directory database on DC1.

Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacls
- E. Dsmmain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Correct Answer: E

QUESTION 5

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to force users to change their account password at least every 30 days.

What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.
- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Correct Answer: B

QUESTION 6

Your network contains a single-domain Active Directory forest named contoso.com. The forest functional level is Windows Server 2016. The forest has Dynamic Access Control enabled. The domain contains two domain controllers named DC1 and DC2. Privileged user accounts used to manage Active Directory reside in a group named Contoso\AD_Admins.

You create an authentication policy named Policy1 and an authentication policy silo named Silo1.

You need to ensure that the accounts in the Contoso\AD-Admins group can sign in to the domain controllers only. Which three configurations should you perform? Each correct answer presents part of the solution.

- A. Create a managed service account and add the account to permitted Accounts in Silo1.
- B. Add the privileged user accounts and the domain controllers to Permitted Accounts in Silo1.
- C. Create an access control condition in Policy1.
- D. Add the domain controllers to the Contoso\AD_Admins group.
- E. Assign Silo1 to the privileged user accounts and the domain controllers.

Correct Answer: CDE

QUESTION 7


Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.


The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit.

(Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2



End of repeated scenario.

You are evaluating what will occur when you disable the Group Policy link for A6. Which GPOs will apply to User2 when the user signs in to Computer1 after the link for A6 is disabled?

- A. A1 and A5 only
- B. A3, A1, and A5 only
- C. A3, A1, A5, and A4 only
- D. A3, A1, A5, and A7

Correct Answer: D

QUESTION 8

The network contains an Active Directory forest named contoso.com.

The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle

The company physically relocates Server2 from the Montreal office to the Seattle office.

You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authenticates users who sign in to the computers in the Seattle office.

You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations.

What should you do?

- A. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.
- B. From Active Directory Users and Computers, modify the Location Property of Server2.
- C. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.
- D. From Windows PowerShell, run the Move-ADDirectoryServer cmdlet.

Correct Answer: A

QUESTION 9

Your company has a marketing department and a security department.

The network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA).

You have two organizational units (OUs) named MKT_UsersOU and MKT_ComputersOU. MKT_UsersOU contains the user accounts for the users in the marketing department. MKT_ComputersOU contains the computer accounts for the computers in the marketing department.

A Group policy object (GPO) named GPO1 is linked to MKT_UsersOU. A GPO named GPO2 linked to MKT_ComputersOU.

You plan to deploy a web application for the marketing department users. The application will require certificates for authentication.

The security department configures the CA to support the planned deployment.

You need to ensure that the web application can authenticate the marketing department users.

What should you do?

- A. From the User Configuration node of GPO1, create an Internet Setting preference.
- B. From the User Configuration node of GPO1, configure the Certificate Services Client - Auto enrollment settings.
- C. From the Computer Configuration node of GPO2, configure the Certificate Services Client - Certificate Enrollment Policy settings.
- D. From the Computer Configuration node of GPO2, create the Automatic Certificate Request Settings.

Correct Answer: A

QUESTION 10

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an Organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1. From Group Policy Management, you click the Group Policy Objects container. From the Delegation tab, you add Group1.

- A. Yes
- B. No

Correct Answer: A

QUESTION 11

You have a server named Server1 in a workgroup.

You need to configure a Group Policy setting on Server1 that will apply to only non- administrative users.

What should you do?

- A. Open Local Group Policy Editor. From the File menu, modify the Options settings.
- B. Run mmc.exe Add the Group Policy Object Editor snap-in and change the Group Policy object (GPO).
- C. Open Local Group Policy Editor. From the View menu, modify the Customize settings.
- D. Open Local Users and Groups, Create a new group Run New-GPO.

Correct Answer: A

QUESTION 12

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Server Manager
- B. File Explorer
- C. Dcgpofix.exe
- D. Group Policy Management Console (GPMC)

Correct Answer: B

QUESTION 13

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com.

You need to limit the number of Active Directory Domain Services (AD DS) objects that a user can create in the domain. Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacls

- E. Dsamain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Correct Answer: A

QUESTION 14

Your network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named OU1 that contains the computer accounts of two servers and the user account of a user named User1. A Group Policy object (GPO) named GPO1 is linked to OU1.

You have an application named App1 that installs by using an application installer named App1.exe.

You need to publish App1 to OU1 by using Group Policy.

What should you do?

- A. Create a Config.zap file and add a file to the File System node to the Computer Configuration node of GPO1.
- B. Create a Config.xml file and add a software installation package to the User Configuration node of GPO1.
- C. Create a Config.zap file and add a software installation package to the User Configuration node of GPO1.
- D. Create a Config.xml file and add a software installation package to the Computer Configuration node of GPO1.

Correct Answer: C

QUESTION 15

You deploy a new certification authority (CA) to a server that runs Windows Server 2016.

You need to configure the CA to support recovery of certificates. What should you do first?

- A. Modify the Recovery Agents settings from the properties of the CA.
- B. Assign the Request Certificates permission to the user account that will be responsible for recovering certificates.
- C. Configure the Key Recovery Agent template as a certificate template to issue.
- D. Modify the extensions of the OCSP Response Signing template.

Correct Answer: A

QUESTION 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1. You create

a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named User1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the Local Users and Groups preference.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 17

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and fabrikam.com. The functional level of the forest and the domains is Windows Server 2008 R2.

You have a global group named Group1 in the contoso.com domain. Group1 contains the user accounts in contoso.com. You need to ensure that you can add the user accounts in the fabrikam.com domain to Group1. What should you do?

A. Run the Set-LocalGroup cmdlet.

B. Assign the Domain Controllers group in fabrikam.com permissions to Group1

C. Modify the scope of Group1 to Domain local.

D. Change Group1 to a distribution group.

Correct Answer: B

QUESTION 18

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory forest named contoso.com. The forest functional level is Windows Server 2012 R2.

You need to ensure that a domain administrator can recover a deleted Active Directory object quickly.

Which tool should you use?

- A. Dsadd quota
- B. Dsmod
- C. Active Directory Administrative Center
- D. Dsacls
- E. Dsamain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Correct Answer: C

QUESTION 19

Your network contains an Active Directory forest. The forest functional level is Windows Server 2016.

You have a failover cluster named Cluster1. Cluster1 has two nodes named Server1 and Server2. All the optional features in Active Directory are enabled.

A junior administrator accidentally deletes the computer object named Cluster1.

You discover that Cluster1 is offline.

You need to restore the operation of Cluster1 in the least amount of time possible.

What should you do?

- A. Run the Enable-ADAccount cmdlet from Windows PowerShell.
- B. Perform an authoritative restore by running ntdutil.exe.
- C. Perform a tombstone reanimation by running ldp.exe.
- D. Recover a deleted object from the Active Directory Recycle Bin.

Correct Answer: D

QUESTION 20

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The Computer account for Server1 is in organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named user1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the local Users and Groups preference.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 21

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1.

You need to enable User1 to sign in as user1@adatum.com.

Solution: From Active Directory Domains and Trusts, you configure an alternative UPN suffix, From Active Directory Administrative Center, you configure the User UPN logon property of User1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

QUESTION 22

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. On Server1, you create a local user named User1. User1 is a member of the local Administrators group. Server1 has the following local Group Policies: K

Local Computer Policy

Local Computer\User1Policy

Local Computer\Administrators Policy

You need to force User1 to change his password every 14 days.

Solution: You configure the Password Policy settings in a Group Policy object (GPO) that is linked to the Domain Controllers organizational unit (OU).

- A.
- Yes
- B. No

Correct Answer: B

QUESTION 23

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated Scenario

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	Not applicable	Not applicable
User2	User	Not applicable	Not applicable
Computer1	Computer	Not applicable	Not applicable
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group 1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain.

From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of user1@litwareinc.com.

End of repeated scenario

You need to ensure that Admin1 can convert Group1 to a global group.

What should you do?

- A. Add Admin1 to the Enterprise Admin group.
- B. Remove all the member from Group1.
- C. Modify the Security settings of Group1.
- D. Convert Group1 to a universal security group.

Correct Answer: B

QUESTION 24

Your network contains an Active Directory domain named contoso.com. The domain contains a read-only domain controller (RODC) named R0DC1.

You need to retrieve a list of accounts that have their password cached on RODC1. Which command should you run?

- A. netdom.exe
- B. ntdsutil.exe
- C. repadmin.exe
- D. dcdiag.exe

Correct Answer: C

Explanation: [https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy(v=ws.10).aspx)

QUESTION 25

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1 and an organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1.

You need to ensure that User1 can link GPO1 to OU1.

What should you do?

- A. Modify the security setting of User1.
- B. Add User1 to the Group Policy Creator Owner group.
- C. Modify the security setting of OU1.

D. Modify the security setting of GPO1.


Correct Answer: D

QUESTION 26

Your network contains an Active Directory domain named contoso.com.

The domain contains a Group Policy object (GPO) named GPO1.

You configure the Internet Settings preference in GPO1 as shown in the exhibit. (Click the Exhibit button.)



A user reports that the homepage of Internet Explorer is not set to <http://www.contoso.com>.

You confirm that the other settings in GPO1 are applied.

You need to configure GPO1 to set the Internet Explorer homepage.

What should you do?

- A. Edit the GPO1 preference and press F5.
- B. Modify Security Settings for GPO1.
- C. Modify WMI Filtering for GPO1.
- D. Modify the GPO1 preference to use item-level targeting.


Correct Answer: A

The red dotted line under the homepage URL means that setting is disabled. Pressing F5 enables all settings.

QUESTION 27

Your network contains an Active Directory domain named contoso.com.

You open Group Policy Management as shown in the exhibit. (Click the Exhibit button.)



You discover that some of the settings configured in the A1 Group Policy object (GPO) fail to apply to the users in the OU1 organizational unit (OU).

You need to ensure that all of the settings in A1 apply to the users in OU1.

What should you do?

- A. Enable loopback policy processing in A1.
- B. Block inheritance on OU1.
- C. Modify the policy processing order for OU1.
- D. Modify the GPO Status of A1.

Correct Answer: C

QUESTION 28

Your company has an office in Montreal.

The network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named Montreal that contains all of the users accounts for the users in the Montreal office. An office manager in the Montreal office knows each user personally.

You need to ensure that the office manager can provide the users with a new password if the users forget their password. What should you do?

- A. From the Security settings of the Montreal OU, assign the office manager the Reset Password permission.
- B. From the Security settings of each user account in the Montreal OU, assign the office manager the Change Password permission.
- C. Create a Group Policy object (GPO) and link the GPO to the OU of the domain. Filter the GPO to the Montreal users. Assign the office manager the Apply Group Policy permission on the GPO. Configure the Password Policy settings of the GPO.
- D. Create a Group Policy object (GPO) and link the GPO to the Montreal OU. Assign the office manager the Apply Group Policy permission on the GPO. Configure the Password Policy settings of the GPO.

Correct Answer: D

QUESTION 29

Your network contains an Active Directory named contoso.com

You have three top-level organizational units (OUs) named OU1, OU2 and OU3. OU1 contains user accounts. OU2 contains the computer accounts for shared public computers.

OU3 contains the computer accounts for laptops.

You have two Group Policy objects (GPOs) named GPO1 and GP02. GPO1 is linked to OU1. GP02 is linked to OU2.

You need to prevent the user settings in GPO1 from being applied when a user signs in to a shared public computer. If a user signs in to a laptop, the user settings in GPO1 must be applied.

What should you configure?

- A. inheritance blocking
- B. Security Filtering
- C. loopback processing
- D. GPO link enforcement

Correct Answer: C

QUESTION 30

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers.

A domain controller named lon-dc1 fails. You are unable to repair lon-dc1.

You need to prevent the other domain controllers from attempting to replicate to lon-dc1.

Solution: From Active Directory Users and Computers, you remove the computer account of lon-dc1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

[70-742 Practice Test](#)

[70-742 Study Guide](#)

[70-742 Exam Questions](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © certbus, All Rights Reserved.