**Exam** : HP0-045

**Title**: Supporting the ESL

**E-Series Lobraries** 

Version : DEMO

## 1. What is required to access the Advanced Secure Manager features in Command View ESL?

A.the appropriate license key


B.valid user access permissions

C.a special administrator password

D.a suitable advanced user account

#### Correct:A

2.Click the Exhibit button. Which component is connected to port E1 of the cluster controller if it is in drive cluster 0?



A.cabinet controller

B.interface controller

C.lower cluster controller

D.Interface Manager card

#### **Correct:A**

3. What does the OCP display when a library hangs because there are more than one hundred unlabeled tape cartridges in the library?

A.Error 22


B.Please wait

C.Going on line

D.Inventory failure

#### Correct:C

4.Click the Exhibit button. Which tape library component (used to carry data cartridges to a secondary cabinet) is shown on the figure?



A.CLM arm B.CLM controller C.picker assembly

D.cartridge transfer robot

#### Correct:A

5. Which scheme is used in the command line interface for drive and slot numbers in ESL E-Series tape libraries?

A.0 based

B.1 based

C.2 based

D.Hex based

#### Correct:B

6. Which port number is required when starting a Command View TL session?

A.2301

B.4095

C.4444

D.5555

### Correct:B

7. You are performing a firmware upgrade using Command View TL and a Telnet session terminates it prematurely. What is the most likely outcome?

A.The Telnet session is automatically aborted.

- B.Telnet automatically aborts the other session, but the upgrade continues.
- C.Command View TL takes precedence and continues the firmware upgrade.
- D.The firmware upgrade aborts and the device being upgraded may need physical repair.

#### **Correct:D**

8. What does the cabinet controller assembly of an ESL E-Series tape library provide a SCSI interface to?

A.tape devices

B.library robotics C.management

interface card D.e2400-160

Interface Controller Correct:B

# 9. Which capabilities of a TCP/IP connection are delivered by the Simple Internet Protocol Plus (SIPP)?

A.small packets and ECC

B.error handling and retries

C.increased bandwidth and performance

D.faster command propagation on inexpensive copper interconnect

#### **Correct:B**

## 10. For which connection, other than the cabinet controller, is the I2C network cable used?

A.external LANs

**B.cluster controllers** 

C.interface management cards

D.Fibre Channel interface controllers

Correct:B

# **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

# **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





# Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.