

HPE0-V14^{Q&As}

Building HPE Hybrid IT Solutions

Pass HP HPE0-V14 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hpe0-v14.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A Network administrator connects two switches together with multiple links of the same speed, duplex, and media type. The administrator expected the links to be aggregated, but they are not. The administrator confirmed that the ports are part of the appropriate link aggregation groups and that the permitted VLANs match.

Switch A has the lower LACP System Priority.

Which LACP operation states describe the failure above?

- A. Switch A: Active; Switch B: Active
- B. Switch A: Active; Switch B: Passive
- C. Switch A: Passive; Switch B: Passive
- D. Switch A: Passive; Switch B: Active

Correct Answer: C


QUESTION 2

DRAG DROP

Drag the correct protocols from the left to their appropriate area on the topology.


Select and Place:

Answer Area



Correct Answer:

Answer Area



QUESTION 3

DRAG DROP

Match each characteristic to the appropriate RAID level.

Select and Place:

Answer Area

RAID level

Characteristic

Raid0	<input type="text"/>	double parity striped across all disks
Raid1	<input type="text"/>	if one disk fails, all data is lost
Raid5	<input type="text"/>	requires a minimum of 3 disk drives
Raid6	<input type="text"/>	requires 50% of raw capacity for fault protection

Correct Answer:

Answer Area

RAID level

Characteristic

Raid6	double parity striped across all disks
Raid0	if one disk fails, all data is lost
Raid5	requires a minimum of 3 disk drives
Raid1	requires 50% of raw capacity for fault protection

QUESTION 4

DRAG DROP

A customer is considering an upgrade of their networking infrastructure with HPE FlexFabric 5940 series switch.

Match the fan tray option with the airflow direction.

Select and Place:

Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

Correct Answer:

Answer Area

	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

QUESTION 5

DRAG DROP

Match the characteristic to the correct HPE ProLiant family.

Select and Place:

Answer Area

		maximum 2 processors
DL		maximum 4 processors
ML		rack optimized
		tower or rack

Correct Answer:

Answer Area

	ML	maximum 2 processors
DL	DL	maximum 4 processors
ML	DL	rack optimized
	ML	tower or rack

Reference: <https://www.hpe.com/uk/en/product-catalog/servers/proliant-servers/pip.specifications.hpe-proliant-dl380-gen10-server.1010026818.html>

QUESTION 6

A customer needs to increase the availability and bandwidth of network connectivity to their servers. Which switch feature meets the customer's needs?

- A. Remote direct memory access over Converged Ethernet (RoCE)
- B. Virtual Local Area Network (VLAN)
- C. Jumbo frames
- D. Link Aggregation and Control Protocol (LACP)

Correct Answer: D

QUESTION 7

DRAG DROP

Match each customer data center architecture to its network topology.

Select and Place:

Answer Area

Collapsed 1-Tier using IRF/VSX

Optimized L2 Fabric using IRF/VSX

Optimized L3 Fabric using IRF/VSX

Spine and leaf L3 ECMP using VXLAN and EVPN

exhibit 12.31.41

exhibit 12.04.58

exhibit 12.43.25

exhibit 12.28.91

Correct Answer:

Answer Area

Collapsed 1-Tier using IRF/VSX

Optimized L2 Fabric using IRF/VSX

exhibit 12.31.41

exhibit 12.04.58

exhibit 12.43.25

exhibit 12.28.91

QUESTION 8

You are installing an HPE Nimble HF20 into a customer's existing rack.

Prior to installation, what should you consider?

- A. An HPE Nimble array has left-to-right airflow
- B. HPE recommends installing the HPE Nimble array at the top of the rack
- C. The HPE Nimble array will require 3-phase power
- D. HPE recommends racks with a depth of 1200 mm

Correct Answer: D

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/a00008274enw.pdf>

QUESTION 9

You need to configure a HPE ProLiant server and plan to install an operating system that supports Secure Boot. Which system utility should you use to configure the server?

- A. Intelligent Provisioning
- B. Smart Storage Administrator
- C. iLO
- D. UEFI

Correct Answer: D

QUESTION 10

A customer is moving a server from a co-location facility back into their existing data center to comply with new internal policies on data management. Due to budget constraints, the customer cannot purchase any additional switches and will need to use an existing end-of-row design with HPE FlexFabric switches. While the server will be installed six racks away from the switches, the total cable run with cable management is expected to be 35 m. Which component should be selected when designing the 10 Gbps connectivity option for the server?

- A. QSFP28 Active Optical Cable
- B. SFP+ 10G LC SR Transceiver
- C. SFP+ Active Optical Cable
- D. SFP+ Direct Attach Copper Cable
- E. QSFP+ Active Optical Cable

Correct Answer: C

QUESTION 11

What is the most important difference between an HPE ProLiant DL380 Gen10 server and an HPE ProLiant DL385 Gen10 server?

- A. Disk Drives
- B. Power Supplies
- C. Network Cards
- D. Processors

Correct Answer: D

QUESTION 12

A customer needs to add storage capacity to a host in a remote branch office. They have limited IT resources, so the solution requires ease of integration at a low price point. Which HPE Storage family best meets these needs?

- A. HPE D3000 Enclosure
- B. HPE 3PAR StoreServ
- C. HPE MSA Storage Array
- D. HPE Nimble Storage

Correct Answer: C

[HPE0-V14 PDF Dumps](#)

[HPE0-V14 VCE Dumps](#)

[HPE0-V14 Study Guide](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © certbus, All Rights Reserved.