

JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/jn0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which keystroke combination allows users to move the cursor to the end of the command line without deleting text?

- A. Ctrl + a
- B. Ctrl + e
- C. Ctrl + w
- D. Ctrl + u

Correct Answer: B

QUESTION 2

```
[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}
```

Referring to the exhibit, which statement is true?

- A. Traps are sent to 10.21.15.180.

- B. Traps are allowed from 10.21.15.180.
- C. Traps are sent to 10.21.15.16.
- D. Traps are allowed from 10.21.15.16.

Correct Answer: D

QUESTION 3

What is the default protocol preference for OSPF external routes?

- A. 10
- B. 15
- C. 150
- D. 160

Correct Answer: C

QUESTION 4

Depending on the device type, Junos is built upon which two OS kernels? (Choose two.)

- A. NetBSD
- B. FreeBSD
- C. Linux
- D. OpenBSD

Correct Answer: BC

QUESTION 5

```
[edit]
user@router# show interfaces
ge-0/0/2 {
  unit 0 {
    family inet {
      address 172.16.10.1/24;
    }
  }
}
```

Referring to the exhibit, which command will change the 172.16.10.1/24 IP address to 172.16.100.1/24 IP address?

- A. copy interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to address 172.16.100.1/24
- B. rename interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to address 172.16.100.1/24
- C. set interfaces ge-0/0/2 unit 0 family inet address 172.16.100.1/24
- D. insert interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 before address 172.16.100.1/24

Correct Answer: B

QUESTION 6

You issue the request system zeroize command. Which statement is correct in this scenario?

- A. All data files are deleted and all configuration settings are returned to factory defaults.
- B. All data files remain unchanged but all configuration settings are returned to factory defaults.
- C. Disk space is freed by rotating log files and a proposed list of files to delete is presented.
- D. All data files are deleted and the configuration settings remain unchanged.

Correct Answer: A

QUESTION 7

Which keystroke is used to auto-complete user-defined variables?

- A. End
- B. Spacebar
- C. Tab CC
- D. Home

Correct Answer: C

QUESTION 8

At which hierarchy would you configure a static MAC address for interface ge-0/0/0?

- A. [edit interfaces ge-0/0/0 unit 0]
- B. [edit interfaces ge-0/0/0]
- C. [edit interfaces ge-0/0/0 unit 0 family inet]

D. [edit interfaces ge-0/0/0 unit 0 family inet address 172.25.11.2/24]

Correct Answer: D

QUESTION 9

Which protocol family is required prior to assigning an IP address to an interface?

- A. ip
- B. ip6
- C. inet
- D. inet4

Correct Answer: C

QUESTION 10

You issue the command `telnet interface ge-1/1/0 10.10.10.1 source 192.168.100.1 bypass- routing`.

Which statement is correct?

- A. The bypass-routing parameter is ignored when using private IP addressing.
- B. The telnet session will have the source IP address 10.10.10.1.
- C. The telnet session will connect to the neighboring device's interface `ge-1/1/0`.
- D. Return traffic for the telnet session might not arrive at interface `ge-1/1/0`.

Correct Answer: D

QUESTION 11

Which account is used to access a Junos device in factory-default configuration?

- A. root
- B. admin
- C. juniper
- D. user

Correct Answer: A

QUESTION 12

A Junos device is in a factory-default configuration and no host name is set.

What is used in place of a host name in this scenario?

- A. router
- B. amnesiac
- C. Junos
- D. user

Correct Answer: B

QUESTION 13

Which two statements describe IPv4 default behavior for BGP? (Choose two.)

- A. All active BGP routes are exported to configured EBGP neighbors.
- B. All BGP routes are exported to configured EBGP neighbors.
- C. All BGP routes are imported into the inet4.0 routing table.
- D. All BGP routes are imported into the inet.0 routing table.

Correct Answer: AD

QUESTION 14

In Ethernet networks, duplex mismatches will lower performance. Which error statistics can be seen if a duplex mismatch is present?

- A. collisions on the full-duplex side; runts on the half-duplex side
- B. collisions on the full-duplex side; collisions on the half-duplex side
- C. collisions on the half-duplex side; framing errors on the full-duplex side
- D. collisions on the half-duplex side; giants on the full-duplex side

Correct Answer: C

QUESTION 15

Which statement is correct regarding the Junos OS?

- A. The same Junos OS image is used on all Junos devices.

- B. The Junos OS provides separation between the control and forwarding planes.
- C. Each Junos OS image is based on model-specific source code.
- D. The Junos OS creates a secondary instance of the kernel to ensure redundancy.

Correct Answer: B

[Latest JN0-103 Dumps](#)

[JN0-103 PDF Dumps](#)

[JN0-103 Study Guide](#)