

JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/jn0-451.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Click the Exhibit button.

Subscriptions Summar	Orders			Apply Activation Code	Add/Renew Subscriptions
Subscription Type	Status	Usage	Sites with Usage	Next Renewal	Expires
WiFi Management and Assurance	Active	1 of 2	1 of 1	Nov 25, 2024	Nov 25, 2024
vBLE Engagement	Active	0 of 2	0 of 1		Nov 25, 2024
Asset Visibility	Active	0 of 2	0 of 1		Nov 25, 2024
Marvis for Wireless	Active	1 of 2	1 of 1	Nov 25, 2024	Nov 25, 2024
Mist Edge	Active	0 of 1	N/A		Dec 17, 2022
Wired Assurance 12	Expired	1 of 0	1 of 1	-	
WAN Assurance for Class-1	Active	0 of 1	0 of 1		Dec 17, 2022
WAN Assurance for Class-2	Active	1 of 1	1 of 1	Dec 17, 2022	Dec 17, 2022
WAN Assurance for Class-3	Active	0 of 1	0 of 1	-	Dec 17, 2022

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The organization has one available license for Marvis wireless.
- B. The organization has two available licenses for Marvis wireless.
- C. The organization is using one license for Marvis wireless.
- D. The organization is using two licenses for Marvis wireless.

Correct Answer: AD

QUESTION 2

What is the impact of adding more SSIDs to a radio?

- A. beacon overhead
- B. less secure
- C. less BSSIDs reserved for a mesh network
- D. channel overlap


Correct Answer: D

QUESTION 3

https://www.certbus.com/jn0-451.html

2024 Latest certbus JN0-451 PDF and VCE dumps Download

Click the Exhibit button.



Referring to the exhibit, which percentage of connection attempts failed on the access point named LD_RS_Support?

A. 37

B. 86

C. 63

D. 46

Correct Answer: B

QUESTION 4

Under which hierarchy level would you create a new site configuration?

A. clients

B. location

C. access points



D. organization		
Correct Answer: D		
QUESTION 5		
	rovides information on Opportunistic Key Caching (OKC)?	
A. Time to Connect	rovides information on opportunistic recy decising (Orto):	
B. Roaming		
C. Coverage		
D. Capacity		
Correct Answer: B		
Reference: https://www.mist.com	documentation/service-level-expectations-sle/	
QUESTION 6		
According to the Coverage SLE, client?	which classifier tracks an AP that transmits at a lower data rate than	a connected
A. Latency		
B. Slow OKC Roam		
C. Asymmetry Downlink		
D. Device Capability		
Correct Answer: B		
QUESTION 7		
Click the Exhibit button.		
Type Code	1026	
Reason	radar-detected	

Referring to the exhibit, which statement is true?



- A. The WLAN is configured to use DFS channels.
- B. The WLAN is configured to only broadcast on the 2.4 GHz spectrum.
- C. The WLAN is configured with the high-density data rate setting enabled.
- D. The WLAN is configured to use geofencing.

Correct Answer: A

QUESTION 8

Regarding roaming, which device determines when it is time to connect to another AP?

- A. the gateway router
- B. the client device
- C. the primary AP
- D. the current AP

Correct Answer: B

QUESTION 9

You are the only tenant in a building that has Wi-Fi. At times, the Wi-Fi network appears to be slow and you want to determine if the microwave oven is causing an issue because it is used throughput the day. Which SLE metric and classifier should you look at to determine the issue?

- A. throughput/network issues
- B. capacity/wifi interference
- C. throughput/coverage
- D. capacity/non-wifi interference

Correct Answer: D

Reference: https://www.mist.com/documentation/radio-management-event-types/

QUESTION 10

RF templates are assigned to which Mist configuration object?

- A. config templates
- B. site groups
- C. WLANs

D. sites

Correct Answer: A

QUESTION 11

What are three available rate limiting options in the Mist UI? (Choose three.)


- A. Network
- B. Application
- C. wLan
- D. Per-Client
- E. Per-Site

Correct Answer: BCD

Reference: https://www.mist.com/documentation/wlan-rate-limiting/

QUESTION 12

Click the Exhibit button.




Referring to the exhibit, what would a guest user be able to do?

- A. Use Gmail and Slack.
- B. Use the Internet, except for Gmail and Slack.
- C. Use the HP Printer and Internet.
- D. Use only the Intranet.

Correct Answer: B

QUESTION 13

Click the Exhibit button.



Referring to the exhibit, as part of the Throughput SLE in the Mist UI, the Coverage classifier indicates the signal strength of which device?

- A. the AP\\'s radio strength
- B. the signal strength between APs
- C. the client
- D. the AP\\'s radio for a single SSID

Correct Answer: C

QUESTION 14

What do 802.11 stations perform to help avoid collisions on the WLAN medium?

- A. 802.11 stations detect collisions and set a back-off timer.
- B. Listen to verify that the medium is free before transmitting.
- C. Stations only transmit when polled by the access point.
- D. Transmit on a fixed schedule.

Correct Answer: B

Reference: https://blogs.arubanetworks.com/industries/understanding-802-11-medium- contention/

QUESTION 15



Which Wireless Assurance SLE has classifiers of Association, Authorization, DHCP, and Internet Services?

- A. Roaming
- B. Coverage
- C. Time to Connect
- D. Capacity

Correct Answer: D

Reference: https://www.mist.com/documentation/service-level-expectations-sle/

JN0-451 VCE Dumps

JN0-451 Practice Test

JN0-451 Study Guide