

MS-600^{Q&As}

Building Applications and Solutions with Microsoft 365 Core Services

Pass Microsoft MS-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/ms-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You have a backend service that will access the Microsoft Graph API.

You need to configure the service to authenticate by using the most secure authentication method.

What should you configure the service to use?

- A. a certificate
- B. a client secret
- C. a shared key
- D. a hash

Correct Answer: A

You can authenticate to the Graph API with two primary methods: AppId/Secret and certificate based authentication. Certificate is the preferred and more secure way of authenticating. Reference: <https://adamtheautomator.com/microsoft-graph-api-powershell/>

QUESTION 2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="checkbox"/>	<input type="checkbox"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="checkbox"/>	<input type="checkbox"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="radio"/>	<input checked="" type="radio"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: No The manifest is in XML format. Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2018 characters long. The source location must be an HTTPS address, not a file path. References: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests> <https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

QUESTION 3

You receive the following JSON document when you use Microsoft Graph to query the current signed-in user.

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "businessPhones": [
    "+1 555 444 222"
  ],
  "displayName": "BenSmith",
  "givenName": "Ben",
  "jobTitle": "Developer",
  "mail": "ben.smith@contoso.com",
  "mobilePhone": "+1 555 444 222",
  "officeLocation": null,
  "preferredLanguage": null,
  "surname": "Smith",
  "userPrincipalName": "ben.smith@contoso.com",
  "id": "5fa74bb7-b45b-426d-8ac7-446f090feeb5"
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct

selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
If you query a URI of <code>https://graph.microsoft.com/v1.0/me/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value</code> , you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of <code>https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value</code> , you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: Yes Syntax: GET /me/photo/\$value Get the specified profilePhoto or its metadata (profilePhoto properties).

Example: Get the photo for the signed-in user in the largest available size GET `https://graph.microsoft.com/v1.0/me/photo/$value`

Box 2: Yes Syntax: GET /users/{id | userPrincipalName}/photo/\$value Get the specified profilePhoto or its metadata (profilePhoto properties).

Box 3: Yes Syntax: GET /users/{id | userPrincipalName}/photo/\$value Get the specified profilePhoto or its metadata (profilePhoto properties).

Reference: <https://docs.microsoft.com/en-us/graph/api/profilephoto-get>

QUESTION 4

You plan to deploy a SharePoint Framework (SPFx) solution to the tenant app catalog.

Which attribute should you configure in the package-solution.json file to ensure that the solution is available immediately to all site collections?

- A. skipFeatureDeployment
- B. zippedPackage
- C. ClientSideComponentId
- D. isDomainIsolated

Correct Answer: A

You can configure your SharePoint Framework components to be immediately available across the tenant when the solution package is installed to the tenant app catalog. This can be configured by using the skipFeatureDeployment attribute in the package-solution.json file.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/tenant-scoped-deployment>

QUESTION 5

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created. The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Correct Answer: A

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-webhook>

QUESTION 6

Which URI should you use to query all the emails that relate to an invoice? Questions and Answers PDF P-9 A. Option A

```
https://graph.microsoft.com/v1.0/me/messages?$search="{invoiceid}"  
https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}  
https://graph.microsoft.com/v1.0/me/messages?${invoiceid}  
https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})
```

- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 7

This question requires that you evaluate the underlined text to determine if it is correct.

You can use App Studio for Microsoft Teams to develop all the components of a bot application.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. configure a Teams tab in an application
- C. develop a SharePoint Framework (SPFx) web part
- D. provision a bot by using the Bot Framework

Correct Answer: B

Tabs provide a place for you to display for rich interactive web content. You can define both personal and team tabs.

There can be only 1 team tab per app, but up to 16 personal tabs per app.

Incorrect Answers:

D: Bots that you create in Microsoft Bot Framework can be specified in an App manifest and included as Teams Apps.
Reference: <https://blog.thoughtstuff.co.uk/2019/04/what-is-app-studio-in-microsoft-teams-and-why-do-i-care/>

QUESTION 8

You need to develop a SharePoint Framework (SPFx) solution that interacts with Microsoft SharePoint and Teams. The solution must share the same code base. What should you include in the solution?

- A. Include the Microsoft Authentication Library for .NET (MSALNET) in the solution.
- B. Grant admin consent to the Teams API.
- C. Make the code aware of the Teams context and the SharePoint context.
- D. Publish the solution to an Azure App Service.

Correct Answer: A

QUESTION 9

You are developing a Microsoft Teams solution to host an existing webpage as a Teams tab. Which requirement must the page meet?

- A. The page must adhere to HTML 5.0 standards
- B. The page must adhere to WCAG 2.0 accessibility guidelines
- C. The page must be hosted on a domain that is on the validDomains list of the manifest
- D. The page must use CSS3 stylesheets

Correct Answer: C

Make sure that all domains used in your tab pages are listed in the manifest.json validDomains array.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-tab-pages/configuration-page>

QUESTION 10

This question requires that you evaluate the underlined text to determine if it is correct- For a Microsoft Office Add-in. you set the icon in the Microsoft SharePoint app catalog. Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. a JSON manifest file
- C. the Office app catalog
- D. an XML manifest file

Correct Answer: D

QUESTION 11

You are designing a Microsoft Teams application. The application will enable content authors to start conversations about news coming from a third-party application. Which development technique should you use?

- A. incoming webhooks
- B. outgoing webhooks
- C. activity feeds
- D. deep links

Correct Answer: D

Create deep links to content and features in Microsoft Teams.

You can create links to information and features within the Teams client. Examples of where this may be useful:

Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

Navigating the user to content within one of your app's tabs.

Incorrect Answers:

A: Incoming webhooks are the simplest type of connector. Connectors allow users to subscribe to receive notifications and messages from your web services

B: Outgoing webhooks allow your users to send text messages from a channel to your web services. Once configured, your users will be able to @mention your outgoing webhook.

C: The activity feed in Microsoft Teams is the user's single inbox for all activity across Teams. The feed aggregates important content. Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links>

QUESTION 12

You are building a Microsoft Outlook Web Add-in.

You need to persist user preferences between devices by using the minimum amount of development effort.

Which API should you use?

- A. the Microsoft Graph API
- B. the REST API for the Blob service
- C. the JavaScript API for Microsoft Office
- D. the Table service REST API

Correct Answer: C

You can persist add-in state and settings with the JavaScript API for Office.

The JavaScript API for Office provides the Settings, RoamingSettings, and CustomProperties objects for saving add-in state across sessions

Reference: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/persisting-add-in-state-and-settings>

QUESTION 13

You have a starter SharePoint Framework (SPFx) web part.

You need to test the web part from the local workbench by connecting to a URL of <https://localhost:4321/temp/workbench.html>.

Which tool should you use make the web part available locally for debugging?

- A. Yeoman
- B. Microsoft Visual Studio Code
- C. npm install
- D. gulp serve

Correct Answer: B

By setting up debugging of your SharePoint Framework solution in Visual Studio Code, you can more efficiently step through your code and fix errors.

When building SharePoint Framework solutions, you can use the local workbench to verify that your web part is working correctly. Using the local workbench is convenient for testing all scenarios that do not require communicating with SharePoint as well as for offline development. Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/debug-in-vscode>

QUESTION 14

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.	<input type="checkbox"/>	<input type="checkbox"/>
You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.	<input type="checkbox"/>	<input type="checkbox"/>
You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

Statements	Yes	No
You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Box 1: Yes

As part of your app you can add custom tabs to embed your own web content in Teams, and using the Teams JavaScript client SDK, add Teams-specific functionality to your web content.

Box 2: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Box 3: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/what-are-tabs>

<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/support-for-task-pane-and-content-add-ins>

QUESTION 15

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct select is worth one point.

Hot Area:

Answer Area	Statements	Yes	No
	A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input type="radio"/>	<input type="radio"/>
	Microsoft Office Web Add-ins can be developed by using C#.	<input type="radio"/>	<input type="radio"/>
	The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area	Statements	Yes	No
	A Microsoft Office Web Add-in can be scaffolded by using a Yeoman generator.	<input checked="" type="radio"/>	<input type="radio"/>
	Microsoft Office Web Add-ins can be developed by using C#.	<input checked="" type="radio"/>	<input type="radio"/>
	The code for a Microsoft Office Web Add-in has access to the local file system of a device.	<input checked="" type="radio"/>	<input type="radio"/>

[Latest MS-600 Dumps](#)

[MS-600 VCE Dumps](#)

[MS-600 Study Guide](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © certbus, All Rights Reserved.