

XK0-004^{Q&As}

CompTIA Linux+ Certification Exam

Pass CompTIA XK0-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/xk0-004.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

After connecting a USB drive, the system is unable to detect it. There is no entry in /dev, and there is no information in the message log. Which of the following is the issue?

- A. The USB drive is formatted as a DVD
- B. The USB drive is not formatted
- C. The kernel module is not installed
- D. The permissions of /dev/usb are incorrect

Correct Answer: B

Reference: <https://www.makeuseof.com/tag/fix-usb-device-port-linux/>

QUESTION 2

An administrator is troubleshooting an application that has failed to start after the server was rebooted. Noticing the data volume is not mounted, the administrator attempts to mount it and receives this error:

```
[root@localhost comptia]# mount /dev/datavg/datalv /data
mount: special device /dev/datavg/datalv does not exist
```

Upon checking the logical volume status, the administrator receives this information:

```
[root@localhost comptia]# lvs
LV VG Attr LSize Pool Origin Data% Meta% Move Log Cpy%Sync Convert
root centos -wi-ao---- <6.20g
swap centos -wi-ao---- 820.00m
datalv datavg -wi----- 500.00m
[root@localhost comptia]#
```

Which of the following can be said about the data logical volume, and how can this problem be resolved?

- A. The logical volume is not active. The administrator should make it active with `lvchange -ay /dev/ datavg/datalv` and then mount it.
- B. The logical volume file system has become corrupted. The administrator should repair it with `xfs_repair /dev/datavg/datalv` and then mount it.
- C. The logical volume is OK but the /dev special files are missing. The administrator should recreate them by running `/dev/MAKEDEV`.
- D. The file system is read-only. The administrator should remount it as read-write with the command `mount -o remount.rw /data`.

Correct Answer: A

QUESTION 3

A Linux administrator needs to prevent the Postfix mail transfer agent from starting on boot. Which of the following commands will accomplish this task?

- A. `systemctl stop postfix.service`
- B. `/etc/init.d/postfix stop`
- C. `systemctl disable postfix.service`
- D. `/etc/init.d/postfix disable`

Correct Answer: B

Reference: <https://www.cyberciti.biz/faq/linux-unix-start-stop-restart-postfix/>

QUESTION 4

Given that a company's policy states that users cannot install third-party tools on Windows servers, which of the following protocols will allow a Linux GUI to connect to a Windows server?

- A. VNC
- B. NX
- C. RDP
- D. X11

Correct Answer: A

Reference: <https://phoenixnap.com/kb/ssh-to-connect-to-remote-server-linux-or-windows>

QUESTION 5

A user has connected a Bluetooth mouse to a computer, but it is not working properly. Which of the following commands should the systems administrator use to fix the issue?

- A. `lsmod -i bluetooth`
- B. `insmod bluetooth`
- C. `modprobe -r bluetooth`
- D. `depmod -i bluetooth`

Correct Answer: C

QUESTION 6

The dracut command is used to:

- A. create initial RAMDisk images for preloading modules.
- B. compile the Linux kernel images used to boot the OS.
- C. create the bootloader executable files.
- D. create the Boot Manager configuration files.

Correct Answer: A

QUESTION 7

Which of the following allows communication over port 3389 to access GUI services?

- A. XRDP
- B. VNC
- C. Xfce
- D. KDE
- E. X-forwarding

Correct Answer: A

Reference: <https://linuxize.com/post/how-to-install-xrdp-on-ubuntu-18-04/#:~:text=By%20default%2C%20Xrdp%20listens%20on,traffic%20on%20the%20Xrdp%20port>

QUESTION 8

A Linux server has multiple IPs. A Linux administrator needs to verify if the HTTP server port is bound to the correct IP. Which of the following commands would BEST accomplish this task?

- A. route
- B. host
- C. nslookup
- D. netstat
- E. ip

Correct Answer: D

Reference: <https://www.tecmint.com/find-listening-ports-linux/>

QUESTION 9

A junior Linux administrator needs to ensure a service will start on system boot. Which of the following commands should be used to accomplish this task?

- A. chkconfig on
- B. systemctl bootup
- C. service enable
- D. crontab install

Correct Answer: A

Reference: <https://geekflare.com/how-to-auto-start-services-on-boot-in-linux/>

QUESTION 10

An operator finds a user is having issues with opening certain files.

Which of the following commands would allow the security administrator to list and check the SELinux context?

- A. ls -D
- B. ls -a
- C. ls -Z
- D. ls -l

Correct Answer: C

Reference: https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/security-enhanced_linux/sect-security-enhanced_linux-working_with_selinux-selinux_contexts_labeling_files

QUESTION 11

A Linux administrator is migrating a physical server to a virtual instance.

Which of the following commands would allow the administrator to create a new initial RAM disk to use in the boot process?

- A. mkinitrd
- B. grub-install
- C. grub2-mkconfig

D. initramfs

Correct Answer: A

Reference: <https://developer.ibm.com/articles/l-initrd/>

QUESTION 12

A site reliability engineer updated the latest configuration management scripts and committed them to a workstream called either test or patch. A Linux administrator wants to ensure these latest workstreams are able to be retrieved to the server. Which of the following is the BEST Git attribute to use?

A. branch

B. fetch

C. log

D. pull

Correct Answer: D

QUESTION 13

Users are reporting collaborate.company.com is inaccessible from the user VLAN, but there is no issue connecting to the system's web page from the DMZ. Given the following outputs from commands run on the system:

```
2: enp0s3: inet 10.10.2.15/24 User VLAN
3: enp0s4: inet 10.20.2.15/24 DMZ
```

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
default	10.10.2.2	0.0.0.0	UG	100	0	0	enp0s3
10.10.2.0	*	255.255.255.0	U	100	0	0	enp0s3
10.20.2.0	*	255.255.255.0	U	100	0	0	enp0s4

Non-authoritative answer:

Name: collaborate.company.com

Address: 10.20.2.15

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State
tcp	0	0	10.20.2.15:80	0.0.0.0:*	LISTEN
tcp	0	0	10.20.2.15:443	0.0.0.0:*	LISTEN
tcp	0	0	127.0.0.1:22	0.0.0.0:*	LISTEN
tcp	0	0	0.0.0.0:53	0.0.0.0:*	LISTEN
tcp	0	0	0.0.0.0:8080	0.0.0.0:*	LISTEN

Which of the following explains why users are unable to access the system from the user VLAN, and how can the administrator remediate this issue?

A. Users cannot access the system because the IP subnet mask is /24. The remediation for this issue is to set the IP

subnet mask to /16.

B. Users cannot access the system because the DNS server has the incorrect IP address. The remediation for this issue is to edit the DNS configuration to point to the correct IP.

C. Users cannot access the system because the connectivity port is running on the incorrect IP. The remediation for this issue is to edit the configuration file to listen on all interfaces.

D. Users cannot access the system because the default gateway has the wrong interface. The remediation for this issue is to set the default gateway to the proper interface.

Correct Answer: C

QUESTION 14

SIMULATION

A junior system administrator had trouble installing and running an Apache web server on a Linux server. You have been tasked with installing the Apache web server on the Linux server and resolving the issue that prevented the junior administrator from running Apache.

INSTRUCTIONS


Install Apache and start the service. Verify that the Apache service is running with the defaults.

Typing "help" in the terminal will show a list of relevant commands.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

CentOS Command Prompt

```
[root@centos7]#
```



A. See below

Correct Answer: A

```
[root@tecmint ~]#  
[root@tecmint ~]# yum install httpd  
Loaded plugins: fastestmirror, refresh-packagekit  
Setting up Install Process  
Loading mirror speeds from cached hostfile  
* base: centos.excellmedia.net  
* epel: epel.scopesky.iq  
* extras: centos.excellmedia.net  
* updates: centos-hn.viettelidc.com.vn  
Resolving Dependencies  
There are unfinished transactions remaining. You might consider running yum-comp  
lete-transaction first to finish them.
```

```
[root@tecmint ~]#  
[root@tecmint ~]# systemctl start httpd  
[root@tecmint ~]#  
[root@tecmint ~]# systemctl enable httpd  
Created symlink from /etc/systemd/system/multi-user.target.wants/httpd.service to /usr/lib/systemd/system/ht  
[root@tecmint ~]#  
[root@tecmint ~]# systemctl status httpd  
● httpd.service - The Apache HTTP Server  
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; vendor preset: disabled)  
   Active: active (running) since Tue 2017-06-27 06:51:35 EDT; 14s ago  
     Docs: man:httpd(8)  
           man:apachectl(8)  
  Main PID: 17981 (httpd)  
    Status: "Total requests: 0; Current requests/sec: 0; Current traffic:  0 B/sec"  
   CGroup: /system.slice/httpd.service  
           └─17981 /usr/sbin/httpd -DFOREGROUND  
             └─17982 /usr/sbin/httpd -DFOREGROUND  
               └─17983 /usr/sbin/httpd -DFOREGROUND  
                 └─17984 /usr/sbin/httpd -DFOREGROUND  
                   └─17985 /usr/sbin/httpd -DFOREGROUND  
                     └─17986 /usr/sbin/httpd -DFOREGROUND  
  
Jun 27 06:51:35 tecmint systemd[1]: Starting The Apache HTTP Server...  
Jun 27 06:51:35 tecmint httpd[17981]: AH00558: httpd: Could not reliably determine the server's fully qualifi  
Jun 27 06:51:35 tecmint systemd[1]: Started The Apache HTTP Server.  
[root@tecmint ~]#
```

QUESTION 15

A Linux administrator is developing a Bash script to close specific ports on a server firewall. The administrator is not certain of the default port for the Internet Message Access Protocol. Which of the following files should the administrator check to determine the default port?

- A. /etc/network
- B. /etc/default/ufw
- C. /etc/resolv.conf
- D. /etc/services

Correct Answer: D

[XK0-004 PDF Dumps](#)

[XK0-004 Exam Questions](#)

[XK0-004 Braindumps](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © certbus, All Rights Reserved.