

Exam : C2090-914

Title : system administration for  
red brick warehouse v6

Version : DEMO

1.Red Brick Decision Server is implemented on Windows NT by a \_\_\_\_\_that runs as a \_\_\_\_\_.

- A.single multithreaded process, Windows NT service
- B.Windows NT service, single multithreaded process
- C.NTFS file system, Windows NT service
- D.none of the above

Correct:A

2.The \_\_\_\_\_collects statistics for the dynamic statistic tables (DSTs) and performs the actions specified by ALTER SYSTEM commands.

- A.listener thread (rbwlsnr)
- B.process checker thread (rbwpchk)
- C.administration Daemon Process (rbwadmd)
- D.Red Brick API thread (rbwapid)

Correct:C

3.Target indexes and multi-column B-Tree on the foreign key columns of a fact table support:

- A.Natural join
- B.TARGETJoin
- C.Star index
- D.Clustered index

Correct:B

4.Which of the following definitions describe the STAR index?

- A.A sorted list of concatenated row IDs from the dimension tables named in the index key
- B.A bitmap index based on fact table rows
- C.An index built over multiple fact table columns
- D.A multi-table join index based on fact table foreign key values
- E.a and b
- F.a, b, c, and d
- G.a, c, and d
- H.c and d

Correct:G

5.The fillfactor should always be set to 100% in cases of:

- A.Data spaces
- B.Star indexes
- C.TMU\_REORG TEMPSPACE
- D.Small domain target indexes

Correct:D

6.In cases where data is known to be skewed, the recommended target index domain should be:

- A.small
- B.normal
- C.large
- D.hybrid

Correct:D

7.The size of the memory work area for building indexes is set by which parameter?

- A.INDEX TEMPSPACE

- B.INDEX TEMPSPACE THRESHOLD
- C.INDEX MAXSPILLSPACE
- D.INDEX DIRECTORY MAXSIZE

Correct:B

8.The 'default' Red Brick Decision Server index is a:

- A.Star Index
- B.Target Index
- C.B-Tree Index
- D.Deferred Index

Correct:C

9.An ideal DSS STAR schema is said to be \_\_\_\_\_ whereas a typical OLTP schema is said to be highly \_\_\_\_\_.

- A.Normalized/denormalized
- B.Factual/Dimensional
- C.Denormalized/normalized
- D.Current/historical

Correct:C

10.Which of the following describes a conformed dimension:

- A.Dimensions that have built-in hierarchies
- B.A dimension table that can be shared by one or more fact tables
- C.A set of attributes that change over time
- D.All of the above

Correct:B

11.Fact tables in a data warehouse generally contain:

- A.aggregate data
- B.descriptive text
- C.detail data
- D.both a and b
- E.both a and c

Correct:E

12.For a dimension table to participate in a STAR index, the table must be created with the \_\_\_\_\_ specification.

- A.CONSTRAINT
- B.MAX ROWS PER SEGMENT
- C.DATA IN
- D.DEFAULT

Correct:B

13.The purpose of the fill factor is:

- A.To tell a node when to split
- B.To reserve extra space in each node
- C.To specify when a node is 100% full
- D.None of the above

Correct:B

14.Views are useful for a wide variety of purposes, including:

- A. Decreasing security
- B. Simplifying query constraints
- C. Making administrative changes, such as database schema design changes, visible to the users
- D. None of the above

Correct: B

15. Any table that is referenced by another table must have a:

- A. TARGET index
- B. STAR index
- C. Foreign key
- D. Primary key

Correct: D

16. Decision-Support systems have (among others) the following characteristics

- A. Relational integrity
- B. Join paths based on business relations
- C. No redundancy
- D. Both A and B
- E. A, B and C

Correct: D

17. A logical model contains which of the following attributes:

- A. technology dependent
- B. includes data types and other technology components
- C. a picture representation of business rules and relationships
- D. contains an indexing strategy
- E. a and b
- F. b and c

Correct: C

18. What operation is not performed as part of single pass loading by the Red Brick TMU?

- A. Datatype Conversion
- B. Referential Integrity Checking
- C. Index building
- D. Table Reorganization

Correct: D

19. Which of the following is NOT a valid Table Management Utility format?

- A. FORMAT UNLOAD
- B. FORMAT IBM SEPARATED BY
- C. FORMAT AGGREGATED
- D. FORMAT IBM VARIABLE
- E. FIXED

Correct: C

20. To specify that the input file is to be read from standard-in, the following INPUTFILE clause should be used

- A. INPUTFILE ''
- B. INPUTFILE '<'
- C. INPUTFILE 'STDIN'

D.INPUTFILE ''

Correct:D

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.