

100% Money Back
Guarantee

Vendor: IBM

Exam Code: C2150-197

Exam Name: IBM Security Identity Manager V6.0
Implementation

Version: Demo

Question No : 1

Which is true for the relationship between provisioning policies, services, and roles?

- A.** A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- B.** A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
- C.** A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- D.** A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy can be anywhere in the tree of the organization.

Answer: A

Question No : 2

When applying a IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?

- A.** Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
- B.** Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
- C.** All Websphere processes must be stopped prior to installing the ISIM fixpack.
- D.** All Websphere processes must be running prior to installing the ISIM fixpack.

Answer: C

Question No : 3

Which actions are best practice for securing IBM Security Identity Manager LDAP data?

- A.** Disabling anonymous read access, enabling SSL communication only
- B.** Allow only read access to IBM Security Identity Manager LDAP

-
- C. Run the IBM Security Identity Manager server as non-root user
 - D. Enabled WebSphere global security

Answer: D

Question No : 4

When gathering requirements for a Provisioning Policy design, which type of owner is used for orphan accounts?

- A. An owner with a contractor email address
- B. An account manager
- C. An account owner
- D. A group owner

Answer: A

Question No : 5

When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

- A. Synchronizing password changes for all sponsor accounts
- B. Enabling forgotten password authentication
- C. Enabling forgotten password date rule
- D. Creating a password strength rule
- E. Creating a password notation rule

Answer: D,E

Question No : 6

A customer wants to query services that have communication failures and initiate recovery actions.

What is the recommended design approach?

-
- A.** Write custom code to query the ISIM Database tables to find services that have had communication failure. Recovery is not possible, blocked requests on these services will need to be resubmitted.
 - B.** Write custom code to query the ISIM Database tables to find services that have communication failure. After communication is restored, ISIM will automatically retry requests that were blocked.
 - C.** Use the ISIM Administration console to query services with a Failed status. After communication is restored, resubmit blocked requests.
 - D.** Use the ISIM Administration console to query services with a Failed status. After communication is restored, retry blocked requests.

Answer: A

Question No : 7

Your customer has requested that you interface their existing management reporting system based on a commercially available business intelligence tool that features the ability to read any relational database. Which of the following considerations would be part of your design?

- A.** You will need to set up external data synchronization to update the reporting tables before allowing the BI tool to generate reports.
- B.** All that is needed is to define a connector to the database, the database tables are always current.
- C.** Views will need to be defined to allow the BI tool to view the data.
- D.** You must check to see if the BI tool can read an LDAP directory.

Answer: D

Question No : 8

Which IBM Security Identity Manager properties file contains SSO settings?

- A.** enroleStartup.properties
- B.** enRole.properties
- C.** sdo.properties
- D.** ui.properties

Answer: C

Question No : 9

What feature in DB2 should be enabled to automate memory allocation within areas of DB2, (buffer pools, sort heap, package heap)

- A. Self-Tuning Memory Manager
- B. Server side sorting
- C. Directory caching
- D. RUNSTATS

Answer: C

Question No : 10

In order to debug a problem with the ISIM Workflow Designer, you have enabled applet logging and have specified DEBUG_MAX for the tracing level.

Where will the expected trace output be written?

- A. Websphere SystemOut.log
- B. Java Console
- C. ISIMtrace.log
- D. audit.log

Answer: A

Question No : 11

When moving from a previous version of IBM Tivoli Identity Manager (ITIM) to a ISIM v6 what directory is required in order to signal an upgrade?

- A. IBM Websphere Application Server home directory.
- B. IBM HTTP Server home directory
- C. IBM Java home directory
- D. ISIM home directory

Answer: B

Question No : 12

Your customer would like to display some of the functions of the Self Service user interface within a portal they have developed for internal use. They would like to show only the operations for a subset of the task boxes on the self service user interface. How do you accommodate their request?

- A. Change the CSS files so that the banner, footer, and toolbar are no longer visible.
- B. Modify the SelfServiceUI.components.layout properties file.
- C. Change the JSP files in the EAR subdirectory.
- D. Modify the values of the ui.layout properties.

Answer: A

Question No : 13

What does IdentityPolicy.getNextCount(baseld) in an identity policy return, where baseld is the value of the base user ID? (Choose two)

- A. It returns the iteration number that the identity policy is running to identify the number of times a user name had to be generated before a unique one could be found.
- B. It returns the next user ID that is generated according to the rules in the Identity policy but does not check for uniqueness.
- C. It returns a number that can be appended to the end of the user name to make that user name unique.
- D. It returns the number of conflicts the passed user name has against all services configured in ISIM.
- E. It returns -1 if the user name is already unique.

Answer: C,D

Question No : 14

When gathering requirements for email notifications, which mail protocol is used to send email notifications in the IBM Security Identity Manager environment?

- A. SMTP protocol
- B. IMAP protocol
- C. UDP protocol

D. TCP protocol

Answer: A

Question No : 15

How would you create an organizational structure in ISIM for a customer to manage 50.000 users and 900 servers?

- A.** Create an organization structure where users can be placed into multiple user OUs based on placement rule that evaluates user attributes. Services on which a user can have accounts must be defined in the same OU as the user.
- B.** Create an organization structure where users can be placed into multiple user OUs based on placement rule that evaluates user attributes. Services on which a user can have accounts can be defined in a separate OU.
- C.** Create two separate OUs for users and services. All users need to be in the same OU in ISIM, and organization roles must be defined at level that is higher than the user OU.
- D.** Create a single Organizational Unit (OU) under the default Organization to anchor users and services and their associated policies.

Answer: A

Question No : 16

Separation of Duty policies create mutually exclusive relationship between what in order to protect sensitive information from conflicts of interest?

- A.** Provisioning policies
- B.** Accounts
- C.** Groups
- D.** Roles

Answer: D

Question No : 17

To configure logging to diagnose an issue with the WinAD64 adapter, which of the following must be performed using AgentCfg?

-
- A. Enable activity logging
 - B. Enable thread logging
 - C. Enable detail logging
 - D. Enable base logging

Answer: C

Question No : 18

Which of the following will disable the footer in the administrative user interface?

- A. enrole.ui.footer=disabled
- B. ui.adminInterface.footer=false
- C. enrole.ui.footer.visibility=0
- D. ui.footer.isVisible=no

Answer: B

Question No : 19

What is the purpose of creating a custom Person entity?

- A. To rename the user records in the IBM Security Identity Manager (ISIM).
- B. To include enterprise-specific attributes associated with a person.
- C. To separate Person from Business Partner Person.
- D. To protect the privacy of the person.

Answer: B

Question No : 20

The number of items displayed in the IBM Security Identity Manager (ISIM) Administrator Console has been updated to a value of 100 in the test environment. What are the two options below to update the Production environment? (Choose two)

- A. Update the value using the system configuration tool. (runConfig)
- B. Manually update the values in the SelfServiceUI.properties file

-
- C. Update the value using the import/export feature in ISIM.
 - D. Manually update the value in the enRole.properties file.
 - E. Manually update the value in the ui.properties file.

Answer: A,C

Question No : 21

Given an IBM Security Identity Manager solution that is integrated with QRadar Log Management, which polling sequence is enabled?

- A. User-defined mode
- B. Real-time mode
- C. Server mode
- D. Batch mode

Answer: C

Question No : 22

When considering forms associated with Service, Accounts and Service Group categories, what two forms can be customized?

- A. The Account form for accounts associated with a specific service type can be customized.
- B. The Service Group form for groups associated with a specific service can be customized.
- C. The Account form for accounts associated with a specific service can be customized
- D. The Service Group form for a specific group value can be customized.
- E. The Service form for a specific service can be customized.

Answer: D

Question No : 23

Which recertification policy options need to be considered when designing a recertification policy?

-
- A. Who approves the recertification request what action to take when recertification rejected, who to send rejection email to
 - B. Who rejects the recertification request, who approves the recertification request, who to send rejection email to
 - C. Who approves the recertification request, account owner email notification,manager emailnotification
 - D. Who approves the recertification request, what approval action to take, who to send approval email to

Answer: A

Question No : 24

Which file controls the redirection and mapping of administrative console html help?

- A. helpmapping.properties
- B. helpconsole.properties
- C. helpmapping.css
- D. ui.properties

Answer: C

Question No : 25

What is the recommended SOAP timeout interval, used when installing fix packs?

- A. 30 seconds
- B. 15 minutes
- C. 1 minute
- D. 1 hour

Answer: C

Question No : 26

Which configuration must be in place to allow new account passwords to be emailed in clear text?

-
- A. Property "enrole.mail.notify=" set to 'ASYNC in enRole.properties
 - B. "Enable store forwarding" checked on Post Office configuration
 - C. Ersharedsecret attribute populated on person objects
 - D. Enrole.workflow.notifyPassword set to true

Answer: A

Question No : 27

Password synchronization provides change to accounts of which ownership type?

- A. Device
- B. System
- C. Individual
- D. All of the above

Answer: A

Question No : 28

In a web SSO environment, what is a valid step in the deployment plan to achieve integration between ISIM and web SSO product for implementing Forgotten Password functionality?

- A. ISIM's Forgotten Password function must get the challenge questions from the web SSO product and change ISIM service's password.
- B. ISIM's Forgotten Password function will automatically bounce the request to web SSO product's Forgotten Password function.
- C. The web SSO product's Forgotten Password function can get the challenge questions from ISIM.
- D. The web SSO's forgotten password function cannot be used - only ISIM's forgotten password function must be used.

Answer: B

Question No : 29

A IBM Tivoli Directory Integrator (ITDI) assembly line has been configured as the IBM

Security Identity Manager (ISIM) identity feed. ISIM is setup to only accept connections over SSL using self-signed certificate. What must be done in order for ITDI to communicate with ISIM?

- A. ISIM's self-signed certificate will need to be imported as a trusted signer certificate in the ITDI certificate store.
- B. The ISIM default truststore will need to be updated before connections can be made.
- C. Since ITDI is a component of the ISIM solution no specific configuration is required.
- D. The service in ISIM will need to be configured for SSL.

Answer: D

Question No : 30

The client's IBM Security Identity Manager (ISIM) production environment consists of a two node IBM Websphere Application cluster. Server #1 has the Websphere Deployment Manager installed as well as one of the cluster nodes. Server #2 in the cluster just has the node installed.

If a process monitor is being configured on Server #1 how many Java processes are there related just to Websphere?

- A. 4 - Deployment Manager process, Node process, Application Server process, Messaging Server process
- B. 1- Deployment Manager and Node processes run under a single Java process
- C. 3 - Deployment Manager process, Node process, Application Server process
- D. 2 - Deployment Manager process and Node process

Answer: A

Question No : 31

Which two db2 commands must be performed in order to collect information for calculating a db2 bufferpool hit ratio? (Choose two)

- A. Update dbm cfg using DFT_MON_BUFPOOL ON
- B. Get database manager configuration
- C. Get database configuration
- D. Get database snapshot
- E. Get monitor switches

Answer: C,E

Question No : 32

When gathering requirements for a Roles Administration design, which would static and dynamic roles be associated?

- A. In the design of the Organization tree
- B. In the design of Password policies
- C. In the design of a LDAP Adapter
- D. In the design of a work flow

Answer: D

Question No : 33

What is the Linux path and command to verify that ISIM v6.0 is currently running?

- A. WAS_PROFILE_HOME/bin/serverStatus.sh -all
- B. WAS_PROFILE_HOME/var/status.sh
- C. ISIM_HOME/var/serverStatus.sh -all
- D. ISIM_HOME/bin/serverStatus.sh-all

Answer: C

Question No : 34

Which interface needs to be implemented to create a custom password generator?

- A. com.ibm.tivoli.itim.passwordrules.PasswordGenerator
- B. com.ibm.passwordrules.PasswordGenerator
- C. generator.ibm.tivoli.itim.CustomGenerator
- D. com.ibm.passwordrules.Rule

Answer: B

Question No : 35

The criteria to setup indexes for a Directory Server attribute is based on what?

- A. The frequency of replicating objects containing the attribute to a replica.
- B. The frequency of reading and writing information to / from the attribute.
- C. The frequency of writing information to the attribute.
- D. The frequency of reading information based on the attribute's contents.

Answer: A

Question No : 36

On a 32-bit operating system what is the recommended maxheapvalue specification for ISIM'sjvm?

- A. 1280MB
- B. 4096MB
- C. 1024MB
- D. 2048MB

Answer: D

Question No : 37

Which two of the following are relevant to password retrieval by a user using a URL?

- A. enrole.generic.randomizer should be set to true for generation of random URL for each password retrieval request.
- B. enrole.password.retrievalURL should be set to the value of the URL where the user can retrieve the password.
- C. The shared secret attribute of the Person object should be populated by the user beforehand.
- D. enrole.workflow.notifyPassword should be set to false.
- E. enrole.password.retrieval should be set to true.

Answer: A

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.