



C_HANAIMP151 Q&As

SAP Certified Application Associate - SAP HANA (Edition 2015)





Pass SAP C_HANAIMP151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

http://www.CertBus.com/C_HANAIMP151.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published
by SAP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **80000+** Satisfied Customers



Vendor: SAP

Exam Code: C_HANAIMP151

Exam Name: SAP Certified Application Associate - SAP HANA (Edition 2015)

Q&As: Demo

QUESTION 1

Which SAP HANA model is recommended for reporting purposes where read operations on mass data are required?

- A. Analytic view
- B. Calculation view using SQL
- C. Calculation view using SQL Script
- D. Attribute view

Correct Answer: A

QUESTION 2

You want to aggregate the grand total sales amount into one currency.

In which of the following cases would you perform the calculation before aggregation?

- A. When a line item table contains sales values of two different currencies.
- B. When an aggregate table by country contains sales values in one currency.
- C. When a line item table contains sales values in one currency.
- D. When an aggregate table by country contains sales values in three different currencies.

Correct Answer: AD

QUESTION 3

You have imported models from the development system. What is the recommended way to activate dependent models in SAP HANA?

- A. Use the Activate with History function.
- B. Use the Where-Used List function.
- C. Use the Cascade Activate function.
- D. Activate each view manually.

Correct Answer: C

QUESTION 4

Which SAP BusinessObjects tool do you use to visualize real-time key performance indicators with simulations?

- A. Explorer
- B. Analysis, edition for OLAP
- C. Web Intelligence
- D. Dashboards

Correct Answer: D

QUESTION 5

Which type of connection does Direct Extractor Connection (DXC) use to transfer data to SAP HANA?

- A. RFC connection
- B. Secondary database connection
- C. http connection
- D. ODBC connection

Correct Answer: C

QUESTION 6

Which tool do you use for real-time data provisioning into SAP HANA?

- A. SAP Landscape Transformation (SLT)
- B. SAP BusinessObjects Data Federation Administration
- C. SAP BusinessObjects Data Services
- D. SAP Direct Extractor Connection (DXC)

Correct Answer: A

QUESTION 7

In SAP ERP there are more than 50,000 application tables. How do you determine the relevant SAP ERP tables to replicate in SAP HANA and their dependencies?

- A. Use SAP ERP Data Modeler (transaction SD11).
- B. Use SAP ERP ABAP Dictionary Maintenance (transaction SE11).
- C. Use the SAP ERP Tables and Indexes Monitor(transaction DB02).
- D. Use SAP ERP Data Browser (transaction SE16).

Correct Answer: A

QUESTION 8

Which of the following CE functions can you use to query an analytic view directly?

- A. CE_CALC
- B. CE_AGGREGATION
- C. CE_OLAP_VIEW
- D. CE_JOIN_VIEW

Correct Answer: C

QUESTION 9

Which package privileges are required to extend an SAP HANA Live view?

- A. REPO.ACTIVATE_NATIVE_OBJECTS
- B. REPO.EDIT_IMPORTED_OBJECTS
- C. REPO.READ
- D. REPO.EDIT_NATIVE_OBJECTS
- E. REPO.MAINTAIN_NATIVE_PACKAGES

Correct Answer: ACD

QUESTION 10

How can you import information models into SAP HANA using the Quick Launch view?

- A. Select the Redeploy button
- B. Select Data Provisioning -> Load
- C. Select Import -> SAP HANA Content -> Import Data From Local File
- D. Select Import -> SAP HANA Content -> Delivery Unit

Correct Answer: D

QUESTION 11

Which of the following nodes can you use when you create a calculation view with the SAP HANA studio graphical interface?

- A. Data Foundation
- B. Aggregation

- C. Join
- D. Analytic Privilege

Correct Answer: BC

QUESTION 12

You want to retrieve data from SAP HANA and restrict access to certain data columns for specific user groups. Where can you implement this?

- A. In the analytic privileges
- B. In the data foundation
- C. In the business layer
- D. In the SQL privileges

Correct Answer: C

QUESTION 13

Which of the following are required to build a SQLScript calculation view?

- A. Define a data foundation.
- B. Define a measure.
- C. Set the MultiDimensional Reporting property to false.
- D. Add columns to the var_out output parameter.

Correct Answer: BD

QUESTION 14

What is features available in Project Creation Wizard

- A. New option to auto-share an XS Project to the SAP HANA Repository during the project creation wizard
- B. New option to auto-share an XS Server - side Project to the SAP HANA Repository during the project creation wizard
- C. New option to auto-share an XS client - side Project to the SAP HANA Repository during the project creation wizard
- D. New option to auto-share an XS Server - side secure Project to the SAP HANA Repository during the project creation wizard

Correct Answer: A

QUESTION 15

In which engines is an analytic view executed that contains a calculated column?

- A. Calculation engine
- B. Row store engine
- C. OLAP engine
- D. Join engine

Correct Answer: AC

QUESTION 16

In a reporting scenario you use an Opening Date attribute in the data foundation that contains information about your stores. You want to determine the number of years each store has been in business. How do you achieve this?

- A. Use calculated measures.
- B. Use time attributes.
- C. Use calculated attributes.

D. Use private attributes.

Correct Answer: C

QUESTION 17

Which of the following tools can you use to monitor the query time from SAP HANA?

- A. Central Management Console
- B. Performance tab of the System Monitor
- C. Event Viewer
- D. SQL Trace

Correct Answer: D

QUESTION 18

In SAP HANA studio, in which of the following can you create users?

- A. The Administration console
- B. The Roles node
- C. The Content node
- D. The SQL editor

Correct Answer: AD

QUESTION 19

Which security settings can you apply in analytic privileges?

- A. Grant access to analytic views.
- B. Restrict access within an analytic view using measure values.
- C. Restrict access within an analytic view using attribute values.
- D. Restrict access to hierarchies.

Correct Answer: AC

QUESTION 20

You have two analytic views. One contains actual data and the other one contains plan data. You want to combine the two result sets and keep actual and plan data on separate records.

In the SAP HANA studio, which of the following can you use to achieve this?

- A. JOIN in a calculation view
- B. JOIN in an analytic view
- C. UNION in a calculation view
- D. PROJECTION in a calculation view

Correct Answer: C

QUESTION 21

You model hierarchies in attribute views. Which of the following technologies do you use to make these hierarchies available for reporting tools?

- A. JDBC
- B. BICS
- C. ODBO
- D. ODBC

Correct Answer: C

QUESTION 22

Which information model can you use with measures from multiple fact tables?

- A. Analytic privilege
- B. Attribute view
- C. Analytic view
- D. Calculation view

Correct Answer: D

QUESTION 23

Which of the following must you do when you create an analytic view?

- A. Define a column as an attribute
- B. Define a column as a measure
- C. Select a data foundation table.
- D. Define a join.
- E. Select an attribute view.

Correct Answer: ABC

QUESTION 24

Which new connection type is available as of SAP BusinessObjects Data Services 4.0?

- A. Operational Data Provider
- B. BAPI function calls
- C. IDOCs
- D. Read table via ABAP data flows

Correct Answer: A

QUESTION 25

You want to create a graphical calculation view using the SAP HANA studio. Which steps are mandatory for this task?

- A. Define a projection.
- B. Write an SQL script.
- C. Save and activate the view.
- D. Define output fields.
- E. Choose a data source.

Correct Answer: CDE

QUESTION 26

When you activate an analytic view, a column view is created. In which schema is this column view stored?

- A. _SYS_BIC
- B. _SYS_BI
- C. _SYS_REPO
- D. _SYS

Correct Answer: A

QUESTION 27

Which of the following are characteristics of an operational data mart based on SAP HANA?

- A. It is based on analytic denormalized data models
- B. It uses real-time replication of time-critical data
- C. It runs directly on top of the operational data
- D. It persists transformed data

Correct Answer: BC

QUESTION 28

When you use SLT replication, which of the following determines the name of the SAP HANA schema where replicated data is stored?

- A. The name of the secondary database connection
- B. The name of the replication configuration
- C. The name of the source system schema
- D. The name of the RFC connection

Correct Answer: B

QUESTION 29

Which tasks do you have to perform if you want to use SAP BW with SAP HANA as the underlying database?

- A. Install SAP Business Warehouse Accelerator (BWA).
- B. Perform a database migration from your current DB to SAP HANA DB.
- C. Execute the report RS_BW_POST_MIGRATION.
- D. Upgrade to at least SAP NetWeaver Business Warehouse 7.30 SP5.
- E. Recreate SAP BW indexes after SAP HANA database migration.

Correct Answer: BCD

QUESTION 30

You are building a calculation view and want to select data from an analytic view. How can you achieve better performance for this requirement?

- A. Use CE functions
- B. Use SQL statements
- C. Use L programming
- D. Use table indexing

Correct Answer: A

QUESTION 31

You would like to authorize a user to see data in an analytic view only for company code 1000 and fiscal year 2000 or for company code 1005 and fiscal year 2005.

Which of the following achieves this requirement?

- A. One analytic privilege. the combination of company code = 1000 and fiscal year = 2000, and the combination of company code = 1005 and fiscal year = 2005
- B. One analytic privilege: company code = 1000, fiscal year = 2000 One analytic privilege: company code = 1005, fiscal year = 2005
- C. One analytic privilege: company codes = 1000 and 1005, and fiscal years = 2000 and
- D. One analytic privilege: company codes = 1000 and 1005 One analytic privilege: fiscal years = 2000 and 2005

Correct Answer: B

QUESTION 32

What is the advantage of reporting directly from column tables?

- A. It provides multi-language support
- B. It eliminates the need for additional modeling
- C. It shifts complex calculations and logic to SAP HANA
- D. It supports analytical privileges

Correct Answer: B

QUESTION 33

You have created SAP HANA information models from replicated SAP ECC data.

How can you compare the data of the replicated tables with the underlying ECC source data?

- A. Use the SAP ERP Data Browser (transaction SE16).
- B. Use the Catalog node to open table contents.
- C. Use transaction IUUC_REPL_CONTENT.
- D. Use the Data Provisioning view from the Quick Launch.

Correct Answer: AB

QUESTION 34

A company loads data every night from several source systems into multiple tables in SAP HANA using complex transformation rules. The calculation view that joins these tables performs unexpectedly slow.

Which of the following could you investigate to be able to improve performance?

- A. Whether the joins and transformations of the tables can be moved to the data loading process of SAP BusinessObjects Data Services.
- B. Whether an InfoCube compression is running.
- C. Whether the calculation view needs to create large intermediate result sets.
- D. Whether savepoints are written during execution.

Correct Answer: AC

QUESTION 35

When loading data into SAP HANA, which of the following tasks can you perform using SAP Data Services?

- A. Replicate data using database triggers.
- B. Read data from SAP ERP using the embedded SAP BW system.
- C. Replicate data by reading database logs
- D. Read data from SAP ERP using ABAP data flows.

Correct Answer: D

QUESTION 36

Which of the following can be grouped when multiple schemas exist in an SAP HANA database?

- A. Information models
- B. Data tables
- C. Packages
- D. Users

Correct Answer: B

QUESTION 37

Your customer wants to use SAP BusinessObjects Data Services to migrate and transform large volumes

of data to SAP HANA. What do you recommend?

- A. Use ABAP data flows.
- B. Use RFC/BAPI function calls.
- C. Use the RFC_READ_TABLE.
- D. Use IDOCs.

Correct Answer: A

QUESTION 38

How can you generate documentation of your information models?

- A. Right-click on your information model and select the Auto Documentation function.
- B. Use the Export SQL button in the column view of your information model.
- C. Right-click on the column view of your information model and select the export function.
- D. Use the Auto Documentation button in your information model.

Correct Answer: AD

QUESTION 39

Which tasks can you perform with the data provisioning view in the SAP HANA studio?

- A. Start replication of tables
- B. Filter replicated data
- C. Apply data transformations
- D. Suspend replication of tables

Correct Answer: AD

QUESTION 40

Which of the following sequences of steps is used to implement SAP HANA with SAP ERP?

- A. Data Provisioning ? SAP HANA system setup ? Modeling ? Consumption
- B. SAP HANA system setup ? Modeling ? Data Provisioning ? Consumption
- C. SAP HANA system setup ? Data Provisioning ? Modeling ? Consumption
- D. SAP HANA system setup ? Data Provisioning ? Consumption ? Modeling

Correct Answer: C

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !



- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2017, All Rights Reserved.