

100% Money Back
Guarantee

Vendor: SAP

Exam Code: C_HANATEC131

Exam Name: SAP Certified Technology Associate
(Edition 2013) -SAP HANA

Version: Demo

QUESTION NO: 1

You want to make sure that all data accesses to a specific view will be logged in the audit trail.

As part of an update of the database schema, the view is dropped and recreated under the same name.

What is the consequence for auditing?

- A. The audit log-object references must be reinitialized.
- B. Auditing continues to work for the view.
- C. The audit policy needs to be reactivated.
- D. Auditing needs to be set up again for the recreated view.

Answer: B

QUESTION NO: 2

You have to size an SAP HANA system for SAP NetWeaver BW. The SAP NetWeaver BW system is currently running on a non-SAP RDBMS.

Which of the following factors influences the size of the SAP HANA system?

- A. The partitioning of tables
- B. The number of indexes
- C. The size of aggregates
- D. The number of tables in the row store

Answer: D

QUESTION NO: 3

Which of the following would you use to upgrade an SAP HANA system and keep the downtime to a minimum?

- A. High availability
- B. Storage replication
- C. Partitioning

D. System replication

Answer: D

QUESTION NO: 4

Which of the following connection types does Direct Extractor Connection (DXC) use to transfer data to SAP HANA?

- A. RFC connection
- B. Secondary database connection
- C. http connection
- D. BICS connection

Answer: C

QUESTION NO: 5

How can you delete old data and log backups from both the backup catalog and physically from the server?

- A. Delete all files under $\$(DIR_GLOBAL)/hdb/log$
- B. Run "DELETE from m_backup_catalog_files where backup_id = <backup_id>" in the SQL editor
- C. Delete all files under $\$(DIR_INSTANCE)/backup/data$ and $\$(DIR_INSTANCE)/backup/log$
- D. Go to Backup Editor -> Backup Catalog -> Delete Older Backups -> Catalog and backup location

Answer: D

QUESTION NO: 6

Which Linux kernel parameters need to be adapted during SAP HANA installation depending on the SAP HANA system size?

- A. net.ipv4.tcp_slow_start_after_idle and kernel.shmni
- B. kernel.shmall and fs.file-max
- C. fs.file-max and net.core.wmem_max
- D. net.core_rmem_max and kernel.sysrq

Answer: A

QUESTION NO: 7

Which of the following are characteristics of SAP NetWeaver Business Warehouse (SAP NetWeaver BW) when it is migrated to run on the SAP HANA database? (Choose two)

- A. The SAP NetWeaver BW application server can be installed on the SAP HANA hardware.
- B. The current SAP NetWeaver BW application server hardware can be re-used.
- C. All SAP NetWeaver BW 7.x application versions can be used.
- D. The sizing of the current SAP NetWeaver BW application server remains valid.

Answer: B,D

QUESTION NO: 8

How can you make space available inside the log volume in a productive SAP HANA system?

- A. Compress the log backups at file system level.
- B. Set the log mode to Overwrite.
- C. Perform log backups.
- D. Delete log backups at the operating system level.

Answer: C

QUESTION NO: 9

You want to create a role that grants read-only access to the content of the system and monitoring views and to statistics services.

Which of the following privileges should the role contain? (Choose two)

- A. DATA ADMIN
- B. ALTER for SQL schema _SYS_STATISTICS
- C. SERVICE ADMIN
- D. SELECT for SQL schema _SYS_STATISTICS

Answer: A,D

QUESTION NO: 10

After you install an SAP HANA database, you want to ensure that it is automatically started when the host is rebooted.

Which of the following parameter settings allows you to do this?

- A. Autostart to "Enable" in the profile file
/usr/sap/<SAPSID>/SYS/profile/<SID>_HDB<Instance_No>_<host_name>
- B. Autostart to "TRUE" in the profile file /usr/sap/<SAPSID>/SYS/profile/DEFAULT.PFL
- C. Autostart to "Yes" in the profile file /usr/sap/<SAPSID>/SYS/profile/DEFAULT.PFL
- D. Autostart to "1" in the profile file
/usr/sap/<SAPSID>/SYS/profile/<SID>_HDB<Instance_No>_<host_name>

Answer: D

QUESTION NO: 11

Which of the following traces is active by default in SAP HANA?

- A. SQL trace
- B. Performance trace
- C. Database trace
- D. Expensive statements trace

Answer: C

QUESTION NO: 12

You created an information model in the SAP HANA studio and activated it successfully. When you execute the data preview you get an error message indicating missing privileges.

Which of the following could solve the problem?

- A. GRANT SELECT ON SCHEMA <schema_name> TO _SYS_BIC
- B. GRANT CREATE ANY ON SCHEMA <schema_name> TO _SYS_REPO
- C. GRANT SELECT ON SCHEMA <schema_name> TO _SYS_REPO WITH GRANT OPTION
- D. GRANT SELECT ON SCHEMA <schema_name> TO _SYS_BI WITH GRANT OPTION

Answer: C

QUESTION NO: 13

A user is locked due to too many failed logon attempts.

Which SQL command can solve this problem?

- A. ALTER USER <user_name> DROP CONNECT ATTEMPTS
- B. ALTER USER <user_name> ACCOUNT UNLOCK
- C. ALTER USER <username> RESET CONNECT ATTEMPTS
- D. ALTER USER <username> FORCE PASSWORD CHANGE AFTER ATTEMPTS

Answer: C

QUESTION NO: 14

Which of the following situations can trigger a delta merge?

- A. The memory consumption of the delta storage exceeds a limit.
- B. A pre-defined time of day has arrived.
- C. An SQL statement must read merged data.
- D. The number of records in the main storage exceeds a limit.

Answer: A

QUESTION NO: 15

You need to combine unstructured data from an Apache Hadoop database with data in your SAP HANA system.

What do you use to achieve this?

- A. SAP Sybase IQ
- B. Full-text search indexes
- C. Virtual tables
- D. SAP Landscape Transformation

Answer: C

QUESTION NO: 16

When you try to create a delivery unit from the SAP HANA studio you receive the following error message. 'Cannot create Delivery Unit as content vendor is not defined for this system'.

How do you troubleshoot this issue?

- A. Maintain the vendor ID
- B. Maintain the content_vendor parameter
- C. Grant REPO.MAINTAIN_NATIVE_PACKAGES privilege
- D. Grant REPO.MAINTAIN_DELIVERY_UNITS privilege

Answer: B

QUESTION NO: 17

Which view allows you to find the name and the size of backup files?

- A. M_BACKUP_CATALOG_FILES
- B. M_SYSTEM_OVERVIEW

- C. M_BACKUP_CATALOG
- D. M_SERVICE_STATISTICS

Answer: A

QUESTION NO: 18

Where do you specify the instance number during the installation of SAP HANA?

- A. In the installer execution file
- B. In the installer configuration file
- C. In global.ini
- D. In a dialog box prompt

Answer: B

QUESTION NO: 19

In the SAP HANA studio, in which tab can you find information about the performance of queries?

- A. Alerts
- B. Diagnosis Files
- C. System Information
- D. Trace Configuration

Answer: B

QUESTION NO: 20

Which of the following can you use to update SAP HANA (SPS06)?

- A. SAP HANA lifecycle manager
- B. SAP HANA update wizard
- C. SAP HANA on-site configuration tool
- D. Software update manager (SUM) for SAP HANA

Answer: A

QUESTION NO: 21

In an analytic view, you want to restrict the access for users according to their geographical reporting region.

What do you have to do to achieve this? (Choose three)

- A. Create an analytic privilege
- B. Select an attribute and define restricted values for it
- C. Assign a package privilege to the users
- D. Assign the analytic privilege to the users
- E. Create a filter on an attribute

Answer: A,B,D

QUESTION NO: 22

What does the save point process in SAP HANA do?

- A. It synchronizes changed data to the disaster recovery system.
- B. It frees up memory by saving non-active data to disk.
- C. It saves changed data to disk at regular intervals.
- D. It saves changed data to disk when transactions are committed.

Answer: C

QUESTION NO: 23

Which of the following views allows an administrator to identify all the authorizations assigned to a user?

- A. GRANTED_ROLES

- B. USERS
- C. GRANTED_PRIVILEGES
- D. EFFECTIVE_PRIVILEGES

Answer: D

QUESTION NO: 24

A backup catalog became unusable.


What can you do to recover existing backups?

- A. Recreate the backup catalog based on the available backup files with the tool hdbbackupdiag.
- B. Use a third party backup tool to recover the backups.
- C. Create a new data backup.
- D. In SAP HANA studio Backup Editor Display all backups select REFRESH

Answer: A

QUESTION NO: 25

Diagram:



Which component in the attached diagram is used when you query an SAP HANA information model to populate a pivot table in Microsoft Excel?

- A. The Log Volumes
- B. The Calculation Engine
- C. The Transaction Manager
- D. The SQL Interface

Answer: B

QUESTION NO: 26

Which of the following is influenced by the audit level?

- A. The messages that are sent to the security administrator
- B. The amount of data transferred to SAP Solution Manager
- C. The order of the audit log entries in the audit log
- D. The information that is printed with the audit log entry

Answer: D

QUESTION NO: 27

Which parameters do you change to configure the trace file rotation? (Choose two)

- A. maxfilesize
- B. tracefile
- C. maxfiles
- D. trace

Answer: A,C

QUESTION NO: 28

When you transport objects between SAP HANA systems using the Change and Transport System (CTS), you want to create and release the transport requests manually.

Which transport strategy should you choose?

- A. WBO_GET_REQ_STRATEGY = Smart WBO_REL_REQ_STRATEGY = Manual
- B. WBO_GET_REQ_STRATEGY = Tagged WBO_REL_REQ_STRATEGY = Manual
- C. WBO_GET_REQ_STRATEGY = Smart WBO_REL_REQ_STRATEGY = Auto
- D. WBO_GET_REQ_STRATEGY = Create WBO_REL_REQ_STRATEGY = Auto

Answer: B

QUESTION NO: 29

In the SAP HANA studio, where can you check the throughput performance of SAP HANA backups?

- A. Administration Console Diagnosis files Backup.log
- B. Backup Editor Backup Catalog Backup Details
- C. System Information Database Information

D. Administration Console Performance Job Progress

Answer: B

QUESTION NO: 30

You have to implement disaster recovery for an SAP HANA production system. You also want to use the secondary SAP HANA appliance for development and testing. The data centers are more than 100km (60 miles) apart; the network capacity between them is restricted.

Which disaster recovery option would you implement?

- A. Asynchronous system replication with continuous memory loading
- B. Synchronous system replication with continuous memory loading
- C. Asynchronous system replication with shadow processes
- D. Synchronous storage replication with shadow processes

Answer: C

QUESTION NO: 31

Which of the following prerequisites must be met before you can install the SAP HANA studio on a Linux operating system? (Choose two)

- A. The Java runtime is accessible via the PATH or JAVA_HOME variable.
- B. You are logged on as the <SID>adm user.
- C. You are logged on as the root user.
- D. The installation directory has at least 10 GB of free space.

Answer: A,C

QUESTION NO: 32

Which of the following steps allow you to create a test system (system A) based on a productive SAP HANA standalone system (system B)? (Choose two)

- A. Export the data from system B to a file share and import the data to system A.
- B. Restore a complete database backup from system B to system A.
- C. Copy a snapshot from system B to system A.
- D. Copy the data and log volume files from system B to system A.

Answer: B,D

QUESTION NO: 33

You are using continuous system replication between SAP HANA systems in two separate data centers.

What are the advantages of this scenario? (Choose two)

- A. The take-over happens in less than 3 minutes.
- B. Database changes are continuously updated to the secondary site.
- C. The take-over only requires a roll forward since the last synchronization point.
- D. Memory and CPU are used on the secondary site for shadow processes.

Answer: B,C

QUESTION NO: 34

A long-running SQL query issued by an SAP NetWeaver work process also seems to use a lot of system resources.

How can you find out which ABAP module and which SAP NetWeaver user called the query?

- A. • Open Transaction Process Overview (SM50) in the SAP NetWeaver system
 - Sort the list by CPU time
 - Select the top entry
 - Check the User and Report columns
- B. • Go to the Performance tab of SAP HANA studio
 - Check the System load diagram
- C. • Open Transaction Global Work Process Overview (SM66) in the SAP NetWeaver system
 - Sort the list by CPU time
 - Select the top entry
- D. • In SAP HANA studio, check the session overview

- Identify the logical CONNECTION ID for the SAP NetWeaver work process
- Check the columns APPLICATIONSOURCE and APPLICATIONUSER

Answer: D

QUESTION NO: 35

Which of the following must be installed during the installation of SAP Landscape Transformation (SLT)? (Choose two)

- A. SAP NetWeaver 7.02 or higher
- B. DMIS add-on to the SAP source system
- C. SAP HANADB libraries to the source system
- D. Java stack for the SLT Server

Answer: A,B

QUESTION NO: 36

A company is planning to upgrade from an SAP HANA platform license to an SAP HANA enterprise license.

Which additional component will be provided?

- A. XS application development
- B. SAP Sybase ASE
- C. Database for SAP NetWeaver BW
- D. Data replication

Answer: D

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.