

**100%** Money Back  
**Guarantee**

**Vendor:** SAP

**Exam Code:** C\_TAW12\_731

**Exam Name:** SAP Certified Development Associate-  
ABAP with SAP NetWeaver 7.31

**Version:** Demo

### Question: 1

Which of the following tasks does the BADI implementing class perform?

- A. Filtering
- B. Sequencing
- C. Inserting
- D. Deleting

**Answer: A**

### Question: 2

What can you create using the ABAP Dictionary? (Choose three)

- A. Domains
- B. Type pools
- C. Transparent tables
- D. Field symbols
- E. Internal tables

**Answer: A, B, C**

### Question: 3

What features are provided by the database interface? (Choose three)

- A. Database independence of application programs
- B. Conversion of Open SQL statements from ABAP statements into the corresponding database statements
- C. Syntax check of Native SQL commands
- D. Access to SAP table buffers
- E. Data consistency check using foreign key relationships

**Answer: A, B, D**

### Question: 4

Which statements are allowed for processing internal tables? (Choose three)

- A. SELECT
- B. INSERT
- C. DELETE
- D. MODIFY
- E. UPDATE

**Answer: B, C, D**

### Question: 5

You always want to check the user authorization for data entered in an input field of a selection screen. Where do you do this?

- A. In the event block AT SELECTION-SCREEN
- B. In the event block AT SELECTION-SCREEN OUTPUT
- C. In the event block INITIALIZATION
- D. In the event block AT SELECTION-SCREEN on VALUE-REQUEST

Answer: A

### Question: 6

What can you use to achieve polymorphism?

- A. Events
- B. Subroutines
- C. Inheritance
- D. Reports
- E. Company 2

Answer: C

### Question: 7

What happens when an authorization check fails?

- A. The program is terminated.
- B. The system field SY-SUBRC is set to a value other than zero.
- C. A type E message is displayed.
- D. A CX\_AUTH\_FAILED type exception is raised.

Answer: B

### Question: 8

Which parameter types can be used in the signature of a functional method? (Choose two)

- A. EXPORTING
- B. IMPORTING
- C. RETURNING
- D. CHANGING

Answer: B, C

### Question: 9

You are establishing the business logic layer for a Web Dynpro Component. Which service types are available in the Service Call wizard? (Choose three)

- A. Transaction code
- B. Web service proxy
- C. Class method
- D. Function module
- E. Function group

**Answer: B, C, D**

### Question: 10

Which of the following predefined ABAP types is incomplete?

- A. F
- B. P
- C. XSTRING
- D. STRING

**Answer: B**

### Question: 11

You have implemented a class CL\_CUSTOMER in which you defined a private attribute. From where can you access this attribute directly? (Choose two)

- A. From all methods of all subclasses of CL\_CUSTOMER
- B. From all methods of the class CL\_CUSTOMER
- C. From all methods of a class to which CL\_CUSTOMER grants friendship
- D. From any program using the class CL\_CUSTOMER

**Answer: B, C**

### Question: 12

Which of the following features do you have to consider when you use shared objects? (Choose three)

- A. Data is saved as attributes of objects
- B. Concurrent write accesses are supported
- C. Memory bottlenecks result in runtime errors and have to be caught
- D. Concurrent read accesses are supported
- E. Data is saved as tables of objects

**Answer: A, C, D**

### Question: 13

Which assignment will lead to a conversion error?

- A. An XSTRING type data object to a STRING type data object  
DATA. gv\_xstring TYPE xstring, gv\_string TYPE string. gv\_xstring = 'AF00'. gv\_string = gv\_xstring.
- B. A type C data object with the value '123' to a type C data object with length 2  
DATA. gv\_c3(3) TYPE c VALUE '123', gv\_c2(2) TYPE c. gv\_c2 = gv\_c3.
- C. A type P data object to a type F data object  
DATA. gv\_p TYPE p VALUE '15000', gv\_f TYPE f. gv\_f = gv\_p.
- D. A type C data object with the value '1.50E4' to a type I data object  
DATA. gv\_c(6) TYPE c VALUE '1.50E4', gv\_i TYPE i. gv\_i = gv\_c.

**Answer: D**

### Question: 14

You created a transparent table and during activation got a warning message 'Enhancement category for table missing'. What do you have to do to eliminate the warning message?

- A. Select any option other than Not Classified from the enhancement category.
- B. Change the Data Class and Size category in the technical settings.
- C. Provide the correct reference field for the Currency or Quantity field.
- D. Select the option Not Classified from the enhancement category.

**Answer: A**

### Question: 15

How is an ABAP program with several dialog steps executed?

- A. The program is always executed in just one dialog work process without roll out.
- B. The ABAP dispatcher takes over the entire execution without assigning any work process.
- C. The program is always executed in just one dialog work process with roll out.
- D. Usually, dialog steps are assigned to different dialog work processes.

**Answer: D**

### Question: 16

You perform an update task using update function modules and detect an error in the program that calls the update function modules. Which statement can be used to discard all update requests for the current SAP LUW? (Choose two)

- A. EXIT.
- B. ROLLBACK WORK.
- C. MESSAGE axxx(nnn).
- D. MESSAGE exxx(nnn).
- E. DELETE UPDATE.

**Answer: B, C**

### Question: 17

You want to display a dialog box in your ABAP program. Which statement do you use?

- A. WINDOW 200 STARTING AT 5 5.
- B. SET SCREEN 200.
- C. CALL SCREEN 200.
- D. CALL SCREEN 200 STARTING AT 5 5.

**Answer: D**

### Question: 18

Which ABAP statement using the local type gty\_1 correctly defines a data object? (Choose two)

- A. DATA gv\_1 TYPE gty\_1.
- B. DATA gv\_1 LIKE gty\_1.
- C. CONSTANTS gc\_1 TYPE gty\_1 VALUE '1'.
- D. DATA gv\_1 TYPE gty\_1 DEFAULT '1'.

**Answer: A, C**

### Question: 19

What is the SAP recommended naming convention for append structures of standard SAP tables?

- A. The name of the append structure must start with ZA.
- B. The components of an append structure should start with ZZ or YY.
- C. The components of an append structure should start with Z or Y.
- D. The name of the append structure must start with ZZ or YY.

**Answer: B**

### Question: 20

To which ABAP Dictionary definition can you assign fixed values?

- A. Data element
- B. Field of a transparent table
- C. Component of a structure
- D. Domain

**Answer: D**

### Question: 21

Which of the following statements dynamically changes the data type of field z1?

- A. Assign z1 to <fs> casting
- B. Assign z1 to <fs>
- C. Move z1 to <fs>
- D. Unassign <fs>

**Answer: A**

### Question: 22

What do global types and local types have in common?

- A. Documentation
- B. Field labels
- C. Search help
- D. Technical information

**Answer: D**

### Question: 23

What options do you have when setting a watchpoint? (Choose two)

- A. Stop at predefined conditions for a specific variable.
- B. Stop at predefined conditions for all variables.
- C. Stop at any change of all variables.
- D. Stop at any change of a specific variable.

**Answer: A, D**

### Question: 24

Where can you set the GUI status and the GUI title for a classical screen (dynpro)?

- A. In a module called from PBO of the screen
- B. In the attributes of the screen
- C. In the properties of the related header UI element
- D. In a module called from PAI of the screen

**Answer: A**

### Question: 25

In which database table type is there a one-to-one relationship between the Dictionary table definition and the relevant physical table in the database?

- A. Cluster table
- B. Pooled table
- C. Transparent table
- D. Internal table

**Answer: C**

### Question: 26

A custom transparent table was created with delivery class A and a table maintenance view was generated for this table. You change the delivery class to C and the table is activated successfully. What additional steps do you have to complete?

- A. Maintain and transport the table using the Maintain Table Views transaction (SM30).
- B. Activate and adjust the database.
- C. Regenerate the existing maintenance view and adjust the table.
- D. Delete the original maintenance view and then create and generate a new one.

**Answer: D**



### Question: 27

Which desktops are part of the new ABAP debugger? (Choose three)

- A. Break./Watchpoints
- B. Objects
- C. Session
- D. Desktop 1
- E. List

**Answer: A, B, D**

### Question: 28

When should you use a hashed internal table? (Choose two)

- A. When accessing mainly single records
- B. When accessing by secondary key
- C. When accessing using the left-justified part of the key
- D. When accessing always by primary key
- E. When accessing by index

**Answer: A, D**

### Question: 29

You want to read data from two database tables A and B using a database join. Database table B contains details for data records stored in database table A . Your result should contain all combinations of matching rows from A and B plus all rows from A that do not have matching rows in B. Which statement do you use?

- A. SELECT ... FROM a JOIN b ...
- B. SELECT ... FROM a INNER JOIN b ...
- C. SELECT ... FROM b RIGHT OUTER JOIN a ...
- D. SELECT ... FROM a LEFT OUTER JOIN b ...

**Answer: D**

### Question: 30

In the technical settings for a transparent table, buffering is switched on and single record buffering is selected. Which statement uses the buffered data assuming that the WHERE clause contains restrictions for all key fields?

- A. SELECT ... . ENDSELECT.
- B. SELECT SINGLE ... .
- C. SELECT ... INTO TABLE ... .
- D. SELECT SINGLE ... FOR UPDATE.

**Answer: B**

### Question: 31

What types of changes to the repository does SAP provide? (Choose three)

- A. Deployments from SDN.SAP.COM
- B. Enhancement Packages
- C. SAP Notes
- D. Transports
- E. Support Packages

**Answer: B, C, E**

### Question: 32

What is mandatory for automatic data transport between a variable and an input field on a classical screen (dynpro)?

- A. The variable must be declared using the DATA statement.
- B. The property OUTPUT of the input field must be set.
- C. The variable must be declared using the TABLES statement.
- D. The name of the variable and the name of the input field must be identical.

**Answer: D**

### Question: 33

Compared to a predefined ABAP type what additional properties can be assigned to a domain? (Choose three)

- A. Fixed values
- B. Conversion exits
- C. Value tables
- D. Parameter IDs
- E. Search helps

**Answer: A, B, C**

### Question: 34

Which of the following tools belong to the ABAP Workbench? (Choose three)

- A. Form Builder
- B. Function Builder
- C. Screen Painter
- D. Class Builder
- E. Easy Access Menu

**Answer: B, C, D**

### Question: 35

Which of the following Data Types are allowed in ABAP? (Choose two)

- A. DECFLOAT64
- B. DECFLOAT16
- C. DECFLOAT34
- D. DECFLOAT32

**Answer: B, C**

### Question: 36

Which of the following are key capabilities of SAP NetWeaver? (Choose three)

- A. Supply Chain Management
- B. Information Integration
- C. People Integration
- D. Application Platform
- E. Enterprise Resource Planning

**Answer: B, C, D**

### Question: 37

Where can you define global data types that are visible system-wide? (Choose three)

- A. In a method of a global class
- B. In the ABAP Dictionary
- C. In a function module
- D. In a global class
- E. In a global interface

**Answer: B, D, E**

### Question: 38

You want to loop over an internal table without copying each table row to a work area. How can you achieve this using a field symbol?

- A. LOOP AT <itab> REFERENCE INTO <field\_symbol>. ENDLOOP.
- B. LOOP AT <itab> ASSIGNING <field\_symbol>. ENDLOOP.
- C. LOOP AT <itab> TRANSPORTING INTO <field\_symbol>. ENDLOOP.
- D. LOOP AT <itab> INTO <field\_symbol>. ENDLOOP.

**Answer: B**

### Question: 39

You have defined a classical screen (dynpro) with mandatory input fields. You want to exit the screen using the Cancel button even if not all of the mandatory fields have been filled. What is necessary to achieve this?

- A. Set the function type assigned to the Cancel button to S and handle it in a module with the addition AT EXIT-COMMAND.

- B. Assign function type E to the Cancel button and handle it in a module with the addition AT EXIT-COMMAND.
- C. Set the function code assigned to the Cancel button to CANCEL and handle it in a module with the addition AT EXIT-COMMAND.
- D. Use the LOOP AT SCREEN. ... ENDLOOP statement to set the "required" property of the input fields to zero.

**Answer: B**

### Question: 40

What can you enhance using BAdIs? (Choose three)

- A. Data elements
- B. Menus
- C. Screens
- D. Database tables
- E. Source code

**Answer: B, C, E**

### Question: 41

Which of the following ABAP data types are compatible with the generic character-type CLIKE? (Choose three)

- A. STRING
- B. N
- C. C
- D. XSTRING
- E. DECFLOAT

**Answer: A, B, C**

### Question: 42

How can you maintain documentation for input fields on your screen?

- A. Add documentation to the SCREEN table at PROCESS BEFORE OUTPUT (PBO).
- B. Add documentation to the SCREEN table at PROCESS AFTER INPUT (PAI).
- C. Add documentation to the underlying data element.
- D. Define text tables for the underlying structure.

**Answer: C**

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.