

**100%** Money Back  
**Guarantee**

**Vendor:** SAP

**Exam Code:** C\_TPLM30\_65

**Exam Name:** SAP Certified Application Associate -  
Enterprise Asset Management (Maintenance & Repair)  
with SAP ERP 6.0 EHP5

**Version:** Demo

**QUESTION NO: 1**

Which of the following are prerequisites for business completion? (Choose two)

- A. The order must have actual costs.
- B. The order must be fully settled.
- C. The balance of the order must be zero.
- D. The order must have planned costs.

**Answer: B,C**

**Explanation:**

**QUESTION NO: 2**

What information does the value category provide in the maintenance order?

- A. The costs details for individual technical objects
- B. The costs by work center
- C. The material costs by valuation category
- D. A summary of costs for multiple cost elements

**Answer: D**

**Explanation:**

**QUESTION NO: 3**

Which of the following Customizing settings is required to assign a notification to a maintenance order operation?

- A. Assignment of operations to all object list entries active
- B. Assignment of order type to notification type
- C. Maintain indicator for notification data on order header
- D. Create default value profiles for general order data

**Answer: A**

**Explanation:**

**QUESTION NO: 4**

When the user creates a maintenance plan for a call object (order), which value in the planning data determines the order type?

- A. Priority
- B. Maintenance activity type
- C. Maintenance planner group
- D. Main work center

**Answer: C**

**Explanation:**

**QUESTION NO: 5**

A maintenance technician replaces a defective counter with a new counter.

Before the users can create a standard measuring document for the new counter, what step(s) must they perform?

- A. Create a new technical object to represent the new measuring point.
- B. Create a special measuring document and set the Counter Replacement indicator.
- C. Dismantle the old measuring point and create a new measuring point.
- D. Create a new measuring point and change the measuring point from which the measurement reading was transferred.

**Answer: B**

**Explanation:**

**QUESTION NO: 6**

A user has planned an operation with labor costs and material costs; however, the material cost element is not assigned to a value category.

Where do the material costs appear in the value categories for the order?

- A. In the overhead value category
- B. In a new, automatically created value category
- C. In the unassigned value category
- D. In the internal activity value category

**Answer: C**

**Explanation:**

**QUESTION NO: 7**

Which of the following always produces up-to-the-minute costing information for maintenance orders?

- A. A standard analysis from the Plant Maintenance Information System (PMIS)
- B. A standard query in SAP Net Weaver Business Warehouse
- C. A maintenance order list
- D. A shift report based on shift notes

**Answer: C**

**Explanation:**

**QUESTION NO: 8**

Which task list can have both external and internal number assignment for the task list group number?

- A. Bill of material task list
- B. Equipment task list
- C. General task list
- D. Functional location task list

**Answer: C**

**Explanation:**

**QUESTION NO: 9**

Which of the following is a function of deadline monitoring (transaction IP30)?

- A. Generate a Logistics Information System (LIS) report for scheduled maintenance items within a specific period.
- B. Convert maintenance notifications into maintenance orders within a specific period.
- C. Convert maintenance calls into call objects within a specific period.
- D. Generate a Logistics Information System (LIS) report for all overdue maintenance calls.

**Answer: C**

**Explanation:**

**QUESTION NO: 10**

A maintenance plan has a completion requirement. The plan contains five maintenance items that produce five notifications.

Which system status must each notification have before the maintenance call is completed and the next maintenance call can be generated?

- A. REL (Released)
- B. ATCO (All Tasks Completed)
- C. TECO (Technically Completed)
- D. NOCO (Notification Completed)

**Answer: D**

**Explanation:**

**QUESTION NO: 11**

Which of the following control characters is available in the edit mask of the structure indicator?

- A. D (numeric characters)
- B. M (alphanumeric characters)
- C. Y (special characters)
- D. A (alpha characters)

**Answer: D**

**Explanation:**

**QUESTION NO: 12**

Which of the following is a benefit of SAP Solution Manager?

- A. It reduces the cost of implementation and continuous improvement.
- B. It enables central SAP NetWeaver Enterprise Search within all SAP systems.

- C. It provides common master data management within all SAP systems.
- D. It reduces the number of systems and operates only one central IT landscape.

**Answer: A**

**Explanation:**

**QUESTION NO: 13**

Which account assignment category can you specify in a settlement profile?

- A. Maintenance planning plant
- B. Functional location
- C. Equipment
- D. Material

**Answer: D**

**Explanation:**

**QUESTION NO: 14**

You have selected Confirmation Required in the control key for operations in a maintenance order. One of the operations is already partially confirmed.

Which system statuses can the order header display before all operations are finally confirmed?  
(Choose three)

- A. TECO
- B. PCNF
- C. CRTD
- D. CNF
- E. CLSD

**Answer: A,B,E**

**Explanation:**

**QUESTION NO: 15**

How many time-based cycles can you use in a multiple-counter maintenance plan?

- A. Three
- B. Zero
- C. Two
- D. One

**Answer: D**

**Explanation:**

**QUESTION NO: 16**

What are the purposes of technical object structures? (Choose three)

- A. To support Asset Accounting in the description of fixed assets
- B. To display the total number of an asset's individual parts from a design engineering perspective
- C. To identify objects and object parts for maintenance
- D. To collect historical data for maintenance objects
- E. To enable detailed cost analyses

**Answer: C,D,E**

**Explanation:**

**QUESTION NO: 17**

What are the prerequisites for creating a capacity requirement in a maintenance order operation? (Choose two)

- A. The performing work center must have available capacity data.
- B. The performing work center must have a control key with the Determine Capacity Requirements indicator set.
- C. The numeric value for Work in the order operation must be greater than 0.
- D. The operation must have a control key with the Determine Capacity Requirements indicator set.

**Answer: C,D**

**Explanation:**

**QUESTION NO: 18**

In order costing configuration, for what is the allocation structure used?

- A. To provide a method of consolidating costs in the Plant Maintenance Information System
- B. To allocate costs to a hierarchy of maintenance technical objects
- C. To determine the cost elements that are allowed in the plant maintenance order
- D. To determine the settlement receiving elements for costs debited to the order

**Answer: D**

**Explanation:**

**QUESTION NO: 19**

Your customer uses operating hours to execute a performance-based maintenance plan.

Which of the following data must you assign in the maintenance plan header?

- A. A task list for performance-based maintenance
- B. A cycle unit of measure with a corresponding characteristic from the measuring point
- C. An order type for performance-based maintenance
- D. A technical object with a measuring point

**Answer: B**

**Explanation:**

**QUESTION NO: 20**

Your customer wants to use the dynamic availability check for stock material.

What data must you use to create a scope for the check?

- A. Checking group and material type
- B. Checking rule and material type
- C. Checking rule and material group
- D. Checking group and checking rule

**Answer: D**

**Explanation:**

**QUESTION NO: 21**



What does the functional location category determine? (Choose two)

- A. Whether a fixed asset from Asset Accounting can be assigned
- B. Whether you can create linear data for a functional location
- C. The partner determination procedure
- D. The functional location class

**Answer: B,C**

**Explanation:**

#### **QUESTION NO: 22**

Your customer plans a plant shutdown and wants to use the Maintenance Event Builder to plan revisions and create maintenance orders automatically.

What must you do in Customizing?

- A. Define field values for PM/PS Reference Element
- B. Define transfer of project or investment program
- C. Create a revision type and select WPS-Controlled.
- D. Create a revision type and select Not WPS-Controlled.

**Answer: C**

**Explanation:**

#### **QUESTION NO: 23**

When a user creates a notification or an order and enters a functional location as the reference object, you want the system to suggest the subordinate equipment automatically.

In addition to setting the reference object view in the order or the notification, what other settings must you make? (Choose two)

- A. Set View Profiles for Technical Objects in Customizing.
- B. Set the Single Installation indicator in the equipment master data record.
- C. Set the Single Installation indicator in the Functional Location master data record.
- D. Set the Equipment-Installation Allowed indicator in the Functional Location master data record.

**Answer: C,D**

**Explanation:**

**QUESTION NO: 24**

Your customer executes deadline monitoring (transaction IP30).

What happens after you insert additional call dates using the manual call function?

- A. The system restarts the maintenance plan.
- B. The system retains the normal scheduled call dates.
- C. The system fixes the next scheduled call date.
- D. The system reschedules all previous scheduled call dates.

**Answer: B**

**Explanation:**

**QUESTION NO: 25**

Your customer wants to settle costs of the refurbishment process to an inventory account.

What Customizing does the process require? (Choose two)

- A. Special control keys for use in refurbishment operations
- B. A specific order type for refurbishment processing
- C. A specific settlement profile for the purpose of refurbishment
- D. A specific notification type for refurbishment processing

**Answer: B,C**

**Explanation:**

**QUESTION NO: 26**

Your customer wants the system to generate a serial number and an equipment master upon goods receipt of a material.

Which Customizing steps are required?

- A. Create a serial number profile and assign it to an equipment master.
- B. Create a serial number profile and assign it to a serializing procedure.
- C. Create a serial number profile and assign it to a view profile for technical objects.
- D. Create a serializing procedure and assign it to an equipment master.

**Answer: B**

**Explanation:**

**QUESTION NO: 27**

Which steps must you perform to activate the usage history for equipment? (Choose two)

- A. Activate the usage history for the equipment category.
- B. Set the Usage History indicator for the maintenance plant.
- C. Define history-related fields for the relevant equipment reference category.
- D. Activate the usage history for each piece of equipment in the master record.

**Answer: A,C**

**Explanation:**

**QUESTION NO: 28**

Where do you define initial and subsequent buffers for the maintenance plan strategy?

- A. In the maintenance item
- B. In the maintenance plan category settings
- C. In the maintenance package for the maintenance strategy
- D. In the maintenance plan scheduling parameters

**Answer: C**

**Explanation:**

**QUESTION NO: 29**

Your customer wants to create a component for maintenance that does not allow physical inventory.

Which material type must you use?

- A. Spare parts (ERSA)
- B. Maintenance assembly (IBAU)
- C. Non-valuated materials (UNBW)
- D. Operating supplies (HIBE)

**Answer: B**

**Explanation:**

**QUESTION NO: 30**

In a refurbishment order for external processing, where can you find information about the defective part after the goods issue has been posted?

- A. In special stock type R (refurbishment stock), after the return from the service company and a goods receipt posting
- B. In special stock type B (batch) after the return from the service company and a goods receipt posting
- C. In special stock type F (customer order stock)
- D. In special stock type O (parts provided to vendor)

**Answer: D**

**Explanation:**

**QUESTION NO: 31**

Factory calendars are assigned to the maintenance plant and work center.

By default, which factory calendar is used for work order scheduling?

- A. Planning plant
- B. Main work center
- C. Maintenance plant
- D. Production work center linked to a technical object

**Answer: B**

**Explanation:**

**QUESTION NO: 32**

Which scheduling parameter adjusts the cycle intervals of a maintenance strategy for each maintenance plan?

- A. The call horizon
- B. The early and late shift factors
- C. The early and late tolerance
- D. The cycle modification factor

**Answer: D**

**Explanation:**

**QUESTION NO: 33**

Which of the following information can the shift report display? (Choose three)

- A. Planned and actual costs for shifts
- B. Digital signatures for approval of a shift report
- C. Maintenance plans and task lists
- D. Maintenance orders and notifications
- E. Measurement documents and goods movements

**Answer: B,D,E**

**Explanation:**

**QUESTION NO: 34**

What does the scheduling period determine in the maintenance plan scheduling parameters?

- A. The duration for which the system generates maintenance orders immediately
- B. The duration for which the system generates planned or call dates during scheduling
- C. The duration for which the system generates maintenance notifications immediately
- D. The validity period of the maintenance plan

**Answer: B**

**Explanation:**

**QUESTION NO: 35**

What does the cycle set sequence in a multiple-counter maintenance plan determine?

- A. The scheduling sequence of a maintenance item
- B. The operation sequence of a maintenance order
- C. The scheduling sequence for a group of maintenance plans
- D. The operation sequence of a task list

**Answer: A**

**Explanation:**

**QUESTION NO: 36**

To which objects can you assign a user status profile? (Choose three)

- A. An order type
- B. A task list type
- C. A maintenance plan category
- D. An equipment category
- E. A notification type

**Answer: A,D,E**

**Explanation:**

**QUESTION NO: 37**

In which lifecycle scenarios can you use SAP Solution Manager? (Choose three)

- A. Retirement
- B. Operations
- C. Implementation
- D. Optimization
- E. Scoping

**Answer: B,C,D**

**Explanation:**

**QUESTION NO: 38**

What are the prerequisites for installing equipment at a functional location? (Choose two)

- A. A cost center is assigned to the equipment.
- B. A fixed asset is assigned to the equipment.
- C. The equipment category of the equipment allows the installation.
- D. The functional location master record allows the installation.

**Answer: C,D**

**Explanation:**

**QUESTION NO: 39**

Which of the following steps are required to create a measuring point for performance-based preventive maintenance? (Choose two)

- A. Specify the annual estimated usage for the measuring point.
- B. Activate the Measurement Reading Transfer indicator.
- C. Define a valuation code group.
- D. Create the measuring point as a counter.

**Answer: A,D**

**Explanation:**

**QUESTION NO: 40**

When a user creates a task list using the Copy function, all the header fields transfer to the new task list, with one exception.

Which field is the exception?

- A. Usage
- B. Work Center
- C. Assembly
- D. Status

**Answer: D**

**Explanation:**

**QUESTION NO: 41**

Your customer has several plants.

How do you set up the maintenance organizational structure to implement centralized maintenance planning?

- A. Assign all your work centers to one of your central planning plants.
- B. Define a plant and assign it to a company code.
- C. Assign all your work centers to one of your maintenance plants.
- D. Define a planning plant and assign the maintenance plants to this planning plant in Customizing.

**Answer: D**

**Explanation:**

**QUESTION NO: 42**

Which standard aggregation of data does the Plant Maintenance Information System (PMIS) use? (Choose three)

- A. By info source
- B. By characteristics
- C. By data source
- D. By date period
- E. By key figures

**Answer: B,D,E**

**Explanation:**

**QUESTION NO: 43**

How can you maintain a distribution rule? (Choose two)

- A. Manually, prior to the first settlement
- B. Automatically, according to value categories in the order
- C. Manually, after the business completion for the order
- D. Automatically, based on a combination of Customizing and object master data

**Answer: A,D**



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.