

**100%** Money Back  
**Guarantee**

**Vendor:** GIAC

**Exam Code:** GSSP-NET

**Exam Name:** GIAC GIAC Secure Software Programmer -  
C#.NET

**Version:** Demo

### Question: 1

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create an ASP.NET Web application using .NET Framework 3.5. You create a Web form in the application that permits users to provide personal information. You add a DropDownList control to the Web form to retrieve the residential status of users. The default item that the DropDownList control displays is the "Select Country" option. You have to ensure that users select a country other than the default option. Which of the following validation controls should you use to accomplish this task?

- A. RangeValidator
- B. RequiredFieldValidator
- C. CustomValidator
- D. RegularExpressionValidator

---

**Answer: B**

---

### Question: 2

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You create an application for the company. You need to validate the phone number passed to a class as a parameter in the application. Which of the following is the most effective way to verify that the format of the data matches a phone number?

- A. Regular expressions
- B. Nested If statements
- C. Use the String.Length property
- D. A try/catch block

---

**Answer: A**

---

### Question: 3

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You have recently finished development of a Windows application using .NET Framework. Users report that the application is not running properly. When the users try to complete a particular action, the following error message comes out: Unable to find assembly 'myservices, Version=1.0.0.0, Culture=neutral, PublicKeyToken=29b5ad26c9de9b95'. You notice that the error occurs as soon as the application tries to call functionality in a serviced component that was registered by using the following command: regsvcs.exe myservices.dll You must make sure that the application can call the functionality in the serviced component with no exceptions being thrown. What will you do to accomplish this task?

- A. Run the command line tool: regasm.exe myservices.dll.
- B. Copy the serviced component assembly into the C:\Program Files\ComPlus Applications folder.
- C. Run the command line tool: gacutil.exe /i myservices.dll.
- D. Copy the serviced component assembly into the C:\WINDOWS\system32\Com folder.

---

**Answer: C**

---

#### Question: 4

Allen works as a Software Developer for company Inc. The company uses Visual Studio.NET as its application development platform. He creates an application using .NET Framework. He wants to encrypt all his e-mails that he sends to anyone. Which of the following will he use to accomplish the task?

- A. PPP
- B. FTP
- C. PPTP
- D. PGP

---

**Answer: D**

---

#### Question: 5

You work as a Software Developer for company Inc. The company has several branches worldwide. The company uses Visual Studio.NET 2005 as its application development platform. You have recently finished the development of an application using .NET Framework 2.0. The application can be used only for cryptography. Therefore, you have implemented the application on a computer. What will you call the computer that implemented cryptography?

- A. Cryptographic toolkit
- B. Cryptosystem
- C. Cryptographer
- D. Cryptanalyst

---

**Answer: B**

---

#### Question: 6

You work as a Software Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a class library using the .NET Framework. The library will be used to open the NSCs of computers. Later, you will set up the class library to the GAC and provide it Full Trust permission. You write down the following code segments for the socket connections: `SocketPermission permission = new SocketPermission(PermissionState.Unrestricted); permission.Assert();` A number of the applications that use the class library may not have the necessary permissions to open the network socket connections. Therefore, you are required to withdraw the assertion. Which of the following code segments will you use to accomplish the task?

- A. permission.PermitOnly();
- B. CodeAccessPermission.RevertDeny();
- C. permission.Deny();
- D. CodeAccessPermission.RevertAssert();
- E. permission.Demand();

---

**Answer: D**

---

### Question: 7

You work as an Application Developer for company Inc. You are assigned with developing a Web site that will handle information related to monthly sales of the company. You wish to secure the Web site so that only employees of the Accounts department can view the Web pages. You need to create roles for the employees of this department. The user account information will be stored in a SQL Server database named Database. You decide to do all this by using the Web Site Administration Tool. Which of the following types of security will you use to accomplish the task?

- A. Forms-based authentication
- B. Integrated Microsoft Windows authentication
- C. Basic authentication
- D. Digest authentication

---

**Answer: A**

---

### Question: 8

You work as a Software Developer for ManSoft Inc. The company uses Visual Studio.NET 2005 as its application development platform. You have recently created an application that includes the code shown below.

```
string str1 = "company";  
string str2 = "u";  
str2 += "Certify";  
Console.WriteLine(str1 == str2);  
Console.WriteLine((Object) str1 == (Object) str2);  
Console.WriteLine(str1.Equals(str2));  
What will be the output of the above code?
```

- A. False
- False
- False

- B. False
- True
- False
- C. True
- True
- True
- D. True
- False
- True

---

**Answer: D**

---

### Question: 9

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2008 as its application development platform. You create an ASP.NET Web application using the .NET Framework 3.5. You want to use a HTTP module called on each and every request made by the application. It is called as part of the ASP.NET request pipeline. It has right to access life-cycle events throughout the request. You also want to ensure that the HTTP module allows a user to inspect incoming and outgoing requests and take appropriate action based on the request. What will be the correct order to create the HTTP module?

---

**Answer: Pending**

---

### Question: 10

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2008 as its application development platform. You create an ASP.NET Web application using the .NET Framework 3.5. The application contains two HTML pages named Error.htm and PageNotFound.htm. You want to make sure that the following requirements are met:

I When any user requests a page that does not exist, the PageNotFound.htm page is displayed.

I When any other error occurs, the Error.htm page is displayed. Which of the following code segments will you add to the Web.config file to accomplish this task?

- A. `<customErrors mode="On" defaultRedirect="Error.htm">  
<error statusCode="404" redirect="PageNotFound.htm"/>  
</customErrors>`
- B. `<customErrors mode="Off">  
<error statusCode="400" redirect="Error.htm"/>  
<error statusCode="404" redirect="PageNotFound.htm"/>  
</customErrors>`
- C. `<customErrors mode="On">  
<error statusCode="400" redirect="Error.htm"/>  
<error statusCode="404" redirect="PageNotFound.htm"/>  
</customErrors>`
- D. `<customErrors mode="Off" defaultRedirect="Error.htm">  
<error statusCode="404" redirect="PageNotFound.htm"/>  
</customErrors>`

---

**Answer: A**

---

### Question: 11

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You are creating an ASP.NET Web application using .NET Framework 3.5. The application will be used to share any type of photos on Internet. All the photos should be accessible in various sizes and formats. You need to add a download feature that can be easily maintained. You also need to make sure that only a single version of all photos is stored on a SQL server database. What will you do?

- A. Create an HttpModule class to determine the request for the photo download. Process the photo according to the given format and size, and after that return the processed photo in the response.
- B. Create a user control that converts the photo to the required format and size.
- C. Create an HttpHandler class to determine the request for the photo download. Process the Photo according to the given format and size, and after that return the processed photo in the response.
- D. Create an ActiveX control that converts the photo to the required format and size.

---

**Answer: C**

---

### Question: 12

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2008 as its application development platform. You have recently finished development of an ASP.NET Web application using the .NET Framework 3.5. You host the application on a Web farm that consists of three Web servers. You should configure the ASP.NET application for session state to meet the following requirements: | Session state data should not be lost if a server fails. | Session state must be maintained across browser requests by the same user. You are required to configure the Web.config file to meet these requirements. Which of the following configurations will you use?

- A. `<sessionState mode="StateServer"/>`
- B. `<sessionState mode="InProc"/>`
- C. `<sessionState mode="Custom"/>`
- D. `<sessionState mode="SQLServer"/>`

---

**Answer: D**

---

### Question: 13

You work as a Software Developer for company Inc. The company has several branches worldwide. The company uses Visual Studio .NET 2005 as its application development platform. You are creating an application using .NET Framework 2.0. The application will be used by all the branches of the company. You are using the CompareInfo class for culture-sensitive string comparisons. You write the following code in the application:

```
String s1 = "C rtify";
```

```
String s2 = "c rtify";
```

```
String s3 = "c rtify";
```

You need to compare the s1 string with the s2 string and ensure that the string comparison must ignore case. Which of the following code segments will you use to accomplish the task?

- A. `CompareInfo cmp = CultureInfo.InvariantCulture.CompareInfo;  
Console.WriteLine(cmp.Compare(s1, s2, CompareOptions.IgnoreCase));`
- B. `CompareInfo cmp = CultureInfo.InvariantCulture.CompareInfo;  
Console.WriteLine(cmp.Compare(s1, s2, CompareOptions.None));`
- C. `CompareInfo cmp = CultureInfo.InvariantCulture.CompareInfo;  
Console.WriteLine(cmp.Compare(s1, s2, CompareOptions.Ordinal));`
- D. `CompareInfo cmp = CultureInfo.InvariantCulture.CompareInfo;  
Console.WriteLine(cmp.Compare(s1, s2, CompareOptions.OrdinalIgnoreCase));`

---

**Answer: A**

---

### Question: 14

Andrew works as a Software Developer for Mansoft Inc. The company's network has a Web server that hosts the company's Web site. Andrew wants to enhance the security of the Web site by implementing Secure Sockets Layer (SSL). Which of the following types of encryption does SSL use? Each correct answer represents a complete solution. Choose two.

- A. Symmetric
- B. Secret
- C. IPsec
- D. Asymmetric

---

**Answer: A, D**

---

### Question: 15

You work as a Software Developer for Mansoft Inc. You create an application and use it to create code access security policies. Which of the following tools will you use to examine and modify code access security policies from a batch file?

- A. Tlbimp.exe
- B. GacUtil.exe
- C. Sn.exe
- D. Caspol.exe
- E. StoreAdm.exe

---

**Answer: D**

---

### Question: 16

You can use LINQ in an ASP.NET application through the LinqDataSource control, the \_\_\_\_\_ control, or by creating LINQ queries.

- A. ADO.NET DataSet
- B. ObjectDataSource
- C. SqlDataSource
- D. XmlDataSource

---

**Answer: B**

---

### Question: 17

Which of the following techniques is used to transmit passwords during authentication?

- A. Asymmetric encryption
- B. Hashing
- C. Salted Hash
- D. Symmetric encryption

---

**Answer: C**

---

### Question: 18

Which of the following session and instancing modes will you set if you require a sessionfull binding and want to create a new instance object for each client request?

- A. Set SessionMode to Allowed and IntsanceMode to PerSession.
- B. Set SessionMode to Required and IntsanceMode to Single.
- C. Set SessionMode to Required and IntsanceMode to PerCall.
- D. Set SessionMode to Allowed and IntsanceMode to PerCall.

---

**Answer: C**

---

### Question: 19

In .NET Framework 3.5, you can create and access values that persist from one application session to another. What are these values called?

- A. Objects
- B. Settings
- C. Properties
- D. Attributes

---

**Answer: B**

---

### Question: 20

Session variables can be any valid \_\_\_\_\_.

- A. .NET Framework type
- B. Integer type
- C. SessionStateItemCollection object
- D. Object type

---

**Answer: A**

---

### Question: 21

In which of the following objects are session variables stored?

- A. SessionStateStoreData
- B. SessionStateModule
- C. SessionStateItemCollection
- D. SessionStateStoreProviderBase

---

**Answer: C**

---

### Question: 22

Which of the following utilities is used to encrypt credentials and session state connection strings?

- A. Aximp.exe
- B. Aspnet\_regiis.exe
- C. Aspnet\_compiler.exe
- D. Aspnet\_setreg.exe

---

**Answer: D**

---

### Question: 23

Which of the following modifiers is not available in C#?

- A. private
- B. friend
- C. internal
- D. public
- E. protected

---

**Answer: B**

---

### Question: 24

Which of the following classes will you use to specify that a string must be centered when drawn?

- A. StringAlignment
- B. StingFormat
- C. String
- D. LineAlignment

---

**Answer: B**

---

### Question: 25

Which of the following is a reference type in Visual C#?

- A. primitive types
- B. strings
- C. enums
- D. structures

---

**Answer: B**

---

### Question: 26

Which of the following data structures is used for storing reference data types?

- A. Stack
- B. Queue
- C. Hard disk
- D. Heap

---

**Answer: D**

---

### Question: 27

Which of the following is a restriction operator in LINQ?

- A. GROUPBY
- B. WHERE
- C. THENBY
- D. SELECTMANY

---

**Answer: B**

---

### Question: 28

Which of the following modifiers in C# will you use if you do NOT want a custom-build component to be a base class?

- A. sealed
- B. virtual
- C. override
- D. static

---

**Answer: A**

---

### Question: 29

Which of the following attributes of the customErrors element is used to specify whether custom errors are enabled, disabled, or shown only to remote clients?

- A. Off
- B. Mode
- C. On
- D. RemoteOnly

---

**Answer: B**

---

### Question: 30

What is the main purpose of a try-catch block?

- A. To obtain and use resources that are being caught.
- B. To signal the occurrence of an exception during the program execution.
- C. To catch and handle an exception generated by an executable code.
- D. To ensure that the necessary cleanup of external resources is done immediately.

---

**Answer: C**

---

### Question: 31

ASP.NET version 2.0 health monitoring supports an \_\_\_\_\_.

- A. Event driven model
- B. Event provider model
- C. Event log model
- D. Event API model

---

**Answer: B**

---

### Question: 32

Which of the following APIs is used to collect information about any running state and any errors that occur within an ASP.NET application?

- A. Profile API
- B. Health Monitoring API
- C. Error Handling API
- D. Personalization API

---

**Answer: B**

---

### Question: 33

The <customErrors> element does not apply to errors that occur in \_\_\_\_\_.

- A. XML Web services
- B. Windows services
- C. Web services directory
- D. Web services

---

**Answer: A**

---

### Question: 34

Which of the following syntaxes is used for the EncryptionAlgorithm property of the Message class?

- A. [MessagingDescriptionAttribute("MessageEncryptionAlgorithm")]  
public EncryptionAlgorithm : EncryptionAlgorithm { }
- B. [MessagingDescriptionAttribute("MessageEncryption")]  
public EncryptionAlgorithm EncryptionAlgorithm { }
- C. [MessagingDescriptionAttribute("MessageEncryption")]  
public EncryptionAlgorithm EncryptionAlgorithm { get; set; }
- D. [MessagingDescriptionAttribute("MessageEncryptionAlgorithm")]  
public EncryptionAlgorithm : EncryptionAlgorithm { get; set; }

---

**Answer: C**

---

### Question: 35

Which of the following is the best encryption algorithm to encrypt and decrypt messages?

- A. AES
- B. TripleDES
- C. DES
- D. RSA

---

**Answer: D**

---

### Question: 36

Which of the following is not a method of controlling traffic through a firewall?

- A. Application filtering
- B. Encryption-level filtering
- C. Stateful inspection
- D. Packet filtering

---

**Answer: B**

---

### Question: 37

Which of the following algorithms supports key lengths from 128 bits to 192 bits in increments of 64 bits?

- A. DESCryptoServiceProvider
- B. TripleDESCryptoServiceProvider
- C. TripleDES
- D. AESCryptoServiceProvider

---

**Answer: C**

---

### Question: 38

Which of the following provide simplified access to ASP.NET AJAX login, roles, and profile services from Windows Forms and WPF applications?

- A. Entity Framework
- B. AJAX application services
- C. Client application services
- D. Sync Framework

---

**Answer: C**

---

### Question: 39

Which of the following providers is a block cipher that encrypts and decrypts data in blocks of 8 bytes?

- A. RNGCryptoServiceProvider
- B. SHA1CryptoServiceProvider
- C. RC2CryptoServiceProvider
- D. RSACryptoServiceProvider

---

**Answer: C**

---

### Question: 40

Which of the following is required to be implemented by marshal-by-value objects to implement custom serialization rules?

- A. ISerializable
- B. SerializableAttribute
- C. ISerializableAttribute
- D. ISerialize

---

**Answer: A**

---

Question: 41

Which of the following is not a type of Remote object?

- A. Server-activated object
- B. Client-activated object
- C. Singleton object
- D. Single call object

---

**Answer: A**

---

Question: 42

Which of the following is an exception of background threads as compared to foreground threads?

- A. A background thread does not continue the managed execution environment running.
- B. A background thread does not affect the outcome of an unhandled exception.
- C. A background thread belongs to the managed thread pool.
- D. A background thread changes to a foreground thread at any time.

---

**Answer: A**

---

Question: 43

Which of the following classes limits the number of threads that can access a resource or pool of resources concurrently?

- A. Semaphore
- B. Mutex
- C. Thread
- D. Monitor

---

**Answer: A**

---

Question: 44

Which of the following is TRUE about a managed thread?

- A. It is a foreground thread.
- B. It is a managed assembly.
- C. It is either a background thread or a foreground thread.
- D. It is a background thread.

---

**Answer: C**

---

Question: 45

Which of the following security methods is used when the code requires a specific set of permissions, which are not known until runtime?

- A. Role-Based Security
- B. Windows NT Security
- C. Imperative Security
- D. Declarative Security

---

**Answer: C**

---

Question: 46

All of the following are benefits for query expressions allowed by Language-integrated query except for which one?

- A. Rich metadata
- B. Compile-time syntax checking
- C. Static typing and IntelliSense
- D. Imperative code

---

**Answer: D**

---

Question: 47

Which class allows checks against the active principal using the language constructs defined for the declarative and imperative security actions?

- A. IPrincipal
- B. CodeAccessPermission
- C. PrincipalPermission
- D. SecurityPermission

---

**Answer: C**

---

Question: 48

Which of the following elements will you use to add a script to the ScriptManager declaratively?

- A. <connectionStrings>
- B. <Scripts>
- C. <configuration>
- D. <script>

---

**Answer: B**

---

Question: 49

ECMAScript is supported in many applications and is commonly known as \_\_\_\_\_.

- A. VBScript
- B. AJAX
- C. JavaScript
- D. Script

---

**Answer: C**

---

Question: 50

Which of the following methods is not used to handle the SoapExtensions?

- A. Configuration
- B. Imperatively
- C. Declaratively
- D. Optimization

---

**Answer: D**

---

Question: 51

Which of the following options is not a primary objective of the WS-Security 1.1 specification?

- A. Integrity
- B. Confidentiality
- C. Authentication
- D. Validation

---

**Answer: D**

---

**Question: 52**

Which of the following is the best way to authenticate users on the intranet?

- A. Forms authentication
- B. NT authentication
- C. Mutual authentication
- D. Basic authentication

---

**Answer: B**

---

**Question: 53**

What is the difference between Data Encryption Standard (DES) and Data Encryption Algorithm (DEA)?

- A. DES is the modified Lucifer algorithm and DEA is the original.
- B. DES itself is referred to as DEA.
- C. DES is insecure, whereas DEA is secure.
- D. DES is a standard and DEA is an algorithm.

---

**Answer: B**

---

**Question: 54**

Which of the following can be used as an alternative of S/MIME standard?

- A. MIME
- B. SMTP
- C. MIME/PGP
- D. NNTP

---

**Answer: C**

---

**Question: 55**

Which of the following modes can be used to configure the Remote Debugging Monitor for remote debugging?

- A. Password Authentication
- B. Form Authentication
- C. No Authentication
- D. SQL Server Authentication

---

**Answer: C**

---

### Question: 56

Allen works as a Software Developer for company Inc. He is developing a class library component that calculates the totals of holdings in a specific portfolio. He implements a control class for the class library component. Now, he needs to arrange the events of the control class in the order of their occurrence. Choose the events in the appropriate order to accomplish the task.

---

**Answer: Pending**

---

### Question: 57

John works as a Web developer for HiTech Inc. He develops an application named MyApp by using Visual C# .NET. John uses a SQL Server database. He writes the following code:

```
OleDbCommand cmd = new OleDbCommand();  
cmd.CommandText = "UPDATE Employees SET Rank = 'Senior' WHERE Basic >  
10000";  
cmd.ExecuteNonQuery();
```

Now he wants to improve the performance of the program code. Which of the following actions will he perform to accomplish the task? Each correct answer represents a complete solution. Choose all that apply.

- A. Use database indexing.
- B. Use an OleDbDataReader object to execute the program code.
- C. Use a Cache object to execute the program code.
- D. Use a SqlCommand object instead of an OleDbCommand object.
- E. Use a stored procedure instead of the CommandText property.
- F. Use the Prepare method on the OleDbCommand object before executing the program code.

---

**Answer: D, E**

---

### Question: 58

You work as a software developer for ManSoft Inc. The company uses Visual Studio .NET 2005 as its application development platform. You use C#. NET to create an assembly that will be consumed by other Visual Studio .NET applications. No Permissions should be granted to this assembly unless the assembly makes a minimum permission request. You need to write a code for the assembly that makes a minimum permission request. Which of the following code segments will you use to accomplish this task?

- A. [Assembly: PermissionSet(SecurityAction.PermittOnly, Unrestricted = true)]
- B. [Assembly: PermissionSet(SecurityAction.RequestOptional, Unrestricted = true)]
- C. [Assembly: PermissionSet(SecurityAction.PermittOnly, Unrestricted = false)]
- D. [Assembly: PermissionSet(SecurityAction.RequestOptional, Unrestricted = false)]

---

**Answer: D**

---

### Question: 59

You work as a Windows Application Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a Windows application using .NET Framework 2.0. The application allows computer engineers to design circuit boards for different types of hardware. You create a custom control that represents the design surface. You are required to highlight the vacant areas on the design surface where a component can be dropped. Which of the following events will you use to accomplish this task?

- A. DragOver
- B. QueryContinueDrag
- C. DragEnter
- D. DragLeave

---

**Answer: A**

---

### Question: 60

You work as a Web Application Developer for SunInfo Inc. The company uses Visual Studio 2008 as its application development platform. You create a Web application using .NET Framework 3.5. You want to redirect users to a default error page if an unhandled error occurs within your site. Which of the following actions will you perform to accomplish the task?

- A. Set the mode attribute of the customErrors element to Off and the defaultRedirect attribute to an error page within your site.
- B. Set the statusCode attribute of the error element to 404 and the redirect attribute to a custom error page.
- C. Set the redirect attribute of the error element to an error page within your site.
- D. Set the mode attribute of the customErrors element to On and the defaultRedirect attribute to an error page within your site.

---

**Answer: D**

---

### Question: 61

You work as a Web Application Developer for SunInfo Inc. The company uses Visual Studio 2008 as its application development platform. You create a Web application using .NET Framework 3.5. You want to attach the Visual Studio Debugger to Internet Explorer when the application is running. Which of the following steps will you take to accomplish the task? Each correct answer represents a part of the solution. Choose all that apply.

- A. In the Attach to Process dialog box, select the instance of Internet Explorer (iexplorer.exe) to be attached to the debugger.
- B. In Visual Studio, go to the Debug menu and select Start Debugging.
- C. In Visual Studio, go to the Debug menu, click Windows, and then click Script Explorer.
- D. In Visual Studio, go to the Debug menu and click Attach to Process.

---

**Answer: A, D**

---

### Question: 62

John works as a Software Developer for Blue Well Inc. He wants to create a class named Class1 and implements the generic IComparable interface. He writes the following code: public class Class1 : System.IComparable<Class1>

```
{
}
```

However, John needs to compare one object of Class1 with another object. Which of the following code statement will John include in his application?

- A. public int CompareTo(object obj){}
- B. public object CompareTo(int obj){}
- C. public object CompareTo(Class1 obj){}
- D. public int CompareTo(Class1 obj){}

---

**Answer: D**

---

### Question: 63

John works as a Web Developer for ProLabs Inc. He develops an ASP.NET application, named MyWebApp1, using Visual Studio .NET. One of the pages in the application is named as Page1.aspx, which does not need to maintain session state. To improve the performance of the application, John wants to disable session state for Page1. Which of the following actions will he take to accomplish the task?

- A. Set the EnableViewState attribute in the @ Page directive to false.
- B. Set the DisableSessionState attribute in the @ Page directive to true.
- C. In the sessionState configuration section of the application's Web.config file, set the mode attribute to off.
- D. Set the EnableSessionState attribute in the @ Page directive to false.

---

**Answer: D**

---

### Question: 64

You work as a Software Developer for company Inc. You develop a multi-threaded application named MyMultThreadApp using Visual Studio .NET. The application logs all warning and informational messages in an event log that keeps track of significant events when the application is running. The event log records information that might be useful for troubleshooting or performance analysis. Which of the following are the considerations that you must keep in mind when logging events with multithreaded components? Each correct answer represents a complete solution. Choose three.

- A. An exclusive lock should be obtained on the log to avoid race conditions.
- B. Each shared component should be thread-safe when interacting with an event log.
- C. The System.Threading namespace should be used to record the identity of each thread for logging messages.
- D. The Debug and Trace classes should be used to log events.

---

**Answer: A, B, C**

---

**Question: 65**

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2008 as its application development platform. You create an ASP.NET Web application using the .NET Framework 3.5. You want to use a HTTP module called on each and every request made by the application. It is called as part of the ASP.NET request pipeline. It has right to access life-cycle events throughout the request. You also want to ensure that the HTTP module allows a user to inspect incoming and outgoing requests and take appropriate action based on the request. What will be the correct order to create the HTTP module?

---

**Answer: Pending**

---

**Question: 66**

Paul works as a Software Developer for GenTech Inc. He creates an assembly that will be used by Visual Studio .NET applications. He wants to ensure that an access to the assembly is restricted. The access to the resource should be granted only when a user requests it for each individual path. Drag and drop the appropriate SecurityAction and Unrestricted values that Paul will use in the assembly declaration to accomplish the task.

---

**Answer: Pending**

---

**Question: 67**

You work as a Software Developer for Mansoft Inc. You create an application and use it to create users as members of the local Users group. Which of the following code snippets imperatively demands that the current user is a member of the local Users group? Each correct answer represents a complete solution. Choose all that apply.

- A.  
System.AppDomain.CurrentDomain.SetPrincipalPolicy(PrincipalPolicy.WindowsPrincipal  
);  
PrincipalPermission MyPermission = new PrincipalPermission(null, @"BUILTIN\Users",  
true);  
MyPermission.Demand();
- B.  
System.AppDomain.CurrentDomain.SetPrincipalPolicy(PrincipalPolicy.WindowsPrincipal  
);  
PrincipalPermission MyPermission = new PrincipalPermission(null, @"Users", true);  
MyPermission.Demand();
- C. PrincipalPermission MyPermission = new PrincipalPermission(null,  
@"BUILTIN\Users",  
true); MyPermission.Demand();
- D. PrincipalPermission MyPermission = new PrincipalPermission(null, @"Users", true);  
MyPermission.Demand();

---

**Answer: A, B**

---

### Question: 68

You work as a Software Developer for company Inc. The company has several branches Worldwide. The company uses Visual Studio.NET 2005 as its application development platform. You are creating an applications using .NET Framework 2.0. You want to allow users to view various details of a given unmanaged code. What will you do to accomplish the task?

- A. Use a COM/DCOM server.
- B. Use the Dispinterface.
- C. Use the Makecert.exe.
- D. Use the dumpbin.exe.

---

**Answer: D**

---

### Question: 69

You work as a Windows Application Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You are creating a Windows Forms application using .NET Framework 3.5. You need to develop a new control for the application. You must ensure that the control inherits the TreeView control by adding a custom node tag and a highlight color. What will you do?

- A. Set the control's DrawMode property to OwnerDrawText, and then implement a custom DrawNode event handler.
- B. Set the control's DrawMode property to OwnerDrawAll, and then implement a custom DrawNode event handler.
- C. Write a code segment in the DrawNode event handler to give the highlight color.
- D. Override the OnPaint method.

---

**Answer: A**

---

### Question: 70

You work as a Software Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a method to call a COM component using the .NET Framework. You want to use declarative security to request the runtime to run a complete stack walk. You need to ensure that all callers be obliged to level of trust for COM interop before the callers execute the method. Which of the following attributes will you place on the method to accomplish the task?

- A. [SecurityPermission(SecurityAction.Demand, Flags=SecurityPermissionFlag.UnmanagedCode)]
- B. [SecurityPermission(SecurityAction.Deny, Flags = SecurityPermissionFlag.UnmanagedCode)]
- C. [SecurityPermissionSecurityAction.LinkDemand, Flags=SecurityPermissionFlag.UnmanagedCode)]
- D. [SecurityPermission(SecurityAction.Assert, Flags = SecurityPermissionFlag.UnmanagedCode)]

---

**Answer: A**

---

### Question: 71

You work as a Software Developer for company Inc. You develop an application using Visual Studio .NET 2005. You want to print the contents of a document named MyFile1.doc located on the local computer. Therefore, you use the printing controls in the application. Which of the following events will you use in the application code to accomplish the task?

- A. EndPrint
- B. QueryPageSettings
- C. PrintPage
- D. BeginPrint

---

**Answer: C**

---

### Question: 72

Tony works as a Software Developer for TechNet Inc. He creates a satellite assembly named SatAssembly1. He wants to install SatAssembly1 in the global assembly cache. Therefore, he compiles the assembly by using the Al.exe tool and signs SatAssembly1. Which of the following possible tools will Tony use to sign SatAssembly1? Each correct answer represents a complete solution. Choose two.

- A. Installer tool
- B. File Signing tool
- C. .NET Services Installation tool
- D. Strong Name tool

---

**Answer: B, C**

---

### Question: 73

Georgina works as a Software Developer for BlueChip Inc. She develops an application named App1 using Visual Studio .NET. The company wants her to deploy App1 to a customer's laptop. Georgina creates an assembly named Assembly1 to be stored in the Global Assembly Cache so that the Common Language Runtime (CLR) can locate and bind Assembly1. As the application executes, the CLR locates the path of Assembly1 through the codebase setting. But, it finds no <codebase> element in the app.config file, and fails to bind Assembly1. Now, the CLR tries to locate Assembly1 through probing. Which of the following will the CLR check to locate Assembly1? Each correct answer represents a part of the solution. Choose all that apply.

- A. Previously loaded assemblies
- B. The application base or root directory
- C. The Gacutil.exe tool in the Global Assembly Cache
- D. Sub-directories in the application's root directory
- E. The culture attribute of the assembly
- F. The correct version of the assembly
- G. The assembly's name

---

**Answer: B, D, E, G**

---

### Question: 74

Allen works as a Software Developer for company Inc. The company uses Visual Studio.NET as its application development platform. He creates an application using .NET Framework. He wants to encrypt all his e-mails that he sends to anyone. Which of the following will he use to accomplish the task?

- A. PPP
- B. FTP
- C. PGP
- D. PPTP

---

**Answer: C**

---

### Question: 75

John works as a Web Developer for TechCom Inc. He creates an ASP.NET application, named MyApp1, using Visual Studio .NET. Only registered users of the company will be able to use the application. The application contains a page, named NewAccount.aspx that allows new users to register themselves to the registered user list of the company. The NewAccount page contains several TextBox controls that accept users' personal details such as username, password, confirm password, first name, last name, home address, zip code, phone number, etc. One of the TextBox controls on the page is named txtZipCode in which a user enters a Zip code. John wants to ensure that when a user submits the NewAccount page, txtZipCode must contain five numeric digits. He wants least development effort. Which of the following validation controls will he use to accomplish the task? Each correct answer represents a part of the solution. Choose all that apply.

- A. CompareValidator
- B. RequiredFieldValidator
- C. RangeValidator
- D. RegularExpressionValidator

---

**Answer: B, D**

---

### Question: 76

John works as a Software Developer for DawnStar Inc. He creates a class, named MyClass1. He wants to generate a key pair that he will use to give the compiled assembly a strong name. Which of the following tools will he use to accomplish the task?

- A. Installutil.exe
- B. Gacutil.exe
- C. Sn.exe
- D. Al.exe

---

**Answer: C**

---

### Question: 77

John works as a Web Developer for company Inc. He creates a serviced component named MyComponent1. He wants to host MyComponent1 in a COM+ application named MyComApp. Select the appropriate registration and configuration requirements that MyComponent1 should possess in order to be accessible to the application.

---

**Answer: Pending**

---

### Question: 78

Hannah works as a Programmer in a college of Information Technology. The company uses Visual Studio .NET as its application development platform. The Dean of the college wants to obtain the performance report of each student. Hannah develops an application named StudentPerformanceReport by using Visual C# .NET. This application uses a SQL Server database named Database1 and a stored procedure named PROC1. PROC1 executes a query that returns the internal assessment result of each student. Hannah uses a TextBox control named AssessmentText in the application form named MyForm. She wants to display the total test result of each student in the AssessmentText text box control. StudentPerformanceReport uses a SqlCommand object to run PROC1. Hannah wants to write code to call PROC1. PROC1 contains an output parameter and displays its value as "@AssessmentResult" in text format. Which of the following code segments can Hannah use to accomplish this task? Each correct answer represents a complete solution. Choose two.

- A. `AssessmentText.Text = comm.Parameters["@AssessmentResult"].SourceColumn;`
- B. `AssessmentText.Text = (string)comm.Parameters["@AssessmentResult"].Value;`
- C. `AssessmentText.Text = comm.Parameters["@AssessmentResult"].Value.ToString();`
- D. `AssessmentText.Text = comm.Parameters["@AssessmentResult"].ToString();`

---

**Answer: B, C**

---

### Question: 79

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2005 as its application development platform. You create a Web service application using .NET Framework. The Web service provides confidential data of employees to applications that manage access to company facilities. The Web service is accessible by using TCP and is sheltered by using WSE 3.0. The company has implemented fingerprint readers to grant employees access to the facilities. All the captured images of the employees' fingerprints are retained by the Web service application. You must make certain that the existing WSE encryption policy can be applied to the fingerprint image. You are required to provide the solution that must reduce the size of the Web service message. What will you do to accomplish this task?

- A. Configure the Web service to use base64 encoding to pass the binary fingerprint image.
- B. Create a SOAP extension to manage encryption for the message.
- C. Configure the Web service to use Message Transmission Optimization Mechanism to pass the binary fingerprint image.
- D. Create a SOAP filter to manage encryption for the message.

---

**Answer: C**

---

### Question: 80

You work as a Software Developer for InfoTech Inc. You create a Windows form in a Windows-based application named MyWinApp1. You use graphics in the form. You write the following code in your form:

```
private void MyMouseEvent1(object sender1, MouseEventArgs event)
{
// Code to handle mouse events
}
```

You want to implement a property of the MouseEventArgs object. This property will return a Point structure that contains the x-coordinate and y-coordinate of the mouse. Which of the following properties of the MouseEventArgs object will you use to accomplish this?

- A. Y
- B. Delta
- C. Location
- D. Button
- E. Clicks
- F. X

---

**Answer: C**

---

### Question: 81

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You have recently finished development of a Windows application using .NET Framework. Users report that the application is not running properly. When the users try to complete a particular action, the following error message comes out:

```
Unable to find assembly 'myservices, Version=1.0.0.0, Culture=neutral,
PublicKeyToken=29b5ad26c9de9b95'.
```

You notice that the error occurs as soon as the application tries to call functionality in a serviced component that was registered by using the following command: `regsvcs.exe myservices.dll` You must make sure that the application can call the functionality in the serviced component with no exceptions being thrown. What will you do to accomplish this task?

- A. Run the command line tool: regasm.exe myservices.dll.
- B. Copy the serviced component assembly into the C:\Program Files\ComPlus Applications folder.
- C. Run the command line tool: gacutil.exe /i myservices.dll.
- D. Copy the serviced component assembly into the C:\WINDOWS\system32\Com folder.

---

**Answer: C**

---

### Question: 82

Allen works as a Software Developer for company Inc. The company uses Visual Studio.NET as its application development platform. He creates an application using .NET Framework. He wants to encrypt all his e-mails that he sends to anyone. Which of the following will he use to accomplish the task?

- A. PPP
- B. FTP
- C. PPTP
- D. PGP

---

**Answer: D**

---

### Question: 83

You work as a Software Developer for company Inc. The company has several branches worldwide. The company uses Visual Studio.NET 2005 as its application development platform. You have recently finished the development of an application using .NET Framework 2.0. The application can be used only for cryptography. Therefore, you have implemented the application on a computer. What will you call the computer that implemented cryptography?

- A. Cryptographic toolkit
- B. Cryptosystem
- C. Cryptographer
- D. Cryptanalyst

---

**Answer: B**

---

### Question: 84

You work as a Software Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a class library using the .NET Framework. The library will be used to open the NSCs of computers. Later, you will set up the class library to the GAC and provide it Full Trust permission. You write down the following code segments for the socket connections:

```
SocketPermission permission = new SocketPermission(PermissionState.Unrestricted);  
permission.Assert();
```

A number of the applications that use the class library may not have the necessary permissions to open the network socket connections. Therefore, you are required to withdraw the assertion. Which of the following code segments will you use to accomplish the task?

- A. permission.PermitOnly();
- B. CodeAccessPermission.RevertDeny();
- C. permission.Deny();
- D. CodeAccessPermission.RevertAssert();
- E. permission.Demand();

---

**Answer: D**

---

### Question: 85

You work as an Application Developer for company Inc. You are assigned with developing a Web site that will handle information related to monthly sales of the company. You wish to secure the Web site so that only employees of the Accounts department can view the Web pages. You need to create roles for the employees of this department. The user account information will be stored in a SQL Server database named Database. You decide to do all this by using the Web Site Administration Tool. Which of the following types of security will you use to accomplish the task?

- A. Forms-based authentication
- B. Integrated Microsoft Windows authentication
- C. Basic authentication
- D. Digest authentication

---

**Answer: A**

---

### Question: 86

You work as a Software Developer for ManSoft Inc. You use Microsoft Visual Studio to create a Web service named MyWebService. You create a SOAP message that is not secure in the Web service. You want to use the SendSecurityFilter class in the Web service to handle the transmission and securing of SOAP messages. Which of the following code segments will you use to accomplish the task? Each correct answer represents a part of the solution. Choose all that apply.

A:

```
public class MySendSecurityFilter : SendSecurityFilter
{
    public MySendSecurityFilter(string service, Boolean client)
    {}
    public override void SecureMessage(SoapEnvelope envelope, Security security)
    {
        // Implement validation here
    }
}
```

B:

```
public class MySendSecurityFilter : SendSecurityFilter
{
```

```

public MySendSecurityFilter(string service, Boolean client)
{
base(service,client);
}
public override void SecureMessage(SoapEnvelope envelope, Security security)
{
// Implement validation here
}
}
C:
public class MySendSecurityFilter : SendSecurityFilter
{
public MySendSecurityFilter(string service, Boolean client) : base(service,client)
{}
public override void SecureMessage(SoapEnvelope envelope, Security security)
{
// Implement validation here
}
}
D:
public class MySendSecurityFilter : SendSecurityFilter
{
public MySendSecurityFilter(string service, Boolean client) : base(service,client)
{}
public void SecureMessage(SoapEnvelope envelope, Security security)
{
// Implement validation here
}
}

```

---

**Answer: B, C**

---

### Question: 87

You work as a Windows Application Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create a Windows Forms application using .NET Framework 3.5. The application contains a data-bound control. You use the LinqDataSource control to use LINQ in the ASP.NET application by setting properties in markup text. The LinqDataSource control uses LINQ to SQL to automatically generate the data commands. You are required to perform data operations by using the LinqDataSource control. What is the correct order in which data operations are applied?

---

**Answer: Pending**

---

### Question: 88

You work as a Software Developer for Hi-Tech Inc. You develop an application using Visual Studio .NET 2005. You create an unregistered COM DLL file named Com1.dll. You want to use this Com1.dll file in your application code. However, Com1.dll needs to be registered in the Windows Registry before it is used by the application. Which of the following tools will you use to accomplish the task?

- A. Wsdll.exe
- B. Regsvr32.exe
- C. Tlbimp.exe
- D. Disco.exe

---

**Answer: B**

---

### Question: 89

John works as a Web Developer for company Inc. He develops an ASP.NET application, named MyApp1, using Visual Studio .NET. The application will be used in the Sales department to generate monthly reports. John wants to deploy the application on the company's intranet. The company uses Microsoft Windows authentication. John wants to deny access to all the members of the Guest1 role. Which of the following attributes will he use in the <authorization> element of the application's Web.config file to accomplish the task?

- A. <deny roles="Guest1" />
- B. <deny="Guest1" />
- C. <deny users="Guest1" />
- D. <deny users=Guest1("All") />

---

**Answer: A**

---

### Question: 90

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You are creating a custom control library using .NET Framework 3.5. Developers will use this custom control on Web pages in multiple applications. Each and every ASP.NET application will be configured by using different state management approaches. You have to ensure consistent state management for all instances of the custom control. Which of the following states will you use to accomplish this task?

- A. Session state
- B. Application state
- C. Control state
- D. View state

---

**Answer: C**

---

### Question: 91

You work as an Enterprise Application Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create an application using .NET Framework 3.5. The application represents a WCF service. The service will be consumed by clientside code that runs in the Web pages of an ASP.NET AJAX application. You must ensure that data serialization between the service and the application acquires least amount of latency. Which data format will you use to accomplish this?

- A. Extensible Application Markup Language
- B. JavaScript Object Notation
- C. Extensible Markup Language
- D. Really Simple Syndication

---

**Answer: B**

---

### Question: 92

Maria works as a Software Developer for BlueWell Inc. She develops an application, named App1, using Visual C# .NET. The application displays employee details from a SQL Server database. Maria wants to use a string array, named MyArray, in the application code to store employee names. Which of the following statements will she use to declare MyArray?

- A. Option Base 1  
`string[] MyArray = new string[9];`
- B. `string[] MyArray = new string[9];`
- C. Option Base 0  
`string[] MyArray = new string[9];`
- D. `string[] MyArray = new string[0 to 9];`
- E. `string MyArray[9] = new string;`

---

**Answer: B**

---

### Question: 93

David works as a Software Developer for GenTech Inc. He creates an XML Web service, named MyWebService, using Visual Studio .NET. MyWebService uses Microsoft Windows authentication. Users of MyWebService are in the GenTech domain. David wants to configure MyWebService to use the following URL-based authorization rules: | Anonymous users must not be allowed to access MyWebService. | All the users except User1 and User2 must be allowed to access MyWebService. David configures Internet Information Services (IIS) to meet these requirements. Which of the following code will David use to configure the authorization section of the Web.config file for MyWebService?

A. <authorization>  
<deny users="GenTechUser1, GenTechUser2">  
<allow users="\*">  
<deny users="?">  
</authorization>

B. <authorization>  
<allow users="\*">  
<deny users="GenTechUser1, GenTechUser2">  
<deny users="?">  
</authorization>

C. <authorization>  
<deny users="GenTechUser1, GenTechUser2">  
<deny users="?">  
<allow users="\*">  
</authorization>

D. <authorization>  
<deny users="GenTechUser1, GenTechUser2">  
<allow users="\*">  
</authorization>

E. <authorization>  
<allow users="\*">  
<deny users="GenTechUser1, GenTechUser2">  
</authorization>

---

**Answer: C**

---

### Question: 94

Henry works as a Software Developer for SoftTech Inc. He creates a Windows form named MyForm1. The form contains detailed information about a student. The form uses a ListBox control named ListBox1 that concatenates two strings displayed in two TextBox controls. Henry wants a method to return a value for the control. Which of the following options will he consider while creating a method for the control?

- A. A method with a string return type.
- B. A void method that passes only one parameter.
- C. A method with an integer return type.
- D. A void method that passes more than one parameter.

---

**Answer: A**

---

### Question: 95

You work as a Software Developer for company Inc. You create an ASP.NET Web application named MyWebApplication. You want to provide secure access to company's customers. You want to enable users to access the site from any browser by providing their user name and password. Which of the following authentication methods will you use to accomplish this task?

- A. Windows NT
- B. Secure Socket Layer
- C. Basic
- D. Single Sign-On
- E. Certificate Server

---

**Answer: C**

---

### Question: 96

You work as a Software Developer for ManSoft Inc. The company has several branches worldwide. The company uses Visual Studio.NET 2005 as its application development platform. You create an application that will be used by all the branches of the company. You use the Regex class in the application to validate some strings. You want to search an input string for an occurrence of a regular expression. Which of the following methods of the Regex class will you use to accomplish the task?

- A. Match
- B. Matches
- C. Equals
- D. IsMatch

---

**Answer: A**

---

### Question: 97

You work as an Enterprise Application Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create a logging utility class using .NET Framework 3.5. The utility class writes logs to event log services. You are required to ensure that the client applications that use the utility class can create an instance of the utility class only if they have access rights to write to the event log services. What will you do?

- A. Use role based security in the class constructor.
- B. Use declarative security check on the assembly.
- C. Use role based security on the class.
- D. Use code access security on the class.

---

**Answer: D**

---

### Question: 98

Allen works as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. Allen creates an application that will be used to handle security information related to the company. He wants to secure the application by using the most secure authentication method. The method should have a strong key for encryption and send the encrypted password across the network. Which of the following authentication methods will Allen use to accomplish the task?

- A. Integrated Windows authentication
- B. Basic authentication
- C. Certificate-based authentication
- D. Digest authentication

---

**Answer: C**

---

### Question: 99

Mark works as a Software Developer for GenTech Inc. He develops an application, named App1, using Visual Studio .NET. The application contains a Form control, named Form1, which enables users to edit information in a SQL Server database. Mark wants to save all the changes made by users in the database. He defines a boolean variable, named DataIsSaved, in the application code. DataIsSaved indicates whether or not all data are saved in the database. Mark wants to prevent Form1 from closing until all the changes are saved in the database. Which of the following code will he use to accomplish this?

- A. 

```
protected void Form1_Leave(object sender, System.ComponentModel.CancelEventArgs e)
{
if(!DataIsSaved)
e.Cancel = false;
else
e.Cancel = true;
}
```
- B. 

```
protected void Form1_Leave(object sender, System.ComponentModel.CancelEventArgs e)
{
if(!DataIsSaved)
e.Cancel = true;
else
e.Cancel = false;
}
```
- C. 

```
protected void Form1_Closed(object sender,
System.ComponentModel.CancelEventArgs e)
```

```
{
if(!DatalsSaved)
e.Cancel = false;
else
e.Cancel = true;
}
D. protected void Form1_Closing(object sender,
System.ComponentModel.CancelEventArgs
e) {
if(!DatalsSaved)
e.Cancel = false;
else
e.Cancel = true;
}
E. protected void Form1_Closed(object sender,
System.ComponentModel.CancelEventArgs e)
{
if(!DatalsSaved)
e.Cancel = true;
else
e.Cancel = false;
}
F. protected void Form1_Closing(object sender,
System.ComponentModel.CancelEventArgs
e) {
if(!DatalsSaved)
e.Cancel = true;
else
e.Cancel = false;
}
```

---

**Answer: F**

---

### Question: 100

You work as a Web Administrator for BlueWell Inc. The company's sales employees access the Web server from remote locations via the Internet using Netscape Navigator or Internet Explorer. You want to secure the Web server. To secure the Web server, you want to use cookieless forms authentication. Which of the following properties will you use to accomplish the task?

- A. FormsCookiePath
- B. CookieDomain
- C. CookieMode
- D. FormsCookieName

---

**Answer: C**

---

### Question: 101

You work as a Software Developer for company Inc. You create a Console application to create multiple satellite assemblies. Which of the following statements about satellite assemblies are true? Each correct answer represents a complete solution. Choose all that apply.

- A. They do not contain any executable code.
- B. An application can have only one satellite assembly.
- C. The Assembly Linker tool is used to compile .resources files into satellite assemblies.
- D. They are used to deploy language-specific resources for an application.

---

**Answer: A, C, D**

---

### Question: 102

You are working on an ASP.NET Web application and using .NET 2.0 as the application development platform. Authenticated users want their passwords to recover through the application. Which of the following are necessary to enable the user password recovery option for your application? Each correct answer represents a part of the solution. Choose all that apply.

- A. Using an ASP.NET membership for authentication.
- B. Sending e-mail messages to the users.
- C. Using the PasswordRecovery control.
- D. Using the ChangedPassword control.

---

**Answer: A, B, C**

---

### Question: 103

John works as a Web Developer for Bitsoft Inc. He creates an ASP.NET application, named MyApp1, by using Visual Studio .Net for a University Web site. Students will use MyApp1 to view their term end result. MyApp1 contains an ASP.NET page named, named Page1. Page1 contains a TextBox control, named txtEnrolmentNo, and two Button controls, named btnSubmit and btnCancel respectively. John wants that if a user tries to submit the page by clicking the Submit button without entering his enrolment the word "Required" appears next to txtEnrolmentNo. However, when a user clicks the Cancel button he is redirected to a new page, named PageCancel.aspx. To accomplish this he adds a RequiredFieldValidator control to the page and sets its ControlToValidate and ErrorMessage properties to txtEnrolmentNo and "Required" respectively. However, when he executes the application he finds that the validation check is also performed on clicking the Cancel button. What is the most likely cause of the issue?

- A. The CauseValidation property of btnSubmit is not set to True.
- B. The CauseValidation property of btnCancel is not set to True.
- C. The CauseValidation property of btnSubmit is not set to False.
- D. The CauseValidation property of btnCancel is not set to False.

---

**Answer: D**

---

### Question: 104

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2005 as its application development platform. You are creating an application using .NET Framework 2.0. The application will be used by school children to read a sequential chain of characters. What will you do to accomplish this task?

- A. Use the File class.
- B. Use the TextWriter class.
- C. Use the TextReader class.
- D. Use the BinaryReader class.

---

**Answer: C**

---

### Question: 105

Peter works as a Software Developer for NessCom Inc. He creates a Web application named WebApp using Visual Studio .NET. WebApp contains an .aspx page named DataValidatePage.aspx, which has several Web server controls. Two TextBox controls, txtProdID and txtProdName, are used. The txtProdID control is used to enter the identification number of the products used by the company. The txtProdName control is used to enter valid product names. Peter wants to ensure that only valid data is entered in these two TextBox controls. Therefore, he implements a RequiredFieldValidator class in the DataValidatePage.aspx page. Choose the appropriate actions Peter will perform to accomplish the task.

---

**Answer: Pending**

---

### Question: 106

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create an ASP.NET Web application using .NET Framework 3.5. You need to represent a strongly typed lambda expression as a data structure in the form of an expression tree. Which of the following classes will you use to accomplish the task?

- A. MethodCallExpression
- B. Expression(TDelegate)
- C. Expression
- D. LambdaExpression

---

**Answer: B**

---

### Question: 107

You work as a Software Developer for ManSoft Inc. You create an assembly. You place the assembly in a specific folder. Which of the following classes can you use to determine whether the assembly was located in a specific folder? Each correct answer represents a complete solution. Choose two.

- A. UrlMembershipCondition
- B. ApplicationDirectoryMembershipCondition
- C. GacMembershipCondition
- D. SiteMembershipCondition

---

**Answer: A, B**

---

### Question: 108

John works as a Software Developer for CyberTech Inc. He creates an ASP .NET page named BookItemList.aspx, which displays a price list of computer books. Registered users have to first log on to the company's Web site in order to view the current price list of different computer books available on the Web site. Users want to maintain the page requests as long as they are accessing the Web page. John wants to ensure that whenever the Web page BookItemList.aspx is posted back to the server, the price list should not be changed on the registered user's computer. He also wants to validate the page sent back to the server. Which of the following actions will John take to accomplish the task? Each correct answer represents a part of the solution. Choose two.

- A. Set the EnableEventValidation attribute to false.
- B. Set the EnableEventValidation attribute to true.
- C. Set the EnableViewState attribute to true.
- D. Set the EnableViewState attribute to false.

---

**Answer: B, C**

---

### Question: 109

Patrick works as a Software Developer for GenTech Inc. He develops an application, named App1, using Visual C# .NET. He implements security using the security classes of the .NET Framework. He defines the following statements in the application:

```
PrincipalPermission Principal_Perm1 = new PrincipalPermission("Nick", "General Manager");
```

```
PrincipalPermission Principal_Perm2 = new PrincipalPermission("Jack", "Accountant");
```

Patrick wants to check whether all demands that succeed for Principal\_Perm1 also succeed for Principal\_Perm2. Which of the following methods of the PrincipalPermission class will he use to accomplish this?

- A. Intersect
- B. IsSubSetOf
- C. IsUnrestricted
- D. Union

---

**Answer: B**

---

### Question: 110

Sam works as a Software Developer for GenTech Inc. He develops an application named App1 using Visual Basic .NET. App1 uses a non-COM DLL named Value1.dll, which contains unmanaged code. Sam writes a method named Method1 in Value1.dll as follows:

```
Method1 Lib "Value1.dll"(ByVal InputVar As String, ByRef WordsVar As String, ByRef  
NumbersVar As Integer) As Integer
```

Sam wants to use Method1 for parsing a string into an array of string values and an array of integers. Sam wants to enable App1 to call this function. Which of the following statements about the method are true? Each correct answer represents a complete solution. Choose all that apply.

- A. The value of the first parameter cannot be changed by a procedure or a function.
- B. The second parameter will contain all string values found in the first parameter.
- C. The third parameter will contain all integer values found in the second parameter.
- D. The third parameter will contain all string values found in the second parameter.

---

**Answer: A, B, C**

---

### Question: 111

You work as a Software Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You need to write a code segment that transfers the contents of a byte array named ToSend by using a NetworkStream object named NetStr. You want to use a cache of size only 8,192 bytes. Which of the following code segments will you use to accomplish the task?

- A. `MemoryStream MStream = new MemoryStream(8192);  
NetStr.Write(ToSend, 0, (int) MStream.Length);`
- B. `BufferedStream BStream = new BufferedStream(NetStr);  
BStream.Write(ToSend, 0, 8192);`
- C. `BufferedStream BStream = new BufferedStream(NetStr, 8192);  
BStream.Write(ToSend, 0, ToSend.Length);`
- D. `MemoryStream MStream = new MemoryStream(8192);  
MStream.Write(ToSend, 0, (int) NetStr.Length);`

---

**Answer: C**

---

### Question: 112

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You have recently finished development of a Windows application using .NET Framework. Users report that the application is not running properly. When the users try to complete a particular action, the following error message comes out:

Unable to find assembly 'myservices, Version=1.0.0.0, Culture=neutral, PublicKeyToken=29b5ad26c9de9b95'.

You notice that the error occurs as soon as the application tries to call functionality in a serviced component that was registered by using the following command:

regsvcs.exe myservices.dll You must make sure that the application can call the functionality in the serviced component with no exceptions being thrown. What will you do to accomplish this task?

- A. Run the command line tool: regasm.exe myservices.dll.
- B. Copy the serviced component assembly into the C:\Program Files\ComPlus Applications folder.
- C. Run the command line tool: gacutil.exe /i myservices.dll.
- D. Copy the serviced component assembly into the C:\WINDOWS\system32\Com folder.

---

**Answer: C**

---

### Question: 113

Allen works as a Software Developer for company Inc. The company uses Visual Studio.NET as its application development platform. He creates an application using .NET Framework. He wants to encrypt all his e-mails that he sends to anyone. Which of the following will he use to accomplish the task?

- A. PPP
- B. FTP
- C. PPTP
- D. PGP

---

**Answer: D**

---

### Question: 114

You work as a Software Developer for company Inc. The company has several branches worldwide. The company uses Visual Studio.NET 2005 as its application development platform. You have recently finished the development of an application using .NET Framework 2.0. The application can be used only for cryptography. Therefore, you have implemented the application on a computer. What will you call the computer that implemented cryptography?

- A. Cryptographic toolkit
- B. Cryptosystem
- C. Cryptographer
- D. Cryptanalyst

---

**Answer: B**

---

### Question: 115

You work as a Software Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a class library using the .NET Framework. The library will be used to open the NSCs of computers. Later, you will set up the class library to the GAC and provide it Full Trust permission. You write down the following code segments for the socket connections:

```
SocketPermission permission = new SocketPermission(PermissionState.Unrestricted);  
permission.Assert();
```

A number of the applications that use the class library may not have the necessary permissions to open the network socket connections. Therefore, you are required to withdraw the assertion. Which of the following code segments will you use to accomplish the task?

- A. permission.PermitOnly();
- B. CodeAccessPermission.RevertDeny();
- C. permission.Deny();
- D. CodeAccessPermission.RevertAssert();
- E. permission.Demand();

---

**Answer: D**

---

### Question: 116

You work as an Application Developer for company Inc. You are assigned with developing a Web site that will handle information related to monthly sales of the company. You wish to secure the Web site so that only employees of the Accounts department can view the Web pages. You need to create roles for the employees of this department. The user account information will be stored in a SQL Server database named Database. You decide to do all this by using the Web Site Administration Tool. Which of the following types of security will you use to accomplish the task?

- A. Forms-based authentication
- B. Integrated Microsoft Windows authentication
- C. Basic authentication
- D. Digest authentication

---

**Answer: A**

---

### Question: 117

You work as a Software Developer for InfoTech Inc. You develop a Web application named MyWebApp that accesses XML documents. For security reasons, you need to encode binary data and save the results to an output file named MyFile1. Therefore, you implement the XmlWriter object in your application code. Choose the appropriate uses of the XmlWriter object from the Choose and Reorder window.

---

**Answer: Pending**

---

### Question: 118

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You are creating an application using .NET Framework 2.0. The application uses serialization to allow users to take an instance of an object and convert it into a format that can be easily transmittable over the network or even stored in a database. You want to provide the base functionality for the common language runtime serialization formatters. Which of the following classes will you use to accomplish the task?

- A. SoapFormatter
- B. FormatterConverter
- C. Formatter
- D. BinaryFormatter

---

**Answer: C**

---

### Question: 119

Sam works as a Software Developer for GenTech Inc. He creates an ASP.NET page, named Page1, for a college Web site. Page1 is used to enroll new applicants to a certification course offered by the college. In order to get admission to the course, an applicant's age must be between eighteen and twenty-five. The page contains several TextBox controls that are used by applicants to feed their personal details. The data entered by each applicant is then used to check the eligibility of the applicant. One of the TextBox controls on the page is named txtDateofBirth. Sam wants to verify that the applicants meet the age requirement. He wants to perform validation both on the server-side and on the client-side. In order to validate the age, he adds a CustomValidator control, named CValidator, to the page and sets its ControlToValidate property to txtDateofBirth. Which of the following will Sam use to accomplish the task? Each correct answer represents a part of the solution. Choose all that apply.

- A. ClientValidationFunction event
- B. ServerValidate property
- C. ServerValidate event
- D. ClientValidationFunction property

---

**Answer: C, D**

---

### Question: 120

You work as a Web Application Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create an ASP.NET Web application using the .NET Framework. The application is installed in a Network Load Balancing cluster. You are evaluating a bug statement. When a failure takes place in the Web application, the client occasionally gets an error page as anticipated. At other times, the client gets an exception stack with the error message, which is not anticipated. You are required to find out the configuration setting that causes the unanticipated error. Which of the following configuration settings causes the unanticipated error?

- A. `<customErrors mode="Off" />`
- B. `<compilation debug="false" />`
- C. `<compilation debug="true" />`
- D. `<customErrors mode="On" />`

---

**Answer: A**

---

### Question: 121

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2005 as its application development platform. You create a Web service using the .NET Framework 2.0. You call a method in the Web service. The following exception is thrown in the Web service:  
client.System.Web.Services.Protocols.SoapException: Server was unable to process request.  
System.NullReferenceException: Object reference not set to an instance of an object. You find out that it is the following line of code that throws the exception: `if (Session ["StoredValue"] == null)` You must ensure that the method runs without throwing any exception. What will you do to accomplish this task?

- A. Modify the WebMethod attribute in the Web service so that the EnableSession property is set to true.
- B. Add the following to the System.Web section of the Web.config file:  
`<sessionState mode="InProc" />`
- C. Add the following to the System.Web section of the Web.config file:  
`<httpModules>`  
`<add name="Session" type="System.Web.SessionState.SessionStateModule" />`  
`</httpModules>`
- D. In the client code for the Web service's proxy object, assign a new instance of the System.Net.CookieContainer object to the CookieContainer property.
- E. In the client code for the Web service's proxy object, assign a new instance of the System.Net.CookieContainer object to the EnableSession property.

---

**Answer: A**

---

### Question: 122

Bill works as a Software Developer for SunInfo Inc. He develops an application named SunApplication using C# .NET. The employees of the company use SunApplication for viewing and editing inventory data. SunApplication receives data from a file named MyFile.xml, which currently does not provide any information. Bill decides to write code to get information from the MyFile.xml file. Which of the following code segments will he use to resolve the issue? Each correct answer represents a complete solution. Choose all that apply.

- A. 

```
FileInfo FI = new FileInfo(@"c:\temp\MyFile.xml");
Console.WriteLine("Filename " + FI.FullName );
Console.WriteLine(" Created at " + FI.CreationTime );
Console.WriteLine(" Accessed at " + FI.LastAccessTime );
```
- B. 

```
FileInfo FI = new FileInfo ("@c:\program files\temp\MyFile.xml");
Console.WriteLine ("Filename " + FI.FullName );
Console.WriteLine(" Created at " + FI.CreationTime );
Console.WriteLine(" Accessed at " + FI.LastAccessTime );
```
- C. 

```
FileInfo FI = new FileInfo("MyFile.xml");
Console.WriteLine("Filename " + FI.FullName );
Console.WriteLine(" Created at " + FI.CreationTime );
Console.WriteLine(" Accessed at " + FI.LastAccessTime );
```
- D. 

```
string str=@"c:\windows\MyFile.xml";
FileInfo FI = new FileInfo (str);
FI.Open (FileMode.Open, FileAccess.Read);
Console.WriteLine("Filename " + FI.FullName );
Console.WriteLine(" Created at " + FI.CreationTime );
Console.WriteLine(" Accessed at " + FI.LastAccessTime );
```

---

**Answer: A, C, D**

---

### Question: 123

Allen works as a Software Developer for company Research Center. This research center has its subsidiaries in different cities. Allen wants to retrieve a Soil Test Report for the Geological Survey Department. He wants the test report to be available to all the members of the department over the Internet. He creates an XML Web service named SampleReport. SampleReport contains a Web method named SoilTestDetails that requires additional security. Allen decides to use generic rolebased security to secure the SoilTestDetails method from unauthorized users. Allen writes code to ensure that once a user is authenticated, a user identity named Generic is created. The Generic user identity has a group membership named GeoSurvey to allow the authenticated users access to the SoilTestDetails Web method. Which of the following code segments should Allen use to accomplish the task?

- A. 

```
Dim GenIdentity As GenericIdentity = New GenericIdentity("Generic", "Custom") Dim
GesRoles() As String= {"GeoSurvey"}
Dim GeoPrincipal As GenericPrincipal = New GenericPrincipal(GenIdentity, GeoRoles)
```

```
Thread.CurrentPrincipal = GeoPrincipal
B. Dim Geoidentity As IIdentity = New GenericIdentity("Generic", "GeoSurvey") Dim
GeoPrincipal As IPrincipal = New WindowsPrincipal((WindowsIdentity) Geoidentity)
Thread.CurrentPrincipal = GeoPrincipal
C. Dim Geoidentity As IIdentity = New GenericIdentity("Generic", "Custom") Dim
WinGeoidentity As WindowsIdentity = (WindowsIdentity) Geoidentity Dim GeoRoles()
As String = {"GeoSurvey"}
Dim GenGeoPrincipal As GenericPrincipal = New GenericPrincipal(WinGeoidentity,
GeoRoles) WindowsIdentity.Impersonate(WinGeoidentity.Token)
D. Dim MyGenericIdentity As System.Security.Principal.IIdentity = New
GenericIdentity("Generic", "Custom")
Dim GeoRoles() As String = {"GeoSurvey"}
GenericPrincipal GenGeoPrincipal = new GenericPrincipal(MyGenericIdentity,
GeoRoles); MyGenericIdentity = WindowsIdentity.GetCurrent();
```

---

**Answer: A**

---

#### Question: 124

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You create an ASP.NET Web application using .NET Framework 3.5. The application rarely experiences errors that cannot be reproduced on a test environment. You are required to ensure that the application meets the following requirements:

I All unanticipated errors are logged.

I Logging is configured with a least amount of alteration to the application code. What will you do?

- A. Override the base class for all forms in the application to add the Try/Catch blocks to all the major functionalities.
- B. Enable the <customErrors> element in the Web.config file and set the mode attribute to On .
- C. Enable the <customErrors> element in the Web.config file and set the mode attribute to RemoteOnly.
- D. Add an event handler for the Application.Error event to the Global.asax file of the application.

---

**Answer: D**

---

#### Question: 125

You work as a Software Developer for company Inc. The company uses Visual Studio .NET 2008 as its application development platform. You have recently finished the development of an ASP.NET Web application using .NET Framework 3.5. The application must be deployed by using the <http://www.company.com/> URL. The application has several Web forms. You need to implement Really Simple Syndication (RSS) feeds functionality. The RSS feeds will be used by the <http://www.company.com/Updates.rss> URL. You must ensure that the application displays the RSS-formatted information when accessing the given URL. What will you do to accomplish this? Each correct answer represents a part of the solution. Choose two.

- A. Create and register a custom `HttpHandler` class that releases the RSS feeds.
- B. Create a Web form named `Updates` that releases the RSS feeds.
- C. Create an ASMX Web service component named `Updates`.
- D. Add the `HttpHandler` class to the `.rss` extension.
- E. Create and register a custom `HttpModule` class.

---

**Answer: A, D**

---

### Question: 126

You work as an Enterprise Application Developer for SunInfo Inc. The company uses Visual Studio 2008 as its application development platform. You create a Windows Forms application using .NET Framework 3.5. You want to notify the users when a print job has finished. Which of the following events will you use to accomplish the task?

- A. `PrintDocument.PrintPage`
- B. `PrintDocument.EndPrint`
- C. `PrintDocument.QueryPageSettings`
- D. `PrintDocument.BeginPrint`

---

**Answer: B**

---

### Question: 127

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2005 as its application development platform. You create a Web service using .NET Framework 2.0. You want the Web service to utilize a two step process to map XML generated by Web methods to .NET objects. What will you do to accomplish the task? Each correct answer represents a part of the solution. Choose two.

- A. Use deserialization
- B. Use serialization
- C. Use Marshal-by-ref objects
- D. Use Marshal-by-value objects

---

**Answer: A, B**

---

### Question: 128

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2005 as its application development platform. You have recently finished development of Web services using the .NET Framework. The access control to Web services is part of your accountability. You are currently revealing an existing class as a XML Web service. You are required to ensure that the XML Web service is exclusively accessible to Web service clients within the company Inc. domain. To fulfill this requirement you want to change the access modifiers on methods that must be represented as Web methods. What will you do to accomplish this task?

- A. Use the Public access modifier for each Web method.
- B. Use the Private access modifier for each Web method.
- C. Use the Internal or Friend access modifier for each Web method.
- D. Use the Protected access modifier for each Web method.

---

**Answer: A**

---

### Question: 129

You work as a Web Application Developer for company Inc. The company uses Visual Studio .NET as its application development platform. You create a Web application using .NET Framework 2.0. You add a Web Form that contains a button named bCancel. The button allows users to exit the form. When users click the button, validation should not occur. However, during testing you find that clicking the button does not allow users to exit the form. You need to ensure that users can always exit the page. What will you do?

- A. Set the CausesValidation property of the bCancel button to false.
- B. Set the AccessibleName property of the validation controls on the Web Form to "false".
- C. Set the ControlToValidate property of the validation controls on the Web Form to the ID of the control.
- D. Set the Enabled property of the validation controls on the Web Form to false.

---

**Answer: A**

---

### Question: 130

You work as a Software Developer for company Inc. The company uses Visual Studio.NET 2008 as its application development platform. You are creating an ASP.NET Web application using the .NET Framework 3.5. The application stores sensitive profile data in a MS SQL Server 2008 database. You are required to make sure that the profile data never stored in clear text. What will you do?

- A. Create a strongly typed custom ProfileProvider class. In the ProfileProvider class, encrypt the provided information before storing it in the database.
- B. Use the ASP.NET IIS Registration Tool to encrypt the connection string to connect to the SQL Server database.
- C. Create a custom profile provider. In the custom provider, encrypt the provided information before storing it in the database.
- D. Enable the SSL encryption for the SQL Server connections.

---

**Answer: C**

---

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.