

**100%** Money Back  
**Guarantee**

**Vendor:** Hitachi

**Exam Code:** HH0-220

**Exam Name:** HDS Certified Implmenter-Modular

**Version:** Demo

**QUESTION 1**

What is Hitachi Data System's recommended practice for zoning?

- A. port-based zoning
- B. zoning is optional
- C. single HBA zoning (one HBA per zone)
- D. single operation system zoning (all HBAs from one OS in a zone)

**Correct Answer: C**

**QUESTION 2**

A customer has identified a performance bottleneck with Online Transaction Processing (OLTP) production host LUNs. The performance improvement plan includes a change to the Hitachi Dynamic Link Manager load balancing algorithm which is currently set to Round Robin. Which setting would you recommend?

- A. Least I/Os
- B. Least blocks
- C. Extended Round Robin
- D. Extended Least blocks

**Correct Answer: A**

**QUESTION 3**

You have just allocated four 3TB LUNs from a Hitachi Unified Storage System to a set of ESX 4.x servers. The VMware administrator can see volumes that are assigned to the servers from an older storage array, but not the volumes you have just allocated. What is the most likely cause?

- A. The FC switch ports need to be disabled/enabled to force the HBAs to re-login to the fabric.
- B. This a newer storage array with an older version of ESX so the HBA drivers need to be updated.
- C. ESX 4.x servers cannot recognize volumes that are 2TB or larger.
- D. The rescan function in VMware is not working, so both servers need to be rebooted.

**Correct Answer: C**

**QUESTION 4**

You want to configure SNMP on a Hitachi Unified Storage system. The license key is already installed and enabled. What are two key steps when configuring SNMP? (Choose two.)

- A. Import the MIB file into the HUS.
- B. Install an SNMP Manager on the HUS.
- C. Create the SNMP environment file in the HUS.
- D. Register the SNMP configuration files in the HUS.

**Correct Answer: CD**

**QUESTION 5**

A customer wants to create a multi-path environment for a specific Redhat Linux application on a Hitachi Unified Storage system. They have created Host Groups on all of the available ports and mapped the logical units accordingly. Which two multi-pathing options can be used for active/active connectivity? (Choose two.)

- A. Device Mapper
- B. Multipath I/O (MPIO)
- C. Hitachi Dynamic Link Manager
- D. Multiplexed I/O (MPxIO)

**Correct Answer:** AC

**QUESTION 6**

You are implementing a Hitachi Unified Storage File Module cluster with a single SMU. How do you run the smu-config script?

- A. Connect an Ethernet cable and login as supervisor.
- B. Connect a serial null-modem cable and login as supervisor.
- C. Connect an Ethernet cable and login as root.
- D. Connect a serial null-modem cable and login as root.

**Correct Answer:** D

**QUESTION 7**

What needs to be replaced in case of a local memory DIMM failure on a Hitachi Unified Storage controller?

- A. the controller
- B. the local memory DIMM
- C. the controller and the local memory DIMM
- D. the controller, the local memory DIMM and the cache DIMMs

**Correct Answer:** C

**QUESTION 8**

You are upgrading a Hitachi Unified Storage (HUS) system with the File Module option. Which combination is required to support this upgrade?

- A. FC connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
- B. 10GbE connectivity between the HUS and the File Module plus the Hitachi BOS M software bundle
- C. FCoE connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
- D. FC connectivity between the HUS and the File Module plus the Hitachi BOS N software bundle

**Correct Answer:** A

**QUESTION 9**

A customer wants to migrate data between two Hitachi Unified Storage systems using TrueCopy. What are two requirements? (Choose two.)

- A. The DM-LU must be greater than 10GB.
- B. There must be FC connectivity between the arrays.
- C. The P-Vol and S-Vol size must be equal.
- D. A Command Device must be created.

**Correct Answer:** AC

**QUESTION 10**

What are three characteristics of the Hitachi Unified Storage systems active/active controller design? (Choose three.)

- A. SNM2 GUI is used to turn on active/active controller processing.
- B. Workload is automatically balanced between controllers.
- C. When creating a LUN the default controller must be selected.
- D. The processor of Ctrl0 can access the Fibre Channel (FC) ports of Ctrl1.
- E. Non disruptive firmware upgrade is possible even if a host is connected by only one path.

**Correct Answer:** BDE

**QUESTION 11**

A customer has a Hitachi Unified Storage (HUS) system model 110 configured with iSCSI I/O interface boards. They now want to connect it to a FC-SAN and have purchased the FC-Option upgrade to do so. Which two tasks must be performed on the HUS system? (Choose two.)

- A. Set the HUS FC port topology as Fabric.
- B. Set the HUS FC port topology as Point-to-Point.
- C. Install and enable the FC-Option on the HUS.
- D. Install and enable the FC Expansion Board.

**Correct Answer:** BC

**QUESTION 12**

A Hitachi Unified Storage system is connected to a Solaris server. If you want to optimize performance for the host I/Os, how do you determine the appropriate queue depth value?

- A. Set queue depth to 1.
- B. Use the operating system default value.
- C. The value is set according to the results of the initial SCSI inquiry.
- D. Using the Host installation guide for Fibre Channel.

**Correct Answer:** D

**QUESTION 13**

When implementing host access security for a LUN in a Hitachi Unified Storage system, to what is the host WWN applied?

- A. Host Group
- B. Storage Group
- C. Domain Group
- D. Link Group

**Correct Answer:** A

**QUESTION 14**

What are two effects of persistent binding? (Choose two.)

- A. Persistent binding can speed up path failover.
- B. Persistent binding guarantees Command Device security.
- C. Persistent binding can speed up the server boot process.
- D. Persistent binding guarantees that target assignments are preserved between reboots.

**Correct Answer:** CD

**QUESTION 15**

Which two operations can be performed with the Web utility on a Hitachi Unified Storage system? (Choose two.)

- A. Take a simple trace.
- B. Install license keys.
- C. Perform an online microcode update.
- D. Perform an offline microcode update.

**Correct Answer:** AD

**QUESTION 16**

A customer wants to start using ShadowImage on several of their existing Hitachi Unified Storage systems. They would like a solution to centrally configure their Point-in-Time copies. Which product would

you recommend?

- A. Hitachi Dynamic Replicator
- B. Hitachi Universal Replicator
- C. Business Continuity Manager
- D. Hitachi Replication Manager

**Correct Answer:** D

**QUESTION 17**

What are two ways to register a new Hitachi Unified Storage system with Storage Navigator Modular 2? (Choose two.)

- A. SNM2 can scan a range of IP addresses.
- B. SNM2 can import a .CSV file containing IP addresses.
- C. The controller IP addresses can be entered into SNM2.
- D. SNM2 automatically detects connected arrays using UDP broadcasts.

**Correct Answer:** AC

**QUESTION 18**

You have been asked to allocate storage from a Hitachi Unified Storage system to a cluster of AIX hosts. The application owner wants you to make sure that the queue depth is set to 16 for all the LUNs. Where do you define the queue depth?

- A. on each LUN
- B. on the server HBAs
- C. on the WWNN Target Ports
- D. on the WWPN Target Ports

**Correct Answer:** A

**QUESTION 19**

A customer will be implementing a Hitachi Unified Storage File Module two-node NAS cluster with one SMU. How many power connections are necessary?

- A. 3
- B. 4
- C. 5
- D. 6

**Correct Answer:** C

**QUESTION 20**

How should the Hitachi Unified Storage systems dual power supplies be connected?

- A. by FS6 circuits breakers
- B. only one should be connected, the other being standby
- C. by adjacent sockets on a single power distribution unit
- D. by two independent and appropriately rated power distribution units

**Correct Answer:** D

**QUESTION 21**

What is a key characteristic of the Modular Volume Migration feature on a Hitachi Unified Storage (HUS) system?

- A. It migrates volumes between HUS systems.

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.