

**Exam** : **HP0-606**

**Title** : Data Protector Basics for  
Windows

**Version** : Demo

1 .Which information does the Catalog Database (CDB) store?

- A. file version information
- B. backup and restore sessions
- C. configured devices and media pools
- D. the number of sessions performed for a given time

Answer: B

2 .Once the Manager-of-Manager has been configured, Data Protector cells can be added with the function.

- A. install
- B. import
- C. add cells
- D. configure

Answer: B

3 .The default installation of Data Protector includes an automatic database purge that runs every day at .

- A. 12.00
- B. 15.00
- C. 22.00
- D. 00.00

Answer: A

4 .To use he same device with different media pools several must be created.

- A. media agents
- B. media specifications C.  
backup specifications D.  
media rotation policies

Answer: C

5 .The Data Protector user account and its service MUST have permission to access the remote computer and permission on the Disk Agent client.

A. IP B.

Inet C.

Ipnet

D. Destination

Answer: B

6 .The System Recovery Dat afile is automatically written two times. It is written once when backing up and another time when backing up

A. the filesystem. individual files

B. replacement files. directory trees

C. a CRITICAL object; Data Protector internal database

D. the CONFIGURATION object; the Data Protector internal database

Answer: D

7 .What lets logical volumes be mounted as disk drives?

A. domain ports

B. aparse points

C. eeparse points

D. object connect

Answer: C

8 .Media can only be exported if the protection of the sessions has expired or a has been performed.

A. verify

B. recycle

C. re-scan

D. reinitialize

Answer: B

9 .What are the three key qualifiers Data Protector uses to identify filesystem objects in the database?

A. device filenames and hostname

B. filenames mountpoint, and device

C. hostname mountpoint, and description

D. hostname device, and rawdisk sections

Answer: C

10 .What does Data Protector use for Inter-Process Communication (IPC)?

A. global

B. remote

C. port 5555

D. shared memory + pipe/socket

Answer: D

11 .The Data Protector encode object option used for encryption uses a simple algorithm implemented in a shared "C" program library.

A. XOR B.

XNOT C.

XORD D.

XNAND

Answer: A

12 .Which data flow pattern describes the way Data Protector handles a network datastream?

A. Disk-> Device

B. Disk -> Memory of Destination System -> Device

C. Disk -V Source Device -> Network -> Memory of Destination System -> Device

D. Disk -> Memory of Source System -> Network -> Memory of Destination System -> Device

Answer: D

13 .Which data flow pattern describes the way Data Protector handles local datastream?

A. Disk -> Device

B. Disk -> Memory -> Device

C. Disk -> Memory -> Network -> Device

D. Disk -> Memory -> Destination Device

Answer: B

14 .What feature of Data Protector dynamically determines which object (disk) should be backed up to which device?

A. disk image

B. compression

C. load balancing

D. object distribution

Answer: C

15 .Data Protector security is based on .

A. cells

B. clients C.

devices D.

sessions

Answer: A

16 .What are the two main purposes for a media pool?

A. media condition and usage

- B. logical organization and policies
- C. physical description and location
- D. to keep track of full backups and incremental backups

Answer: B

17 .When backing up over a SAN Data Protector can be configured with a SCSI Library so that each client system has its' own access to library robotics and drives. This is called .

- A. device sharing
- B. SAN library access
- C. direct library access
- D. multi-drive library sharing

Answer: C

18 .Which type of media management service facilitates communication among applications, robotic changers and media libraries for NT systems?

- A. Recovery Manager
- B. Remote Control
- C. Removable Storage Manager
- D. Session Manager Binary Files

Answer: C

19 .Which function allows checking to see if the Data Protector data on a specified medium is readable?

- A. verify
- B. modify
- C. specify
- D. reinitialize

Answer: A

20 .What is the default for that Data Protector uses on all clients for communication?

A. 5050

B. 5057

C. 5555

D. 5557

Answer: C

21 .All catalog information of data written to media is stored in specific if appropriate logging option is selected.

A. Detail Catalog (DC)

B. Backup Control System (BCS)

C. Detail Catalog Binary Files (DCBF)

D. Media Management Database (MMDB)

Answer: C

22 .What are the three main media management PROTECTION features?

A. labeling, duplication and condition monitoring

B. media pool media usage and property specifications

C. on-line catalog media organization, and location tracking D.

logical organization of media, pools and allocation policies

Answer: A

23 .What are the three main media management library features?

A. labeling, duplication, and condition monitoring

B. media pool media usage, and property specifications

C. on-line catalog media organization and location tracking D.

logical organization of media pools and allocation policies

Answer: C

24 .The Data Protector database on the Windows Cell Manager stores information on about file names.

- A. 100 million
- B. 200 million
- C. 450 million
- D. 700 million

Answer: C

25 .The Media Management Database (MMDB) and Catalog Database (CDB) parts are implemented using an embedded database consisting of tablespaces. All the changes to the MMDB and CDB are updated using .

- A. binary files
- B. direct access
- C. transaction logs
- D. session messages

Answer: C

26 .What determines the amount of detail on files and directories written to the Data Protector database?

- A. disk quota
- B. logging level
- C. load balancing
- D. information store

Answer: B

27 .What tracks the elapsed times of key operations and registers this data collection as well as volume data within Data Protector?

- A. Cost Recovery
- B. Service Monitoring
- C. HP Open View Operations

D. Application Response Measurement (ARM)

Answer: D

28 .What service runs on each Windows system in the Data Protector cell and is responsible for communication between the systems in the cell?

A. Omnilnet

B. Cell Request Server (CRS)

C. Raima Database Server (RDS)

D. Media Management Daemon (MMD)

Answer: A

29 .What process/service runs on the Data Protector cell manager. It starts and controls backup and restore sessions.

A. Omnilnet

B. Cell Request Server CRS)

C. Raima Database Server (RDS)

D. Media Management Daemon (MMD)

Answer: B

30 .On HP Disk Arrays only - a local mirror, where both disks are in he same array Data Protector integration uses

A. Control Unit

B. Business Copy

C. Continuous Access

D. Logical Volume Manager

Answer: B

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.