



LX0-103 Q&As

CompTIA Linux+ Powered by LPI 1





Pass CompTIA LX0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<http://www.CertBus.com/LX0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published
by CompTIA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **80000+** Satisfied Customers



Vendor: CompTIA

Exam Code: LX0-103

Exam Name: CompTIA Linux+ Powered by LPI 1

Q&As: Demo

QUESTION 1

Which SysV init configuration file should be modified to disable the ctrl-alt-delete key combination?

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

Correct Answer: C

QUESTION 2

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Correct Answer: A

QUESTION 3

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 0
- B. 1
- C. 3
- D. 5
- E. 6

Correct Answer: AE

QUESTION 4

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Correct Answer: C

QUESTION 5

What of the following statements are true regarding /dev/ when using udev? (Choose TWO correct answers.)

- A. Entries for all possible devices get created on boot even if those devices are not connected.
- B. Additional rules for udev can be created by adding them to /etc/udev/rules.d/.
- C. When using udev, it is not possible to create block or character devices in /dev/ using mknod.
- D. The /dev/ directory is a filesystem of type tmpfs and is mounted by udev during system startup.
- E. The content of /dev/ is stored in /etc/udev/dev and is restored during system startup.

Correct Answer: BD

QUESTION 6

Which of the following information is stored within the BIOS? (Choose TWO correct answers.)

- A. Boot device order
- B. Linux kernel version
- C. Timezone
- D. Hardware configuration
- E. The system's hostname

Correct Answer: AD

QUESTION 7

Which of the following commands reboots the system when using SysV init? (Choose TWO correct answers.)

- A. shutdown -r now
- B. shutdown -r "rebooting"
- C. telinit 6
- D. telinit 0
- E. shutdown -k now "rebooting"

Correct Answer: AC

QUESTION 8

Which of the following are init systems used within Linux systems? (Choose THREE correct answers.)

- A. startd
- B. systemd
- C. Upstart
- D. SysInit
- E. SysV init

Correct Answer: BCE

QUESTION 9

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

Correct Answer: ABD

QUESTION 10

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks? (Choose TWO correct answers.)

- A. shutdown -R 1 now
- B. shutdown -single now
- C. init 1
- D. telinit 1
- E. runlevel 1

Correct Answer: CD

QUESTION 11

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Correct Answer: B

QUESTION 12

Which of the following commands will write a message to the terminals of all logged in users?

- A. bcast
- B. mesg
- C. print
- D. wall
- E. yell

Correct Answer: D

QUESTION 13

Which of the following kernel parameters instructs the kernel to suppress most boot messages?

- A. silent
- B. verbose=0
- C. nomsg
- D. quiet

Correct Answer: D

QUESTION 14

Which of the following options for the kernel's command line changes the systemd boot target to rescue.target instead of the default target?

- A. systemd.target=rescue.target
- B. systemd.runlevel=rescue.target
- C. systemd.service=rescue.target
- D. systemd.default=rescue.target
- E. systemd.unit=rescue.target

Correct Answer: E

QUESTION 15

After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

- A. kill -HUP \$(pidof grub)
- B. grub-install
- C. grub
- D. No action is required

Correct Answer: D

QUESTION 16

What is the name of the main configuration file for GNU GRUB? (Specify the file name only without any path.)

Correct Answer: menu.lst, grub.conf, grub.cfg

QUESTION 17

Which option to the yum command will update the entire system? (Specify ONLY the option name without any additional parameters.)

Correct Answer: update, upgrade

QUESTION 18

Which command will disable swapping on a device? (Specify ONLY the command without any path or parameters.)

Correct Answer: swapoff, /sbin/swapoff

QUESTION 19

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

Correct Answer: dpkg-reconfigure

QUESTION 20

Which signal is missing from the following command that is commonly used to instruct a daemon to reinitialize itself, including reading configuration files?
killall -s _____ daemon

Correct Answer: HUP, SIGHUP, 1

QUESTION 21

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

Correct Answer: jobs

QUESTION 22

Which Bash environment variable defines in which file the user history is stored when exiting a Bash process? (Specify ONLY the variable name.)

Correct Answer: HISTFILE

QUESTION 23

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

Correct Answer: mkdir, /usr/bin/mkdir

QUESTION 24

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

Correct Answer: quotacheck

QUESTION 25

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

Correct Answer: 0077, 077

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2017, All Rights Reserved.