

100% Money Back
Guarantee

Vendor: McAfee

Exam Code: MA0-101

Exam Name: McAfee Certified Product Specialist - NSP

Version: Demo

QUESTION 1

Which port needs to be opened for Alert Channel communication between Sensor and Manager through a firewall?

- A. 8501
- B. 8502
- C. 8503
- D. 8555

Correct Answer: B

QUESTION 2

Setting a threshold to allow an IPS to react when traffic volume exceeds the set limit is an example of what type of detection method?

- A. Signature based
- B. Pattern matching
- C. Denial of Service
- D. Remediation

Correct Answer: C

QUESTION 3

Performance debugging mode can be enabled on a sensor for a specified time duration by issuing which of the following CLI commands?

- A. sensor perf-debug 100
- B. sensor perf-debug on 100
- C. sensor perf-debug Interface all 100
- D. sensor perf-debug assert 100

Correct Answer: A

QUESTION 4

What type of encryption is used for file transfers between the Sensor and the Manager?

- A. SSL with RC4
- B. SSL with MD5
- C. SSL with RC4 and MD5
- D. DES

Correct Answer: D

QUESTION 5

When placed in Layer3 mode, a Sensor detects a Layer2 device based on which of the following?

- A. MAC address
- B. IP address
- C. DNS
- D. Subnet

Correct Answer: B

QUESTION 6

What is the CLI command that enables the output of the MAC/IP address mapping table to the sensor debug files?

- A. arp spoof status
- B. arp spoof enable
- C. arp dump
- D. arp flush

Correct Answer: C

QUESTION 7

DoS detection is implemented in which of the following modes? (Choose two)

- A. Learning mode
- B. Configuration mode
- C. Threshold mode
- D. Bidirectional mode
- E. Inbound mode

Correct Answer: AC

QUESTION 8

Which port needs to be opened for Packet Log Channel communication between Sensor and Manager through a firewall?

- A. 8501
- B. 8502
- C. 8503
- D. 8555

Correct Answer: C

QUESTION 9

Which port is correctly defined for the Alert Channel on the Network Security Manager?

- A. 8500
- B. 8501
- C. 8502
- D. 8504

Correct Answer: C

QUESTION 10

In double VLAN tagging, a second VLAN tag that is inserted into the frame is referred to as which of the following?

- A. Customer Identification tag (CD)
- B. VLAN Identification tag (VID)
- C. Outer Identification tag (OID)
- D. Inner Identification tag (HD)

Correct Answer: A

QUESTION 11

Which of the following information is unique to Host Intrusion Prevention alerts? (Choose three)

- A. Destination IP
- B. User
- C. Source IP

- D. Agent IP
- E. Agent name

Correct Answer: BDE

QUESTION 12

Which mode is used when certain hosts are located on the same network as a sensor and other hosts enter through a router or VPN?

- A. Mixed
- B. Hybrid
- C. Enforcement
- D. Prevention

Correct Answer: A

QUESTION 13

Which mode needs to be set to redirect an unmanaged system to the guest portal?

- A. Audit
- B. Simulation
- C. Enforcement
- D. Prevention

Correct Answer: C

QUESTION 14

Which attack cannot be blocked when the sensor has been set for in-line mode?

- A. TCP Control Anomaly
- B. ICMP Echo Anomaly
- C. Too Many Inbound Syn
- D. SCADA Attacks

Correct Answer: A

QUESTION 15

Which database is supported for Network Security Manager?

- A. MSSQL
- B. Oracle
- C. MySQL
- D. Sybase

Correct Answer: C

QUESTION 16

Which of the following is the correct extension for a Sensor image imported into the Manager?

- A. ext
- B. .opt
- C. jar
- D. .mfe

Correct Answer: C

QUESTION 17

Which CLI command is used to copy sensor SSL certificates from external flash when replacing a failed sensor?

- A. Exportsensorcerts
- B. Importsensorcerts
- C. Exportcerts
- D. Importcerts

Correct Answer: B

QUESTION 18

Which of the following deployment modes is not included in standard NAC?

- A. System Health based NAC
- B. DHCP based NAC
- C. L2 based NAC
- D. L3 based NAC

Correct Answer: B

QUESTION 19

The Network Security Manager provides the following built-in Network Access Zones. (Choose three)

- A. Allow DNS Access
- B. Allow Full Access
- C. Public Network Only
- D. Allow DHCP Access
- E. Allow Intranet Access

Correct Answer: ABC

QUESTION 20

A sensor will redirect the host to which of the following when McAfee NAC reports the Host status as "unmanaged with an Unknown Health Level"?

- A. Guest Client Portal
- B. NAC Client Portal
- C. Sensor Client Portal
- D. DNS Server Portal

Correct Answer: A

QUESTION 21

If the Health level of a Host cannot be determined, McAfee NAC assigns which of the following System Health levels to that Host?

- A. Fair
- B. Poor
- C. Serious
- D. Unknown

Correct Answer: D

QUESTION 22

Reconnaissance Policies can be applied to which of the following sensor nodes?

- A. Sensor name node only

- B. Sensor interface node only
- C. Sensor sub-interface node only
- D. Sensor name, interface and sub-interface node

Correct Answer: A

QUESTION 23

Which command is used to manually download signature tiles from the tftpserver when connectivity to the Manager is not available?

- A. Loadimage WORD
- B. Loadconfig WORD
- C. Loadconfiguration WORD
- D. Loadsigset WORD

Correct Answer: C

QUESTION 24

When the buffer on the alert cache has been filled, what happens to current incoming alerts?

- A. Incoming alerts are added to the cache and the oldest alerts are dropped
- B. Incoming alerts are not added to the cache and are dropped
- C. Incoming alerts are held in queue until cache space is cleared
- D. Incoming alerts are added to the database directly

Correct Answer: A

QUESTION 25

Which policy is assigned to a child domain by default?

- A. The default IDS policy
- B. The default IPS policy
- C. No default policy
- D. The policy of the parent domain

Correct Answer: D

QUESTION 26

Which of the following modes can be used to implement DoS detection? (Choose two)

- A. Learning Mode
- B. Threshold Mode
- C. Configuration Mode
- D. Adaptive Mode
- E. Transition Mode

Correct Answer: AB

QUESTION 27

Which of the following methods are available for upgrading a Sensor image?

- A. TFTP and/or through the Manager
- B. PUTTY and/or through the Manager
- C. Console connection and/or through the Manager
- D. TFTP, console connection and/or through the Manager

Correct Answer: A

QUESTION 28

Which of the following deployment modes receives a copy of the packet from a mirrored switch port?

- A. Redundant
- B. SPAN
- C. TAP
- D. In-line

Correct Answer: B

QUESTION 29

Which of the following are the different operational modes of System Health based NAC? (Choose three)

- A. Audit
- B. Simulation
- C. Enforcement
- D. Prevention
- E. Quarantine

Correct Answer: ABC

QUESTION 30

Which of the following are considered part of the Operational mode of System Health-based NAC? (Choose three)

- A. Audit
- B. IPS
- C. TAP
- D. Simulation
- E. Enforcement
- F. SPAN

Correct Answer: ADE

QUESTION 31

Policies can be configured to drop packets when which of the following has been defined?

- A. The policy has been enabled
- B. The underlying rule set permits dropped packets
- C. The sensor is deployed in Inline mode
- D. The policy has been cloned

Correct Answer: C

QUESTION 32

Setting a threshold on a sensor to react if traffic volume exceeds the threshold limit is an example of what specific detection method?

- A. Signature based
- B. DHCP based
- C. Pattern matching
- D. Denial of Service (DoS)

Correct Answer: D

QUESTION 33

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.