

**Vendor:** Pegasystems

**Exam Code:** PEGACBA001

**Exam Name:** PRPC v6.1 Certified Business Architect  
Written Exam

**Version:** Demo

**QUESTION: 1**

Which of the following phases are defined in the Pegasystems Implementation Methodology? (Choose two.)

- A. Development
- B. Inception
- C. Elaboration-Construction
- D. Requirement

**Answer:** B, C

**QUESTION: 2**

Select two statements that are true of Atomic Use Cases? (Choose two.)

- A. They are defined for each work type and are small and granular
- B. They are owned by multiple actors
- C. They change ownership-during processing
- D. They correspond to flow actions, flows, screen flows, harnesses, or activities

**Answer:** A, D

**QUESTION: 3**

Which two statements are true about work covers and covered work objects? (Choose three.)

- A. A covered work object can belong to many work folders
- B. Work covers can be nested within other work objects
- C. Work covers can become a parent to one or more related work objects
- D. Work covers can be resolved automatically when all covered work objects belonging to that cover are resolved

**Answer:** A, C, D

**QUESTION: 4**

Which of the following stages are defined in the Pegasystems Implementation Methodology? (Choose two.)

- A. Development
- B. Inception
- C. Elaboration-Construction
- D. Requirements Gathering

**Answer:** C, D

**QUESTION: 5**

Which of the following statements is true regarding folders? (Choose two.)

- A. Folders offer coordinated processing
- B. A work object may be the parent of a Folder
- C. When a folder is opened, a clipboard page named pyWorkFolder is created
- D. Folders inherit from Work-Folder- class

**Answer:** A, D

**QUESTION: 6**

How is Case Management defined in PRPC?

- A. A work object reporting tool accessible through the manager portal
- B. A category of reports which perform Business Activity Monitoring within PRPC
- C. The different ways work can be organized within PRPC to support different types of work object processing
- D. A menu item under the Tools menu which reports on selected criteria for work objects

**Answer:** C

**QUESTION: 7**

Which of the following flow shapes are valid alternatives to implementing cover processing? (Choose two.)

- A. Split-Join
- B. Split-ForEach
- C. Assignment
- D. Ticket

**Answer:** A, B

**QUESTION: 8**

PRPC best practices dictate that when the number of covered objects under a work cover exceeds a certain number, a folder should be considered to manage this collection. What is the number?

- A. 5
- B. 10
- C. 20
- D. 50

**Answer:** C

**QUESTION: 9**

Which types of relationships can a work cover and its covered items have? (Choose two.)

- A. One-to-One
- B. One-to-Many
- C. Many-to-One
- D. Many-to-Many

**Answer:** A, B

**QUESTION: 10**

Split-Join shapes are used to split a single work object into multiple work objects and execute parallel flows on each new work object.

- A. True
- B. False

**Answer:** B

**QUESTION: 11**

Application guardrails recommend that developers \_\_\_\_\_. (Choose three.)

- A. Create Java steps in Activities
- B. Adopt an interactive approach
- C. Calculate and edit procedurally
- D. Design intent-driven processes
- E. Build for Change(r)

**Answer:** B, D, E

**QUESTION: 12**

Embedded pages cannot be nested in other embedded pages.

- A. True
- B. False

**Answer:** B

**QUESTION: 13**

A local list is defined for a property. Which HTML property rule is used to create a selection list for this property.

- A. PromptFieldValueLocalized
- B. GetLocalizedValue
- C. PromptSelect
- D. SmartPrompt

**Answer:** C

**QUESTION: 14**


Which property mode may use a non-numeric subscript?

- A. Java Object
- B. Single Value
- C. Page Group
- D. Page List

**Answer:** C

**QUESTION: 15**

Review the following clipboard page.




If pyWorkPage is considered the primary page of an activity, what is the best practice way to identify the property reference to ClaimAmount in the PastClaims page?

- A. PastClaims.ClaimAmount(1)
- B. .PastClaims(1).ClaimAmount
- C. pyWorkPage.PastClaims(1).ClaimAmount
- D. .ClaimAmount

**Answer:** B

**QUESTION: 16**

Review the following screen shot:



In the Miscellaneous Items section, the user can enter several items (name/value pairs). Which type of property is used to display the list of items?

- A. Page
- B. Page List
- C. Single Value
- D. Value List

**Answer:** B

**QUESTION: 17**

Which of the following statements must be true when defining classes from which data pages are created?

- A. The class must derive from the Data- class
- B. The class cannot belong to a RuleSet that also contains work classes
- C. The class must be abstract
- D. The class must contain a single value property that defines a unique key

**Answer:** A

**QUESTION: 18**

Which two of the following statements are correct regarding the use of the Quick Create option when adding a new property? (Choose two.)

- A. It can be used to create Page and Page List properties as well as Single Value properties
- B. The Property cannot be subsequently updated
- C. The Property type must be chosen when completing the New Property window
- D. After clicking Quick Create, the Property form does not appear

**Answer:** C, D

**QUESTION: 19**

Which of the following tools can be used to create one or more properties with a common Applies To class?

- A. Application Explorer
- B. Define Property Wizard
- C. PAL
- D. Class Explorer

**Answer:** B

**QUESTION:** 20

Page List properties typically reference a class derived — directly or indirectly — from which superclass?

- A. Data-
- B. Work-
- C. Embed-
- D. Index-

**Answer:** A

**QUESTION:** 21

Why do Pegasystems best practices suggest limiting flow rules to 15 SmartShapes? (Excluding Connectors, Notify, Comment, Pool, Swimlane, and Router shapes)

- A. Flows with more than 15 shapes cannot be printed
- B. More than 15 SmartShapes in one flow rule may result in performance issues
- C. In order to improve readability, maintainability, and ease in traceability when debugging the application processes
- D. Flows with more than 15 SmartShapes cannot be updated

**Answer:** C

**QUESTION:** 22

Validate rules may be specified in which one of the following rule types to validate the properties displayed on the user interface?

- A. Flow Action
- B. Section
- C. Harness



D. Flow

**Answer:** A

**QUESTION:** 23

Which standard harness rule is used to display the Take Action options available to the user responsible for processing the work object assignment?

- A. Review
- B. Perform
- C. Confirm
- D. Reopen

**Answer:** B

**QUESTION:** 24

When a section is updated, all Harness rules using that Section rule must be opened and saved.

- A. True
- B. False

**Answer:** B

**QUESTION:** 25

A Property has been added into a Section rule. The input box for that Property should only be displayed when a clipboard Property is set to a particular value. On the Conditions tab of the Cell Properties panel, how should the Visible field be set?

- A. If Not Blank
- B. If Not Zero
- C. Other Condition (referencing a Decision Tree rule)
- D. Other Condition (referencing a When Condition rule)
- E. Always

**Answer:** D

**QUESTION: 26**

When following PRPC best practices, which artifact is completed prior to running the Application Accelerator?

- A. Enterprise Data Model
- B. Application Profile
- C. Class Structure Diagram
- D. User Interface Design Review

**Answer: B**

**QUESTION: 27**

Which standard Harness rule is displayed as read-only and does not allow user input?

- A. Review
- B. New
- C. Perform
- D. Reopen

**Answer: A**

**QUESTION: 28**

Which two statements are true about Harnesses and Sections? (Choose two.)

- A. Each Harness contains the same three standard Section rules
- B. Sections may contain multiple Harnesses
- C. Harnesses and the sections they contain do not need to be built in the same class
- D. Harnesses may contain multiple Sections

**Answer: C, D**

**QUESTION: 29**

Which of the following standard presentation formats are available for screen flow screens? (Choose three.)

- A. Screen with breadcrumb controls at the bottom
- B. An interactive flow diagram with linked assignments
- C. Tabbed screen display
- D. Tree Navigation

**Answer:** A, C, D

**QUESTION:** 30

Buttons can be configured on Harnesses that run custom Activities.

- A. True
- B. False

**Answer:** A

**QUESTION:** 31

A Section rule can be embedded in another Section rule.

- A. True
- B. False

**Answer:** A

**QUESTION:** 32

Which of the following standard harness rules is typically referenced in the Process tab of the Flow rule?

- A. Review
- B. New
- C. Perform
- D. Reopen

**Answer:** B

**QUESTION:** 33

Which of the following standard Section rules is contained in the New and Perform harnesses and displays general work object fields?

- A. Core
- B. CoreSummary
- C. GeneralSummary
- D. GeneralHeader

**Answer:** B

**QUESTION:** 34

A Local Action can be presented in a pop-up modal window.

- A. True
- B. False

**Answer:** A

**QUESTION:** 35

When using the Application Document wizard, \_\_\_\_\_.

- A. The default Pega template must be used to preserve compliance
- B. The default Pega template can be customized in Word
- C. There is no Word template; the document is auto-created in PRPC
- D. The default Pega template is divided into customizable and non-customizable sections

**Answer:** B

**QUESTION:** 36

Two or more comparisons can be placed into a single row in a Decision Table rule using multiple "OR" conditions.

- A. True
- B. False

**Answer:** A

**QUESTION:** 37

Decision Table rules can be edited in Excel.

- A. True
- B. False

**Answer:** A

**QUESTION:** 38

Which of the following rule types can be used to evaluate multiple property values and, as a result, return a text value defined in the rule?

- A. Decision Tree
- B. Constraints
- C. When Condition
- D. Validate

**Answer:** A

**QUESTION:** 39

What does "Build For Change(r)" mean?

- A. Build applications without change control, in order to complete projects more quickly
- B. Launch applications as soon as possible so that performance testing can be done in Production
- C. Build applications that are more easily adaptable due to inevitable business change
- D. Business architects initially build PRPC applications and system architects subsequently change them

**Answer:** C

**QUESTION:** 40

Which three decision rules can be referenced from a decision shape in a business process flow? (Choose three.)

- A. Decision Tree
- B. Map Value
- C. When Condition
- D. Choose
- E. Decision Table

**Answer:** A, B, E

**QUESTION:** 41

A requirement specification states that if a test score is between 91 and 100, assign the grade A; 81 - 90, assign a B; 71 - 90, assign a C. Which two rule types are appropriate for this requirement? (Choose two.)

- A. Decision Table
- B. Decision Tree
- C. Boolean Return
- D. When Condition

**Answer:** A, B

**QUESTION:** 42

Which statement is true about Fork and Decision SmartShapes?

- A. Decision and Fork shapes are interchangeable
- B. Decision and Fork shapes always require an Else connector to be connected to them
- C. Fork shapes reference a decision rule or a Boolean expression; Decision shapes do not
- D. Decision shapes reference a decision rule or a Boolean expression; Fork shapes do not

**Answer:** D

**QUESTION:** 43

What happens if none of the rows in a Decision Table evaluate to True?

- A. The table does not return a result value
- B. The table's next-highest ancestor is evaluated
- C. The table returns a default 'otherwise' value
- D. The system cycles through the table again to check for errors

**Answer:** C

**QUESTION:** 44

Review the following Decision Table.

	Credit Score	Outstanding Balance	Return
<b>if</b>	>900		ApproveLevel3
<b>else if</b>	>750	<1000	ApproveLevel2
<b>else if</b>	>500	<2500	ApproveLevel1
<b>OTHERWISE</b>			
	Return	Reject	

If the credit score is 600 and the outstanding balance is 3000, which value will be returned?

- A. ApproveLevel2
- B. ApproveLevel1
- C. Reject
- D. No value

**Answer:** C

**QUESTION:** 45

A Decision Tree is created and possible return types are listed in the Allowed Results area of the Results tab. When a decision SmartShape is used to reference the Decision Tree in a process flow, status connectors are generated automatically corresponding to the Allowed Results.

- A. True

B. False

**Answer:** A

**QUESTION:** 46

Which Decision Rule type is best used to display nested "if" statements?

- A. Map Value
- B. When Condition
- C. Decision Table
- D. Decision Tree

**Answer:** D

**QUESTION:** 47

A decision needs to be made about whether to issue a health insurance policy based upon the following properties: Age, Gender, Smoker, Alcohol Use, and Pre-existing Conditions. Each property is evaluated for each of ten conditions. Which Decision rule type is best to use?

- A. When Condition
- B. Map Value
- C. Decision Tree
- D. Decision Table

**Answer:** D

**QUESTION:** 48

Specify three rule types in which When Condition rules can be used? (Choose three.)

- A. Class
- B. Correspondence
- C. Flow Action
- D. Activity
- E. RuleSet Name