

100% Money Back
Guarantee

Vendor: VMware

Exam Code: VCPD610

Exam Name: VMware Certified Professional - Desktop

Version: Demo

QUESTION 1

An administrator needs to set up an environment that will allow administrators to access virtual desktops as needed and reset the desktop state when users logoff. Additionally, administrators need to be able to manage physical desktops from one interface.

Which component should the administrator use to meet the requirements?

- A. View
- B. Mirage
- C. ThinApp
- D. Desktop

Correct Answer: A

QUESTION 2

An administrator needs to provide access to applications for users regardless of whether the users have network access.

Which two VMware components should the administrator choose? (Choose two.)

- A. VMware Workspace
- B. VMware ThinApp
- C. VMware Horizon View
- D. VMware Mirage

Correct Answer: BD

QUESTION 3

While backing up users' data, an administrator needs to ensure that users of physical desktops are using the corporate image and application choices.

Which VMware component should the administrator choose to meet the requirements?

- A. VMware Horizon View
- B. VMware Workspace
- C. VMware ThinApp
- D. VMware Mirage

Correct Answer: D

QUESTION 4

What two prerequisites must be met before View Composer can be installed? (Choose two.)

- A. No other application on the View Composer server should use Windows SSLv2 libraries.
- B. A domain user account with Administrator privileges on the system must be used.
- C. No other application on the View Composer server should use OpenSSLv2 libraries.
- D. A local user account with Administrator privileges on the system must be used.

Correct Answer: AB

QUESTION 5

An administrator needs to install View Composer. The current environment uses a vCenter Server appliance and four ESXi hosts.

Which two steps should the administrator take to complete the installation? (Choose two.)

- A. Log in using a domain user account with local Administrator privileges.

- B. Install the View Composer server on the vCenter server.
- C. Log in using Administrator@vsphere.local.
- D. Install the View Composer server on a standalone Windows server.

Correct Answer: AD

QUESTION 6

Which prerequisite must an administrator verify before installing a View Connection server?

- A. Internet Information Services (IIS)
- B. Dynamic IP address
- C. Apache Web Server
- D. Static IP address

Correct Answer: D

QUESTION 7

Which server is the source for Active Directory Lightweight Directory Service (AD LDS) information during the installation of a Replica Server?

- A. Security server
- B. Connection server
- C. vCenter Server
- D. Domain Controller

Correct Answer: B

QUESTION 8

An administrator is installing View Connection server and stops at the Authorize a View Administrators account step.

Which user or group is the default suggestion at this stage?

- A. The Domain Admins group
- B. The local user performing the install
- C. The local Administrators group
- D. The domain user performing the install

Correct Answer: D

QUESTION 9

An administrator needs to install a View security server without establishing a tunneled connection to a View Connection Server.

Which step should be taken in the View Administrator console to accomplish this?

- A. Deselect the Use IPsec for Security Server Connections check box
- B. Select the Use IPsec for Security Server Connections check box
- C. Deselect the Disable Tunnel for Security Server Connections check box
- D. Select the Disable Tunnel for Security Server Connections check box

Correct Answer: A

QUESTION 10

What must an administrator remove to prepare for a View security server upgrade?

- A. The Firewall rules
- B. The IPsec rules

- C. The Connection Server from the View environment
- D. The security server from the View environment

Correct Answer: B

QUESTION 11

An administrator is managing a recent implementation of Windows Server 2008 R2 Remote Desktop Session Hosts (RDSH) that are being used for Horizon RDS desktop pools. Users report that the Aero styled theme is not present.

Which step must the administrator take to enable the Aero styled theme on the RDS hosts?

- A. Configure vDGA for the Remote Desktop Session Host (RDSH) virtual machine.
- B. Configure the GPO setting Force a specific visual style file or force Windows classic.
- C. Run the Windows Experience Index (WEI) on the Remote Desktop Session Host (RDSH).
- D. Upgrade the Remote Desktop Session Hosts (RDSH) to Windows Server 2012 R2.

Correct Answer: B

QUESTION 12

An administrator has installed View and needs to configure the PCoIP settings via a Group Policy Object (GPO).

What should the administrator do first?

- A. Create a GPO and apply the required policy settings.
- B. Add pcoip.adm to the Administrative Templates on a View Connection server.
- C. Link the GPO to the Organizational Unit (OU) that contains the virtual desktops.
- D. Add pcoip.adm to the Administrative Templates on an Active Directory server.

Correct Answer: D

QUESTION 13

An administrator needs to provide access to a View virtual desktop for users in Domain A and Domain

- A. How should the administrator configure the domains and the View implementation?
- B. Install a View Connection Server in a resource domain and create a one-way trust to both Domain A and Domain B.
- C. Install a View Connection Server in Domain A and create a one-way trust to Domain B.
- D. Install a View Connection Server in Domain A and create a two-way trust between Domain A and Domain B.
- E. Install a View Connection Server in a resource domain and create a two-way transitive trust between Domain A and Domain B.

Correct Answer: C

QUESTION 14

An administrator is granted access to a vCenter Server with a custom Active Directory user account. The user account should have the required permissions for full management of the View environment. However, when the administrator attempts to enable View Storage Accelerator, permission is denied.

Which View privilege within vCenter Server needs to be configured?

- A. Storage Views > View
- B. Global > Act as vCenter Server
- C. Host.Configuration > Advanced settings
- D. Virtual Machine.Configuration > Modify device settings

Correct Answer: B

QUESTION 15

A View administrator needs to ensure that an environment is ready to use Smart Cards. The cards use certificates generated by a third-party Certificate Authority (CA). The administrator has verified that each certificate contains a UPN.

What must the administrator do to complete the preparation of the environment?

- A. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities group policy in Active Directory.
- B. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities store on the View Connection server.
- C. Import the root and intermediate CA certificates into each user's Smart Card.
- D. Enable Smart Card Authentication in the authentication settings in View Administrator.

Correct Answer: A

QUESTION 16

A VMware administrator determines that a low priority virtual machine is negatively affecting the disk I/O performance of a higher priority virtual machine. The virtual machines are hosted on the same datastore presented to the same ESXi host.

Which configuration option should the VMware administrator use to resolve this issue?

- A. Increase the disk share value for the high priority VM.
- B. Migrate the low priority VM to another ESXi host.
- C. Create a Storage Profile for each priority level.
- D. Enable vSphere APIs for Array Integration (VAAI).

Correct Answer: A

QUESTION 17

A VMware administrator needs to simplify the placement of virtual machines. The administrator also needs to balance I/O load and space utilization automatically.

Which combination of features should the administrator use to achieve this?

- A. Create a Datastore Cluster and enable Storage DRS on the cluster
- B. Create a Datastore Cluster and enable Storage I/O Control on each datastore
- C. Enable Storage DRS and Storage I/O Control on each datastore
- D. Enable Storage I/O Control on each datastore and configure Storage vMotion

Correct Answer: A

QUESTION 18

When deploying two sibling resource pools (RP1 and RP2), an administrator needs to make all resources in RP1 available to virtual machines in RP2.

Which configuration should the administrator use to meet this requirement?

- A. Set the Reservation of RP2 to 0
- B. Set the Reservation of RP1 to 0
- C. Set the Limit of RP1 to Unlimited
- D. Set the Limit of RP2 to Unlimited

Correct Answer: B

QUESTION 19

An administrator needs to deploy multiple copies of a virtual machine. A snapshot was taken after development tools were installed to the VM. After the snapshot, a coding package was added to the system. The snapshot will be used as the baseline configuration for new VMs.

Which steps should the administrator take to deploy the new VMs?

- A. Select the snapshot and use Clone to Virtual Machine
- B. Select the virtual machine and use Clone to Template
- C. Select Revert to Latest Snapshot and use Clone to Virtual Machine
- D. Select the virtual machine and use Clone to Virtual Machine

Correct Answer: C

QUESTION 20

The bandwidth between two sites is too slow to transfer large virtual machine files. The administrator needs to export a virtual machine to OVF to reduce the size of the transfer. When the administrator attempts to initiate the Export OVF Template feature, the selection is grayed out.

What is the likely reason that the administrator is unable to select this option?

- A. The virtual machine is in a powered on state.
- B. There is not enough disk space on the destination for the OVF.
- C. The administrator's account does not have the correct privileges.
- D. The virtual machine is not compatible with the OVF format.

Correct Answer: A

QUESTION 21

An administrator needs to create and provision new virtual machines from a master image that can not be edited or powered on.

Which type of resource is most appropriate for the administrator to perform the task?

- A. Full Clone
- B. Linked Clone
- C. Template
- D. Snapshot

Correct Answer: C

QUESTION 22

An administrator needs to configure a Linux virtual machine template to support guest customization. The administrator has installed VMware Tools.

Which additional component is necessary to enable Linux guest OS customization?

- A. Perl
- B. Bash
- C. Python
- D. Sysprep

Correct Answer: A

QUESTION 23

A system administrator is deploying a Windows virtual machine from a template and needs the IP address to be customized automatically.

How should the administrator configure the IP address?

- A. Use the Microsoft Sysprep Tool.
- B. Specify the IP address using the Deploy Virtual Machine wizard.
- C. Use the VMware Quickprep Tool.
- D. Manually configure IP addresses after the deployment has completed.

Correct Answer: A

QUESTION 24

From which two sources can an OVF template be deployed using the vSphere Client? (Choose two.)

- A. a local file
- B. a local file on a VMFS datastore
- C. an HTTP URL
- D. an FTP URL

Correct Answer: AC

QUESTION 25

A system administrator is unable to clone a Windows 2008 server while connected directly to an ESXi host through the vSphere Client.

Which two methods can be used to complete this task? (Choose two.)

- A. Connect to vCenter Server and retry the operation.
- B. Use VMware Converter to perform the operation.
- C. Connect to the host using the Web Client and retry the operation.
- D. Use VMware Configuration Manager to perform the operation.

Correct Answer: AB

QUESTION 26

A vSphere administrator is unable to vMotion a virtual machine between two hosts. An error message indicates that the USB device is not accessible on the target host.

What is causing this issue?

- A. The USB device was not enabled for vMotion when it was added to the virtual machine.
- B. ESXi does not support vMotion with a USB device attached to the virtual machine.
- C. The VMkernel port for vMotion is not enabled for USB traffic.
- D. The virtual machine has the wrong USB controller installed.

Correct Answer: A

QUESTION 27

A vSphere administrator needs the ability to adjust the amount of guaranteed physical CPU and Memory resources to a virtual machine without incurring application downtime.

Which actions must the administrator perform?

- A. Enable CPU hotplug and Memory hotplug on the virtual machine.
- B. Adjust the number of CPUs and the Memory Configuration for the virtual machine.
- C. Adjust the CPU reservation slider and click the Reserve all Guest Memory checkbox.
- D. Adjust the CPU and Memory reservation sliders on the virtual machine.

Correct Answer: D

QUESTION 28

A system administrator has an application installed on a physical machine that is licensed to the MAC

address of the physical NIC. This system needs to be virtualized.

What two methods could an administrator use to ensure the license will function in the virtual machine? (Choose two.)

- A. Manually set the MAC address for the vNIC in the guest OS
- B. Install the NIC from the physical server into the ESXi host
- C. Manually set the MAC address for the vNIC using the Web Client
- D. Configure the physical server's MAC address in the virtual switch

Correct Answer: AC

QUESTION 29

An administrator removes a virtual machine from a resource pool and places it in the DRS root resource pool. Users report the performance of the application running on the virtual machine has improved. The virtual machine relocation was the only change that occurred.

What explains the change in application performance?

- A. The memory, storage, and/or CPU settings of the original resource pool restricted access to resources for the virtual machine.
- B. The configured memory, storage, and/or CPU shares on the root resource pool are higher than the original resource pool.
- C. The memory, storage, and/or CPU settings on the root resource pool restricted access to resources for the virtual machine
- D. The configured memory storage and/or CPU reservations on the root resource pool are higher than the original resource pool.

Correct Answer: A

QUESTION 30

A vSphere administrator needs to enable Distributed Resource Scheduling (DRS) in an existing vSphere environment.

Which procedure should the administrator perform to accomplish this task?

- A. Select the datacenter and create a DRS cluster. Add the six remaining hosts to this cluster, then enable DRS. Edit the DRS settings and change the automation level to Partial.
- B. Select the existing HA cluster. Add the six remaining hosts to the cluster. Enable DRS, then edit the settings and change the automation level to Manual.
- C. Select the datacenter and create a DRS cluster. Add the six remaining hosts to this cluster, then enable DRS. Edit the DRS settings and change the automation level to Manual.
- D. Select the existing HA cluster. Add the six remaining hosts to the cluster. Enable DRS, then edit the settings and change the automation level to Partial.

Correct Answer: D

QUESTION 31

An administrator must determine which Update Manager procedures can be performed using the vSphere Web Client, and which must be completed using the Windows vSphere client.

Which two tasks require the use of the Windows vSphere client? (Choose two.)

- A. Attach and detach baselines to inventory objects
- B. Scan inventory objects for compliance
- C. Create a baseline for an inventory object
- D. Stage a baseline for remediation

Correct Answer: CD

QUESTION 32

An administrator is attempting to use Update Manager to patch a cluster of ESXi 5.x hosts. The administrator needs to stage the patches for a scheduled update after hours. When verifying the hosts after the scheduled upgrade, the administrator determines that one of the hosts was not remediated and patches are not staged. The host is using PXE as its boot method.

What condition would cause this behavior?

- A. The host was rebooted prior to the scheduled remediation.
- B. Remediating PXE-booted hosts using Update Manager is unsupported.
- C. The user account used does NOT have the Remediate Hosts privilege.
- D. The RAMdisk on the host has insufficient capacity.

Correct Answer: A

QUESTION 33

While troubleshooting a crash event on an ESXi 5.x host, an administrator determines the log files related to the event are not present.

Which action should the administrator take to resolve the logging issue?

- A. Increase the amount of memory committed to log storage.
- B. Increase the statistic data collection level to 4.
- C. Change the roll-up type to maximum.
- D. Create a persistent scratch location.

Correct Answer: D

QUESTION 34

An ESXi 5.x host is unable to connect to a vCenter 5.x server.

Which commands should an administrator use to restart the management agents on the host?

- A. SSH to the host and execute the commands `- /etc/init.d/hostd restart` and `/etc/init.d/vpxa restart`
- B. SSH to the host and execute the commands `-/etc/init.d/vpxd restart` and `/etc/init.d/vpxa restart`
- C. SSH to the host and execute the commands `-/etc/init.d/vmware-hostd restart` and `/etc/init.d/vmware-vpxa restart`
- D. SSH to the host and execute the commands `-/etc/init.d/vmware-hostd restart` and `/etc/init.d/vpxd restart`

Correct Answer: A

QUESTION 35

A vSphere administrator determines that more metrics are available for viewing in the realtime view than are available in the daily view for a virtual machine.

What is the reason for this discrepancy in the number of available metrics?

- A. The daily view does not contain all of the metrics that the realtime view does.
- B. The default vCenter statistics level is being used.
- C. A vCenter statistics level of 4 is being used.
- D. The daily view presents a different selection of metrics by default than presented by the realtime view.

Correct Answer: B

QUESTION 36

An administrator needs to create an alarm to monitor when a specific ESXi host in an HA/DRS cluster becomes disconnected from other vSphere components like HA agents or the vCenter server.

Which process must the administrator use to accomplish this?

- A. Define a Host type alarm, monitor for the event Cannot connect host, and supply a conditional trigger on Host name equal to a specific label.
- B. Define a Cluster type alarm, monitor for the event Cannot connect host, and supply a conditional trigger on Host name equal to a specific label.
- C. Define a Cluster type alarm, monitor for the event Host status changed, and supply a specific label for each host.
- D. Define a Host type alarm, monitor for the condition Host status changed, and supply a specific label for each host.

Correct Answer: A

QUESTION 37

An administrator needs to modify a virtual machine alert to increase the threshold value of the trigger. Once connected to the vCenter Server, the administrator navigates to the virtual machine to make the change. However, the administrator is unable to edit the alarm.

What is the reason that this alarm cannot be edited?

- A. The alarm was not defined on this inventory object.
- B. The administrator is not the owner of this inventory object.
- C. The alarm was not created by the administrator.
- D. The alarm has not been acknowledged.

Correct Answer: A

QUESTION 38

What should the administrator do first when configuring vCenter Operations Manager for Horizon to monitor their View deployment?

- A. Add Adapter from the View Configuration > Servers page in View
- B. Add Adapter from the Custom Dashboard page > Configuration in vCenter Operations Manager
- C. Configure the Adapter from the Administration > Solutions page in vCenter Operations Manager
- D. Configure the Adapter from the View Configuration > Global Settings page in View

Correct Answer: C

QUESTION 39

A vCenter Operations Manager environment has been running for a few weeks. The administrator needs to add the vCenter Operations Manager for Horizon instance to connect to the View environment.

Where should the administrator go in the vCenter Operations Manager Web UI to achieve this?

- A. Environment > VDI Environment > Adapter Instance
- B. Environment > All Objects > Adapter Instance
- C. Administration > Solutions > Add Solutions
- D. Administration > Global Settings > Add Solutions

Correct Answer: C

QUESTION 40

An administrator is configuring the View Connection Broker Agent. The Adapter instance is properly configured within vCenter Operations Manager for Horizon. When the administrator clicks on the Test button to pair the server, the test fails. IP address and name resolution are validated and working for both servers.

What should the administrator do to verify connectivity between both servers?

- A. Verify that a proper Fully-Qualified Domain Name exists for the vCenter Operations for Horizon servers.
- B. Verify that the certificate on the vCenter Operations for Horizon server is recognized by the View server.
- C. Login with a domain admin instead of a local account on the View server.
- D. Verify that the proper port is open between vCenter Operations for Horizon and the View server.

Correct Answer: D

QUESTION 41

An administrator finds that some desktop pools fail to report metrics back to vCenter Operations Manager for Horizon, while other desktops are reporting metrics as expected. Which condition could cause this behavior?

- A. The vCenter Operations Manager for Horizon server is not paired with a View Connection server.
- B. The vCenter Operations Manager for Horizon adapter is running version 1.0.1.
- C. HKLM\SOFTWARE\VMware, Inc.\vCenter Operations Manager\Client is disabled.
- D. The vCenter Operations Manager agent is disabled in the virtual desktops.

Correct Answer: D

QUESTION 42

An administrator needs an Active Directory service account to use for Quickprep. The organization's policies do not allow the service account to create new computer accounts in Active Directory. Pre-existing computer accounts must be reused.

Which three Active Directory permissions are required for the service account? (Choose three.)

- A. List Contents
- B. Read All Properties
- C. Delete Computer Object
- D. Reset Password
- E. Write All Properties

Correct Answer: ABD

QUESTION 43

An administrator has installed an instance of View Composer on a standalone server and needs to add a new vCenter Server to the View environment.

What should the administrator do to enable the use of View Composer with the new vCenter Server?

- A. Install a new instance of View Composer to use with the new vCenter Server.
- B. Configure the new vCenter Server to use the current standalone View Composer server.
- C. Create a new organizational unit in Active Directory for linked clone desktops created on the new vCenter Server.
- D. Add a user account to the new vCenter Server with permission to use the current standalone View Composer server.

Correct Answer: A

QUESTION 44

At a minimum, which three Datastore permissions must be added to a vCenter Server role to work with View Composer? (Choose three.)

- A. Allocate Space
- B. Update Virtual Machine Files
- C. Browse Datastore
- D. Low Level File Operations

E. Remove File

Correct Answer: ACD

QUESTION 45

An administrator needs to add Location-Based Printing to five virtual desktops.

Which two steps must the administrator take to accomplish this task? (Choose two.)

- A. Create a GPO containing the AutoConnect Map Additional Printers for VMware View group policy setting.
- B. Create a GPO containing the Enable Printer Location Tracking for VMware View group policy setting.
- C. Add the computer names of the desktops using Security Filtering.
- D. Add the MAC addresses of the desktops using Security Filtering.

Correct Answer: AC

QUESTION 46

An administrator creates a new pool of dedicated linked-clone desktops. The desktops are powered off every night and need to be powered on each morning at the start of the shift. Users report that it takes too long to login to their desktops.

What should the administrator do to decrease the boot time of the linked-clone desktops?

- A. Add a persistent disk to the desktop.
- B. Enable View Storage Accelerator in the Connection Server settings.
- C. Enable View Storage Accelerator in the desktop pool settings.
- D. Convert the desktops to full clones.

Correct Answer: C

QUESTION 47

A View environment includes a View Connection Server and View Security Server.

The View Connection Server has the following configuration:

The View Security Server has the following configuration:

An administrator needs to set up View to allow external access for users via PCoIP.

Which option represents the format in which information must be entered into the PCoIP External URL field in View Administrator?

- A. https://security.company.com:443
- B. https://10.10.10.1:4172
- C. 10.10.10.1:4172
- D. security.company.com:4172

Correct Answer: C

QUESTION 48

An administrator in a large organization needs to delegate authority to manage a group of desktops to another administrator at a remote site. The desktops have been placed in a folder in View Administrator so that a user can be assigned to manage those desktops only.

The remote site administrator must be able to:

What is the most restrictive predefined role that can be assigned to meet these requirements?

- A. Administrators
- B. Agent Registration Administrators

- C. Global Configuration and Policy Administrators
- D. Inventory Administrators

Correct Answer: D

QUESTION 49

A database administrator needs to configure Microsoft SQL Server Express for the View Events Database.

Which two steps must the database administrator complete? (Choose two.)

- A. Enable Windows Authentication for the user on the database.
- B. Enable SQL Server Authentication for the user on the database.
- C. Determine the port number that is used to access the database server.
- D. Set up the Events database tables.

Correct Answer: BC

QUESTION 50

An administrator needs to backup the View LDAP Configuration and View Composer database.

What are three ways this can be accomplished? (Choose three.)

- A. Schedule automatic backups by using the View Manager Configuration Backup feature.
- B. Initiate a backup immediately by using the Backup Now feature in View Administrator.
- C. Use a replicated instance of View Connection Server as the backup.
- D. Take a snapshot of the View Connection server.
- E. Manually export the View data by using the vdmexport utility.

Correct Answer: ABE

QUESTION 51

An administrator enables Persona Management for a desktop pool and leaves the universal naming convention (UNC) path blank in the session variable Persona Repository Location.

What is the likely outcome?

- A. The User Profile will not be created.
- B. The User Profile will be created but when users log on again their files will not be available.
- C. The User Profile Path in Active Directory will be used.
- D. The User Profile Path will default to the local My Documents.

Correct Answer: C

QUESTION 52

An administrator is creating a shared folder to use as the Profile Repository for Persona Management.

Which requirement must be met?

- A. The shared folder must be in the same Active Directory forest as the users who use the shared folder.
- B. The shared folder must be on an FTP server.
- C. The shared folder cannot be shared across View Pools.
- D. The shared folder must be on a Network File System (NFS) share.

Correct Answer: A

QUESTION 53

An administrator needs to configure Persona Management with a Dedicated Linked Clone Pool. The administrator is aware that users save large files to their user profiles and needs to avoid long load times of

the user data.

What should the administrator do to enhance performance of Persona Management when loading the user data?

- A. Enable the Remove local persona at log off policy.
- B. Configure Persistent Disks with Persona Management.
- C. Enable View Storage Accelerator.
- D. Configure Non-Persistent Disks with Persona Management.

Correct Answer: B

QUESTION 54

An administrator is configuring a group of desktops that will be accessed via the PCoIP display protocol across a WAN link.

Which two settings should the administrator apply to minimize bandwidth usage? (Choose two.)

- A. Lower the Maximum Frame Rate
- B. Raise the Maximum Frame Rate
- C. Disable the Turn off Build-to-Lossless feature
- D. Enable the Turn off Build-to-Lossless feature

Correct Answer: AD

QUESTION 55

Which setting will allow a remote desktop session to be monitored by an administrator?

- A. Enable Access to a PCoIP session from a vSphere console
- B. Enable session shadowing of a PCoIP session from a vSphere console
- C. AllowDirectRDP
- D. AllowSingleSignon

Correct Answer: A

QUESTION 56

Which GPO settings should be configured to achieve the highest quality for graphics and video with PCoIP desktop connections?

- A. Enable Turn off Build-to-Lossless feature setting.
- B. Set Maximum Frame Rate to 15.
- C. Disable Turn off Build-to-Lossless feature setting.
- D. Set the Configure the PCoIP session bandwidth floor to 1,000Kbps.

Correct Answer: C

QUESTION 57

Which two settings are required to prevent RDP access to a group of View desktops? (Choose two.)

- A. Disable AllowDirectRDP.
- B. Enable AllowDirectRDP.
- C. Select the Pool Settings tab and select PCoIP as the default display protocol.
- D. Select the Pool Settings tab and disable RDP as a possible display protocol.

Correct Answer: AC

QUESTION 58

A View administrator receives reports that users are experiencing degraded performance from their zero

clients. After investigating with a network administrator, the administrator notices a lot of network congestion.

What should the View administrator ask the network administrator to change?

- A. Enable Tail-Drop on the routers.
- B. Enable WRED on the routers.
- C. Enable Network Traffic Analyzer on the Switches.
- D. Enable RRED on the routers.

Correct Answer: B

QUESTION 59

All RDP connections to virtual desktops must use the Horizon Client. Direct RDP connections using alternate clients must be disabled due to security considerations.

Which step must be taken to prevent direct RDP connections?

- A. Select No for the Allow users to choose protocol option and select PCoIP as the default protocol.
- B. Apply the AllowDirectRDP GPO to the virtual desktops.
- C. Apply the AllowDirectRDP GPO to the Connection Server.
- D. Select Yes for the Allow users to choose protocol option and disable RDP access in the global policies.

Correct Answer: B

QUESTION 60

An administrator needs to replace the default self-signed SSL certificates for all View servers. An internal certification authority (CA) server will be used to issue new SSL certificates.

Clients will connect to View virtual desktops using the latest Horizon client on both corporate-owned and staff-owned bring your own device (BYOD) clients.

What must the administrator consider to ensure all clients can connect without security warnings or error messages?

- A. Clients must connect to Horizon using the fully qualified domain name (FQDN).
- B. All client devices must trust the root CA certificate and any intermediate CA certificates.
- C. The new certificate must be added to the certificate revocation list (CRL).
- D. All View servers must trust the client SSL certificates for staff-owned BYOD clients.

Correct Answer: B

QUESTION 61

An administrator is configuring RADIUS authentication for a View implementation and enters the RADIUS server host name into the View Administrator console.

Which additional information must be entered into View Administrator to properly configure RADIUS?

- A. Port number, authentication type, and shared secret
- B. DNS server, port number, and shared secret
- C. Authentication type, shared secret, and public key
- D. Public key, authentication type, and shared secret

Correct Answer: A

QUESTION 62

An administrator is installing RSA SecurID authentication for a View implementation and needs to force the RSA and Active Directory user names to match during authentication.

Which option should the administrator select to meet the requirement?

- A. Enforce SecurID and Windows user name matching.
- B. Enforce 2-Factor and Windows user name matching.
- C. Synchronize SecurID and Windows user name matching.
- D. Synchronize 2-Factor and Windows user name matching.

Correct Answer: A

QUESTION 63

An administrator is creating a pool of desktops for a group of developers. The administrator needs to provide control to a user from the group to manage the recompose and refresh operations. The user's controls must apply only to the developer pool.

What should the administrator do?

- A. Create a developer folder, add the developer pool, and assign a user with the Inventory Administrators role to the folder.
- B. Create the developer pool and assign the Manage Desktops global privilege to the virtual desktops.
- C. Create the developer pool and assign the Inventory Control global privilege to the virtual desktops.
- D. Create a developer folder, add the desktops, and assign a user with the Manage Desktops role to the folder.

Correct Answer: A

QUESTION 64

A View environment consists of a Connection Server named connect-01 and a security server named security-01.

An administrator needs to configure RSA SecurID authentication for external users. Internal users must not be prompted for the RSA SecurID token code.

What should the administrator do?

- A. Configure 2-factor authentication on the security-01 security server.
- B. Configure 2-factor authentication on the connect-01 Connection Server.
- C. Add a new Connection Server named connect-02 for internal users. Configure 2-factor authentication on the connect-01 Connection Server.
- D. Add a new security server named security-02 for internal users. Configure 2-factor authentication on the security-01 security server.

Correct Answer: C

QUESTION 65

An application was packaged using ThinApp and access is restricted to an Active Directory group called Customer Services. An administrator needs to remove this restriction.

What should the administrator do to remove this restriction with the least effort?

- A. Repackage the application, selecting Everyone from the Setup Capture wizard.
- B. Remove the PermittedGroups section from package.ini and execute build.bat.
- C. Change PermittedGroups=1 to 0 within package.ini and execute sbmerge.exe.
- D. Change PermittedGroups=0 to 1 within package.ini and execute sbmerge.exe.

Correct Answer: B

QUESTION 66

An administrator needs to configure View to support ThinApp applications. Which file location should the administrator choose for the ThinApp repository?

- A. \\10.232.98.55\ThinApps
- B. \\filesrv9.domain.local\ThinApps
- C. http://websrv7.domain.local/thinapprepo
- D. ftp://websrv7.domain.local/thinapprepo

Correct Answer: B

QUESTION 67

An administrator has packaged an application with ThinApp but failed to include an important update.

What should the administrator do on the capture machine to include the application update in the package?

- A. Install the update, delete the sandbox, and then use the sbmerge apply command.
- B. Delete the sandbox, install the update, and then use the sbmerge apply command.
- C. Install the update, delete the sandbox, and then use the appsync command.
- D. Delete the sandbox, install the update, and then use the appsync command.

Correct Answer: B

QUESTION 68

An administrator configures a user with a global entitlement and a global home site, but has not set the scope policy.

Which search order will Cloud Pod Architecture use to find a desktop for that user?

- A. Global home site, local pod, local site, other sites
- B. Local pod, local site, other sites
- C. Local pod, local site, global home site, other sites
- D. Global home site, local site, other sites

Correct Answer: A

QUESTION 69

An administrator is creating a new Automated Linked-Clone desktop pool. The administrator has also created a new parent virtual machine and has installed the View Agent.

Which additional step must be taken before the desktop is prepared for use in a Linked-Clone pool?

- A. Restart the virtual machine and clone to template.
- B. Power off the virtual machine and take a snapshot.
- C. Enable provisioning in View Administrator.
- D. Enable provisioning in View Composer.

Correct Answer: B

QUESTION 70

An administrator is planning a new pool for a group of users.

The pool requirements are:

- User data must be portable between desktops.
- User-installed applications must persist between sessions.
- SE Sparse disk will be used to reclaim storage capacity.
- Linked-clones will be used to conserve storage capacity.
- Desktops will be refreshed on log off.

The administrator plans to use View Composer persistent disks to support the requirements for this pool.

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.